Hand-Held Windows Shoot-Out



Silicon Graphics' Killer 3-D Workstation **p. 41** NetWare and the Web **p. 147** 8 Web-Authoring Tools Span Every Need **p. 116**

the global authority for computing technology

CANJAKA REPLACE WINDOWS?

Build the Best Data Warehouse Net Cuts Training Costs

9770360 528025 11. £2.50 U.K./Lit.8,000 ITALY/ATS 67/\$3.50 U.S.A. ublication of The McGraw-Hill Companies/0360-5280

www.byte.co



In the past year, Micron Electronics[™] has won nearly a hundred awards for product performance, customer service and support.

Millennia TransPort™

Mobile Intel Pentium® processor

A1153

- Intel 430MX PCI chipset
- 256KB L2 pipeline burst cache
- 8X modular CD-ROM drive
- PCI graphics accelerator, 1MB EDO RAM
- Pick-a-Point" dual pointing devices integrate both pointing stick and touchoad
- Removable EIDE hard drive
- · 3.5" modular floppy drive
- Intelligent modular lithium-ion battery
- 16-bit stereo sound
- Built-in stereo speakers and microphone

· 2 Type II or one Type III PCMCIA slots

FILIPPS

May 38, 1995

June 25, 199

- S-video and NTSC-video outputs
- · Headphone, microphone and line in jacks
- · 2 infrared ports, one front, one back
- Parallel, serial, VGA and 2 PS/2[®] ports
- Dimensions: 11.7" x 9.4" x 2.0", weight: 6.9 lbs."
- Nylon carrying case

🗲 • 5-year/3-year Micron Power- warranty

† 6.9 bs. includes 3.5" Roppy and one bottery bt Lock secures both Millionia learshort and Alexandrock

With Intel 133Mills Persium processor With Intel 166Mills Persium processor

- Microsoft® Windows® 95 and MS® Plus! CDs
- Microsoft Office Pro 95 and Bookshelf* 95 (Ds
- Kensington- secruity lock ready¹¹
- 133MHz mobile Intel Pentium processor
 32MB EDO RAM (48MB max.)
- 12.1" active matrix color display, 800x600
- 1.3GB removable hard drive
- 133MHz mobile Intel Pentium processor
- 32MB EDO RAM (48MB max.)
 12.1" active matrix coler display, 800x600
- 2.1GB removable herd drive
- Motorola® Montana 33.6 fax/modem 2nd lithium-ion battery

OPTIONS

subtract \$300 subtract \$100

000

00

-44 (0)

inse \$75/mo

Bus, lease \$92/ma

Rus, Joese S68/mo

- With 16MB DIMM module upgradeadd '349 With 2nd lithium ion hottery
- · With primary 2.1GB hard drive upgrode
- add \$799 With MicronExec* desktop puckage

Intel 200MHz Pentium processor

• 16-bit stereo sound & speakers

· Tool-free minitower or desktop

· Microsoft Mouse, 104-key keyboard

😼 • 5-year/3-year Micron Power warranty

Microsoft Windows 95 & MS Plus! CD.

512KB pipeline burst cache, flash BIOS

PCI 32-bit Ultra SCSI Fast-20 controller

12X SCSI CD-ROM drive, 3.5" floppy drive

· PCI 64-bit 3D video, MPEG, 4MB EDO RAM

Millennia[™] P200

- Intel 200MHz Pentium® processor
- 512KB pipeline burst coche, flosh BIOS
- . 12X EIDE CD-ROM drive, 3.5" floppy drive
- 16-bit stereo sound & speakers
- · PCI 64-bit 3D video, MPEG, 4MB EDO RAM
- Tool-free minitower or desktop
- Microsoft[®] Mouse, 104-key keyboard
- Microsoft Windows® 95 & MS® Plus! CD
- 5-year/3-year Micron Power- warranty
- 64MB EDO RAM • 3.1GB EIDE herd drive 17" Micron 17FGx, .26dp (15.8" display)
 Microsoft Office Pro 95 & Bookshelf 95 CDs

. 16MB EDO RAM

1.6GB EIDE hard drive

32MB EDO RAM

• 2.5GB EIDE hard drive

15" Micron 1 SFGx, .28dp (13.7" display)
 Microsoft Works 95 (D

 15" Micron 15FGx, 28dp (13.7" display)
 Microsoft Office Pro 95 & Bookshelf" 95 CDs Bus, Jease \$78/mo. lease \$99/ma

Millennia[™] Pro2 180

- Intel 180MHz Pentium® Pro processor
- Supports dual Intel 180 MHz Pentium Pro processors
- · 256KB internal cache, flash BIOS
- 12X EIDE CD-ROM drive, 3.5" floppy drive
- 16-bit stereo sound & speakers
- · PCI 64-bit 3D video, MPEG, 4MB EDO RAM
- · lool-free minitower or desktop
- · Microsoft® Mouse, 104-key keyboard
- Microsoft Windows® 95 & MS® Plus! CD
- S-vear/3-year Micron Power- warranty

PENTIUM-PRO

208-893-8970 208-893-7393

17" Micron 17FGx, .26dp (15.8" display)
Microsoft Office Pro 95 & Bookshelf 95 CDs

15" Micron 15FGx, .28dp (13.7" display)
 Microsoft Works 95 (D

Wilk 2nd Istal 180WHz Pentium Pro processo

With Nicesoft Windows XIT Workstation 4.0 CD . "Socord processor requires Microsoft Windows NI Workstation 4.0

entium

. 16MB EDO RAM

32MB EDO RAM

• 3.1GB EIDE hard drive


• 2.5GB EIDE hard drive

800-708-1758 **Tollfree from Canada**

+ 900 E. Karcher Road, Nampa, ID 83687 . Mon-Fri 6am-10pm Sat 7am-5pm (MT) · International Sales Hours: Mon-Fri 6am-7pm (MT) • Phone: 208-893-3434 • Fax: 208-893-3424 • Purchase Order Fax: 208-893-8992 + GSA Contract #GS35F4317D Technical Support Available 24 Hours A Day-7 Days A Week Technical Support Phone: 888-IFIX-MYPC Technical Support E-mail: techsupport.meic@micron.com

- Tollfree from Puerto Rico 800-708-1756
 - Tollfree from Mexico 95-800-708-1755

In 1926 Micron Electronics, Inc. All rights reserved. Micron Electronics is not responsible for omesions or errors in typography or photography. All purchases are subject to avail and specifications may be changed without notice, prices do not include shipping and handling. 30-day money back, policy deep on of include return Insight and original ship changes, applies only to Micron Itand publics and begins from date of shipment. All safes are subject to Macron Electronics: current harms and conditions of safe. Lease pr Micronich lease. Itel, theil huids and the Pretentian are originated latabanko for the Inde Corporation. Microally, Microbas, Andersonas, Alla Alla Processof, Parkes, Alla Alla Proc In logo are registered trademarks of MIL/MILPRO/TRNS BYTE 961212



Rus Jansa \$139/mg

Bus, lease \$156/ma

• 2GB Ultra SCSI hard drive

THE

- 15" Micron 15FGx, .28dp (13.7" display) Microsoft Works 95 (D
- . 32MB EDO RAM

4GB Ultra SCSI hard drive 15" Micron 1 SFGx, .28dp (13.7" display) Microsoft Office Pro 95 & Bookshelf 95 CDs

- . 64MB EDO RAM

 - 9GB Fest SCSI-2 hard drive
 17" Micron 17FGx, 26dp (15.8" display)
 Microsoft Office Pro 95 & Beokshelf 95 CDs

Millennia[™] Pro2 360 Plus

- Dual Intel 180MHz Pentium Pro processors
- 256KB internal cache, flash BIOS
- PCI 32-bit Ultra SCSI Fast-20 controller
- 12X SCSI CD-ROM drive, 3.5" floppy drive
- 16-bit stereo sound & speakers
- · PCI 64-bit 3D video, MPEG, 4MB EDO RAM
- · Tool-free minitower or desktop
- · Microsoft Mouse, 104-key keyboard
- Microsoft Windows NI® Workstation 4.0 CD
- Microsoft Office Pro 95 & Bookshelf[®] 95 CDs
- 🗲 5-year/3-year Micron Power warranty

		ISFGx,		displo
-	 		 	

. 64MB EDO RAM

. 32MB EDO RAM

- 4GB Ultra SCSI herd drive • 17" Micron 17F6x, .26dp (15.8" display)
- 128MB EDO RAM
 9GB Fast SCSI-2 hard drive
- 21" Micron 21FGx, .26dp (20.0" display)
- 800-362-7306 http://www.mei.micron.com



Bus, lease \$92/mg

Bus, lease \$109/mo

Rus Jense S163/mo

lease \$155/mo

Bus Jense S214/mo

00

YOU WOULDN'T LET YOUR BEETS GET **Mixed Up**

WITH YOUR POTATOES

SO WHY LET YOUR **data** SLOP INTO THE **Operating systems** ON YOUR HARD DISK?

NOW YOU CAN Organize AND protect EVERYTHING ON YOUR HARD DISK WITH PartitionMagic[®] 3.0!

By dividing your hard disk into physically separate partitions, PartitionMagic lets you organize your hard disk to protect valuable data files from mixing with potentially sticky applications and operating systems. PartitionMagic also simplifies backups, especially to devices like ZIP drives, because you can just backup the partition containing the data you need. And with the transport feature of Uninstaller[™], PartitionMagic lets you move applications from one drive to another without losing a single setting, preference, or file. For more information, visit our Web site at **www.partition.com.**

Buy PartitionMagic 3.0 before March 31 and get \$15 back from PowerQuest[®]. Visit your local software reseller or call 1-800-720-0399 for details. "PowerQuest's PartitionMagic is our choice for repartitioning a large hard disk." Brian Nadel, *PC Magazine*

"In less than five minutes, I not only divvied up my hard drive, but changed my mind and divvied it up again ... it's easy to use." Steve Bass, *PC World*



Reclaim wasted hard disk space. The disk state of the state of the state Safety run multiple OSs. Organize and protect your data.

1.4

ŊИ



311

Babbage's • Best Buy • CompUSA • Computer City • Egghead Electronics Boutique • Fry's • J&R • Micro Center • Office Depot • Software Etc.

© 1996 PuwerQuest Corporation. All rights reserved. PuwerQuest and PartitionMagic are repittered trademarks of PowerQuest Corporation. All other marks are properties of cheir respective owners. Patents pending.



TODAY the WEB, TOMORROW the WORLD

68

By Tom R. Halfhill More than just a Web language, Java could be the holy grail of multiplatform software development.

EDITORIAL

Living Dangerously

By Mark Schlack The squabbling gods must help build bridges between computing platforms.

INBOX

19

BITS

Readers react to our stories on 64-bit OSes, WebNFS, network computers, on-line help, and more.

1997 Editors' Choice Awards

International

We honor hardware and software that prove innovation was alive and well in 1996.



401S 1

January 1997, vol. 22, no. 1

Better Web Tools on the Way	26
Smart Netcards Coming to America	28
Wireless PDAs	30
BYTE Survey: Data Warehouse Woes	3
Internet and Outernet	3
Security Wake-Up Call	3



Corel's New PDA
and Java Suite
Sun's McNealy on Java

38

40

STATE OF THE ART

Data Warehouses 82

How to build the best facility for your information, and how to help users find the data they need right now.

Warehouse Cornerstones 85

By Jay-Louise Weldon An expert in database management explains how a welldesigned data warehouse leads to smarter decisions.

Better Clients, Better Decisions

By Alan Simon The right tools can turn all that data into useful information.

Take Your Data to the Cleaners

97

By Mike Hurwicz "Dirty" data could bring your warehouse tumbling down.

EVAL

Silicon Graphics' Wintel Killer

By Dave Rowell Just when NT-based Pentium Pro PCs are starting to look like hot 3-D machines, SGI introduces the cool blue O2.

Local AltaVista Searching 42

By Steven J. Vaughan-Nichols AltaVista now lets you aim its popular Internet search engine at your PC and LAN. But you need big metal for good performance.

Multiplatform CodeWarrior 47

By Raymond GA Côté Metrowerks' Code Warrior 10 hits the scene with development tools for some PDAs.



World's Fastest Disk Drive 48

By Stan Miastkowski Seagate makes a giant leap in hard drive speed with the 10,000-rpm Cheetah.

OPERATING SYSTEMS

The State of Linux

By Jim Mohr An update on this 32-bit Unixlike OS, with pointers to even more Linux info.

49

NETWORKS

Client/Server Magic 53

By Tom Yager

Remote procedure calls provide seamless data exchange among applications across a network, regardless of the platform.

CPUS

Video for Everyone

By William Chien C-Cube's low-cost MPEG encoder can turn a desktop PC into a video-editing station.

59

PROGRAMMING

Java Security and Type Safety 63

By Gary McGraw & Ed Felten Java's sophisticated security mechanism performs run-time safety checks before it allows a downloaded applet to execute.

LAB REPORT

Kane, and John McDonough We pick the best of the bigscreen monitors.

LAB REPORT: SOFTWARE

8 Tools for Weaving Your Web Site 116

By Tadesse Giorgis Build your Web site with one of these authoring tools.

REVIEWS

Dial 411 for Directory Assistance 137

By Steve Gillmor Novell's latest NetWare release bets big on Java and the intranet.

Hot Sauce for Cooking Up Databases

139

By Russell Kay If you've got Salsa, you don't need to understand database theory to build an application.

	_	_	
SALSA	for	the	Desktop

	sign Tools
Catalog	X HEGO
Templates Eorms & Reports	
•8 Address	O .Tr
Ø *Appellation	0 *Pe
D Application Menus	D Cot
Ø Area Code	Ø Instr
ARTIST Artist's Name	-8 Trai
D AUTHOR	0
Ø *Author's Name	00
Ø Average Price Paid	01
Ø Average Rating	111 1

CHAOS MANOR

A Hard Drive and a Hot Santa Ana

By Jerry Pournelle It's a month of disasters at Chaos Manor: Jerry has to replace a baked hard drive, and Cyrus needs internal surgery after taking a fall.

141

WHAT'S NEW

184

Design Intelligence's i-publish helps you turn ideas into compelling documents; the Tektronix Phaser 350 rivals fast color laser printers.



CODETALK

You Can Start Developing Now

192 By Rick Grehan

Moss Micro's programming tool guides you down the path of Visual Basic.

SERVICE

Reader Service

Inquiry Reply Cards 48A-B, 176A-B

Index To Advertisers

Alphabetical Order	176
Product Category	178
Editorial Index	
by Company	180

PROGRAM LISTINGS

FTP: ftp.byte.com From BIX: Join "listings/ frombyte97" and select the appropriate subarea (i.e., "jan97").

THE BYTE WEB SITE

and THE VIRTUAL PRESS ROOM http://www.byte.com

BYTE (ISSN 0360-5280) is published monthly by The BTTE (155/N 0300-5240) in ploteined monthly by The McGraw-Hill Companies, Inc. U.S. subscriber rate \$29.95 par year. In Canada and Mexico, \$34.95 per year. European sufface mail subscriptions \$60, airmail \$86. Non-European subscriptions, \$60 surface mail or \$65 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$20 foi uncl. \$2.40 for uncl. \$2.40 for the U.S. funds that can be drawn on a U.S. hank. Single copies \$3.05 in the U.S. \$4.95 in Cannoth. Executive, Editorial, circulation, and Advertising Officeus: One Phoenix Mill Lane, Peter/borough, NH od AbE. Periodicals pontage paid at Peterborough, NH od Adcilional meding officea. Pontage paid at Winnipeg, Manitobia. Canada Poat Hermatical Petaleciations Mail Pochet Saler Agreemont No. 246492. Registered for GST as The McGraw Hill Companies, Inc., 257 # 120075673. Postmaster: Sund akfeme Aurge and Milliment quanisons to BYTE Subscriptions, P.O. Box 552, Highttown, NJ 08520. Printed in the United States of America.



By Dorothy Hudson, Jim

WEB PROJEC1

Search Again

123 By Jon Udell Our Webmaster explains how to move beyond basic search-engine capabilities to make your site more informative.

COMPARISON

At Last: Pocket PCs That **Run Windows** 133

By Peter Wayner New hand-held PCs bring Windows to the palmtop. We test three HPCs built around Windows CE.

CORE

CONTENTS BY PLATFORM

WINDOWS

Goodbye NT for MIPS36 NT users will have one less RISC to choose from.

Video for Everyone59 PCs will be able to capture, edit, and output MPEG video, thanks to a low-cost real-time encoder

1997 Editors' Choice

Hot Sauce for Cooking Up

A Hard Drive and a Hot

Santa Ana141 A new hard drive installation forces Jerry to take on Windows 95's REGEDIT.EXE and SYSTEM.DAT—very carefully.

You Can Start Developing

MACINTOSH

The latest version of this popular development tool not only tackles several languages, it goes beyond Mac programming with tools for the Palm Pilot and Magic Cap.

1997 Editors' Choice

puting were among the best Mac products of the year.

UNIX

Why Java Won't Repeat the Mistakes of Unix ...40 Scott McNealy explains "the problem with Unix."

Silicon Graphics' Wintel

The State of Linux 49 For the price of a download or CD-ROM, you can get 32-bit Unix-like OS. Linux offers SMP, real-time support, and provides compilers and applications as part of the package.

NETWORKS

Local AltaVista Searching 42 Now you can aim the AltaVista search engine at your LAN.

Client/Server Magic 53 A look at how remote procedure calls work, with an emphasis on NT 4.0.

Warehouse Cornerstones 85 As you distribute a warehouse across your enterprise, be sure you make the right server and DBMS decisions.

Better Clients, Better

Take Your Data

1997 Editors' Choice

INTERNET

Web Tools Will Converge ...26 Building an application can involve a hodge-podge of different tools. But that situation will improve this year.

Why Java Won't Repeat the Mistakes of Unix40 Scott McNealy talks about how Sun's programming language will change computing.

Java Security and Type Safety63 This month's Programming column looks at Java's sophisticated security mechanism.

Today the Web, Tomorrowthe WorldJava isn't just for Web applets.It could be the key to true mul-tiplatform development.


1997 Editors' ChoiceAwardsCyberdog, WebCompass,Domino, WebCD, and WebOb-jects Pro rank as some of themost innovative products in ayear when everything seemedto have some Net connection.

INDEX

A	pplications generators139
B	YTE Awards127
С	D-ROM
С	hips
С	lient/server53
D	ata analysis91
D	atabases85, 91, 97, 139
D	ata cleansing32, 97
D	ata mining91
C	ata warehouses
	91,97
C	OCE53
E	mbedded systems47
E	executive info systems91
(Braphics41
ł	land-held PCs133
1	ITML
1	ndexing123
1	nternet26, 34, 42, 63, 68,
	116, 123, 127
1	ntranets42, 137
	Java14, 38, 40, 63, 68
	Linux49
	Mobile computing30,38,
	127,133
1	Monitors104
	MPEG41,59
1.	Multiprocessing85
	Networking42, 53, 82, 127, 137
	OLAP91
	Operating systems36, 49,
	PDAs
	Programming26, 47, 53, 63, 68, 123, 139, 192
	Remote procedure calls53
	Search engines42, 123
	Security
	Smartcards
	Storage
	3-D41
	Video
	Wireless
	Workstations41
	World Wide Web26, 68, 116, 123, 127
- 11	110, 123, 127



Introducing the revolutionary Apex 4.6 Gigabyte Optical Hard Drive. The world's highest capacity removable disk drive.



Fast. Ideal for storing graphics, audio/video, CAD/CAM, and large files. Use for hard drive expansion and backup.



More reliable than magnetic storage. Drive \$1695*. Media \$199*. Call the optical storage leader. 800.553.7070

www.pinnaclemicro.com



Prices based on MSRP. The Pinnacle Micro logo is a registered trademark of Pinnacle Micro Inc. All other trademarks are trademarks of their respective owners.

Tel: 714-789-3000 • Fax: 714-789-3150 • http://www.pinnaclemicro.com Circle 146 on Inquiry Card (RESELLERS: 147).

Deliver Industrial-Strength Decision Support Tools and Watch the Sparks Fly!

Delivering effective decision support for hundreds or thousands of users is definitely not child's play. It takes powerful, mature tools. IQ Software's decision support tools are industrial-strength, best-of-breed products that can be deployed individually or as a total decision support solution.

IQ/Objects™ Robust Query and Reporting

For end-user query and reporting, IQ/Objects is simply unbeatable. This award-winning tool's familiar, easy-to-use Microsoft look and feel belie the awesome power of its true

object-based technology. IQ/Objects supports everything from simple ad hoc queries to the most sophisticated cross tabulations. Reusable objects let users combine new queries and reports with previously saved ones to create sophisticated



reports easily and quickly. A selection of templates makes it easy to create presentation-quality results in minutes.

IQ/SmartServer™ Three-Tier Architecture

IQ/SmartServer provides production reporting, scheduling and job monitoring facilities. This elegant three-tier architecture implementation harnesses the power of servers (UNIX and NT) to reduce network traffic and deliver a scalable, manageable, high-performance solution. IQ/SmartServer cures fat client performance problems without limiting user access to information.

10/Vision[™] Multidimensional Analysis

IQ/Vision works directly with relational databases and Arbor's Essbase or can be implemented with its own MDDB to deliver a complete OLAP solution. For robust multidimensional and drill-down analysis, nothing is easier to use or functionally as rich as IQ/Vision. An intuitive interface displays information in interactive charts or cross tabs, allowing any user to visually slice and dice, drill up and down, nest dimensions, flip axes, and rotate dimensions – all with point and click simplicity.

© IQ Software Corporation 1996. The IQ Software logo is a registered trademark and IQ/Objects, IQ/SinartServer, IQ/Vision and IQ/LiveWeb are trademarks of IQ Software Corporation. All other product names an trademarks or registered trademarks of their respective companies. IQ Software Corporation (770) 446-8880, fax (770) 446-0321, enail. info@iisc.com, World Wide Web. http://www.iscc.com

"IQ/Objects – A breakthrough technology for query and reporting tools." Aberdeen Group

"IQ Software has brought the power of objects to mainstream business intelligence."

Patricia Seybold Group

"IQ/Vision is an extremely powerful and easy to use OLAP tool that shines with complex data."

Information Week Labs

IQ/LiveWebTM Web-enabled Decision Support

IQ/LiveWeb links corporate databases and cyberspace, turning your intranet into a source of live database information. With IQ/LiveWeb, users can request and view reports anytime, anywhere using a standard Internet browser. IQ/LiveWeb lets you design and build database reports, charts and cross tabs.

Server-based publishing makes it easy to keep those reports current. Simply tell IQ/LiveWeb the schedule. That's it. IQ/LiveWeb automatically executes your requests, refreshing the information and publishing it to your intranet.

> Special Offer! For a limited time, download a fully operational copy of IQ/LiveWeb, valued from \$4,000 to \$20,000, absolutely

free. See http://www.iqsc.com for details.

SOFTWARE

Start the sparks flyingt Contact us today for details on our industrial-strength tools.

SOFTWARE 800-458-0386 info@iqsc.com

European Subsidiaries & Affiliates: UK (44) 1-962-844-777, France 33 (1) 474-903-04, Italy-Dexia Italia (39) 6-517-933. International Distributors: Australia (61) 2-369-1932, 2-975-7669, 2-436-2788, Canada Information Access (416) 620-5811, Chile (56) 2-341-4785, Hong Kong (852) 2541-9900, Messico (52) 5-575-6098, Singapore(65) 298-3838, South Africa (27) 11-421-4800, Spain (34) 50-27-55-11. For distributors in all other Pacific Run countries, call (65) 334-1936, European countries call the UK office, and all others call IQ Software's U.S. headquarters.



EDITOR IN CHIEF Mark Schlack

Editor in Chief's Assistant: Linda Higgins

EDITORIAL

EXECUTIVE EDITORS International: Rich Friedman New Media: Ion IIdell

MANAGING EDITOR Jenny Donelan

NEWS Peterboraugh: News Editors: David L. Andrews, Martha Hicks Frankfurt: Senior Editor: Rainer Mauth

REVIEWS

Director: David Essex Senior Technical Editors: Rick Grehan, Dave Rowell Technical Editors: Russell Kay, Pete Loshin

FEATURES Senior Editor/Features : Alan Joch Peterborough: Senior Technical Editor at Large: Tom Thompson San Mateo: Senior Editor: Tom Halfhill Lexington: Senior Technical Editor: Edmund X. DeJesus

NEW MEDIA Production Associate: Joy-Lyn S. Blake

SENIOR RESEARCHER **Rowland Aertker**

ASSOCIATE TECHNICAL EDITORS Dennis Barker, Cathy Kingery, Warren Williamson

SENIOR CONTRIBUTING EDITOR Jerry Pournelle

CONTRIBUTING EDITORS Dick Pountain, Udo Flohr, Mark LaPedus

CONSULTING EDITORS Stephen Apiki, Raymond GA Côté, Trevor Marshall, Stan Miastkowski, Barry Nance, Roberta Pournelle, Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANT June Sheldon

DESIGN

Design Director: Charles Dixon III Associate Design Director/Design & Photography: Sharon Price Associate Design Director/Graphics: Joseph A. Gallagher Designers: Barbara Busenbark, Cindy Sands, Donna Sweeney

FINANCE AND OPERATIONS Vice President: Claudia Flowers

ADVERTISING PRODUCTION Advertising Production Manager: Linda Fluhr Senior Advertising Production Coordinator: Lyda Clark Advertising Production Coordinators: Karen Cilley, Rod Holden Senior Operations Coordinator: Lisa Jo Steiner Advertising Graphics Manager: Susan Kingsbury Graphics Production Coordinator: **Christa Patterson**

FINANCE Senior Financial Analyst: **Diane Henry** Systems Administrator: Peggy Dunham Junior Financial Analyst:

Dale J. Christensen CIRCULATION

Director: Susan Blattman International Circulation Manager: **Barbara** Copcutt Subscriptions Manager: Lynn Lagasse Assistant Subscriptions Manager: Christine Tourgee Subscription Source Specialist: Carol Sanchioni Newsstand Manager: Vicki Weston Assistant Manager: Karen Desroches Circulation Assistant: Jill Wood

ADMINISTRATION Human Resources Administrator: Pat Burke

Receptionist: Agnes Perry

MARKETING AND PLANNING Market Information Manager: Edward Fielding Market Information Coordinator: Dylan DiGregorio Marketing Services Administrator: Meredith Bickford

BIX GLOBAL CONFERENCING SYSTEM, AN ON-LINE COMMUNITY

ACTING MANAGING EDITOR Peter Olso

EXCHANGE EDITORS Amiga Exchange: Joanne Dow Entertainment and Leisure Exchange: Rich Taylor IBM Exchange: Barry Nance Programmers Exchange: Bill Nicholis Professionals Exchange: David Reed Tojerry Exchange: Jerry Pournelle Windows Exchange: Karen Kenworthy Writers Exchange: Wayne Rash Jr. Mocintosh and Other Exchanges: At Large

INFORMATION ENGINEER Peter Olson

MEMBER SERVICES MANAGER

BIX is the BIX Information Exchange, your best source for technical advice. BIX is owned and operated by Delphi Internet Services Corporation. Find us on the Web at http://www.bix.com/ (all browsers are welcome). Email our autoresponder at info@bix.com or fax us at 617-414-4902. Email our autoresponder at info@bix.com or fax us at 617-441-4902. Dial us by modem at 800-695-4882 or 617-492-8300 (V.34 28.8kbps). Telnet to x25.bix.com or call us (voice) at 800-695-4775 or 617-354-4137. Connect via packet networks to host BIX. Look in the last few pages of this magazine for our advertisement.

The world is changing faster than you think; don't be caught by surprise!

January 1997, vol. 22, no. 1

HOW TO CONTACT THE EDITORS

We welcome your questions, comments, complaints, kudos, and submissions.

kutos, and submissions. MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281. San Matee: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912. Lexington: 24 Hartwell Ave., Lexington, MA 02173, (617) 863-5100.

GERMANY/EUROPE: Emil von Behring Strasse 2, 60439

Frankfurt, Germany, +49 69 5801 123. ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access

Toreasy access. MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own names. 01HERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services. WEB: http://www.byte.com U.S. fax: Editoriai: (603) 924-2550

Advertising: (603) 924-7507 U.K. fax: +44171 495 6734

U.K. fax: +44171 495 6734 SUBMTSS100NS: Authon: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accom-panied by sufficient return postage. Not responsible for lost manuscripts or photos. Vendurs: We welcome news of your new products; please call the News department or the Reviews department at the earliest possible date. We cannot be responsible for unserviced nonlocit camples.

for unsolicited product samples. ARTICLE REPRINTS:

For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924–2618. (Minimum quantity: 500.)

SUBSCRIPTION CUSTOMER SERVICE

Inside U.S. (1000) 232-BYTE; outside U.S. +609.426.7676. E-mail-based customer service: mpc-stsvc@mcgraw-hill.com, Web-based customer service: http://www.byte.com/admin/mpadded.p.htm. International subscribers may also contact our inter-national customer service facility in Galway, Ireland, by colling +353 91.752.792 or via fax: +353 91.752.793. For a new subscription, (800) 257-9402 U.S. only, E-mail: mporders@mcgraw-hill.com or write to BYTE Subscription Dept., P0. Box 555, Hightstown, NJ 08520. Subscriptions are \$39.95 for one year \$54.95 for two Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for threeyears in the U.S. and its pos-sessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. Internationally, US\$60.00 for fast surface delivery, US\$85.00 for air delivery. Single copy price is \$3.95 in the U.S. and its possessions, \$4.95 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds frawn on a U.S. bank, Please allow sits to eight weeks drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA O1923, to photocopy any article herein for personal or internal ref-erence use only for the flat fee of \$1.50 per copy of the circle are at thereof. Correspondence and powend erence use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal refer-ence use without the permission of The McGraw-Hill Companies, Inc., is prohibited. Requests for special per-mission or bulk orders should be addressed to Faith Ellington, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms Inter-national; 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, UK



82 A Dursion of The McGraw-Hill Companies

Copyright © 1997 by The McGraw-Hill Companies, Inc. All rights reserved. BYTE and **UVIE** are registered trade-marks of The McGraw-Hill Companies, Inc. Trademark registered in the United States Patent and Trademark Office.

Member Audit Bureau of Circulation

Founder: James H. McGraw (1860-1948).

OFFICERS OF THE MCGRAW-HILL COMPANIES: Chairman and Chief Executive Officer: Joseph L. Dionne; President and Chief Operating Officer: Harold W. McGraw III; Senior Vice President and General Caunasi: Kenneth M. Vittor; Executive Vice President and Chief Executive Officer: Boseph L. Bahash; Senior Vice President, Treasury Operations: Frank D. Penglase; President, Information Services Group: Michael K. Hehir; Group Vice President, Information Technology and Communications Group: Kevin C. Harold.

REPRINT SALES Susan Monkton (603) 924-2618

VICE PRESIDENT/PUBLISHER

Publisher's Assistant: Donna Nordlund

NATIONAL ADVERTISING DIRECTOR

Lori Silverstein (614) 899-4908

Susan Monkton (603) 924-2635

John Ferraro (617) 860-6221,

Jeanne Beeson (617) 860-6349

Michael Feinberg (212) 512-4811

Jill Pollak (212) 512-3585

MID-ATLANTIC/SOUTHEAST

Paul Franchak (614) 899-4912

Bert Panganiban (214) 688-5165

Brian Higgins (603) 924-2596

Beth Dudas (714) 753-8140

Roy J. Kops (415) 513-6861

Lisa Farrell (415) 513-6862

Assistant: Vivian Bernier

INSIDE ADVERTISING SALES

Brian Higgins (603) 924-2596

Mark Stone (603) 924-2533

Geanette Perez (714) 753-8140

Neil Helms (404) 843-4777

Kirstin Pihl (404) 843-4765

John M. Griffin

ADVERTISING SALES

Sales Assistant:

NEW ENGLAND

(212) 512-2555

NEW YORK

CENTRAL U.S.

SOUTHWEST

SOUTH PACIFIC

NORTH PACIFIC

(603) 924-2521

BYTE DECK

EURO-DECK

INTERNATIONAL ADVERTISING SALES STAFF Director: L. Bradley Browne (603) 924-2501 Administrative Assistant: Arja Neukam (603) 924-2636

Copyrights Manager: Faith A. Ellington (603) 924-2525 See listing on page 177.

Chuck Greenslit

VocalTec's award winning internet communications DataComm **ESTER'S**

multimedia communications opportunities.

VocalTec's Telephony Gateway enables phone-to-phone calling over the Internet or Intranets. Internet VoiceMail adds voice to your email messages. Internet Conference lets you collaborate on projects such as Power Point presentations or Excel spreadsheets from remote computers around the world.

creating or giving presentations, or an MIS manager with a charter to manage the communications revolution, VocalTec has a solution that's scalable

Telephony



PC FINALIST PC PROFESSIONELL INNOVATION DES JAHRES 95/96 VOCALTEC



cinet

Clicked.com

Top 20

Award











best buys **JUNE 1995**





VOCALTEC

Phone: 201-768-9400 x301 Fax: 201-768-8893

VocalTec Ltd. 1 Maskit Street Herzilya, 46733, Israel Phone: 972-9-525858 Fax: 972-9-561867

Download your free demo: http://www.vocaltec.com/jump/demo800.htm

Circle 719 on Inquiry Card.

TAKE THE DAY OFF.

Your business decisions just got easier.

o ahead. Take some time off. Reliable, easily expandable, simple to maintain and ready for networking-The ClientPro[™] series from Micron Electronics[™] lets you relax. The ClientPro offers you the ideal network solution-a stable, flexible client platform that adapts to your evolving network and supports your critical projects over the long haul. Plus you get excellent value for your money in a system that boasts superior quality backed by award-winning support and our industry-leading Micron PowerSM warranty. Get the ClientPro and free yourself to manage operations and focus on business. Or feel free to take the day off.

ClientPro[®] P120

- Intel 120MHz Pentium® processor
- 256KB pipeline burst cache, flash BIOS

HILLIN

- 16MB EDO RAM
- 3Com

 3Com
 3C509 Combo network adapter
- 3.5" floppy drive
- PCI 64-bit graphics accelerator, 2MB EDO RAM
- Tool-free minitower or desktop
- Microsoft[®] Mouse, 104-key keyboard
- MS-DOS[®] 6.22/Windows[®] for Workgroups 3.11
- Microsoft Works preinstalled
- ✓ 5-year/3-year Micron Power[™] warranty
 - 1.2GB EIDE hard drive

Micron Power"

• 14" Micron 14FGx, .28dp (12.9" display)

ited warranty on microprocessor and main memory ted parts-only system warranty

2) For instruct particularly provide structures approximately and server systems to days of free Micron supplied software support for Micron desktop systems; 3 optional network operating system incident resolution, included for Micron server systems 0.0 days more 3-back, policy 24 hours technical support

Warranty & Support

- 2.1GB EIDE hard drive 15" Micron 15FGx, .28dp (13.7" display)



ClientPro[®]2 180

- Intel 180MHz Pentium® Pro processor
- 256KB internal cache, flash BIOS, DMI support
- 3Com 3C509 Combo network adapter
- 3.5" floppy drive
- PCI 64-bit graphics accelerator, 2MB EDO RAM
- Tool-free minitower or desktop
- Microsoft Mouse, 104-key keyboard
- Microsoft Windows NT[®] Workstation 4.0
- ✓ 5-year/3-year Micron Power warranty
 - 16MB EDO RAM
 - 1.2GB EIDE hard drive
 - 15" Micron 15FGx, .28dp (13.7" display) \$
 - Microsoft Works preinstalled
 - 32MB EDO RAM
 - 2.1GB EIDE hard drive
 - 15" Micron 15FGx, .28dp (13.7" display)
 - Microsoft Office Pro 95



PENTIUM PRO pentium

er Road, Nompa, ID 83687 • Mon-Fri bam-10pm Sat 7mm-Spm (MT) • International Sales Hours: n-fri 6am-7pm (MT) • Phono: 208-893-3434 • Fax: 208-893-3424 • Purchaso Order Fax: 208-893-8992 Technical Support Available 24 Hours A Day-7 Days A Week • Technical Support Phone: 888-FIX-MYPC Technical Support E-mail: techsupport.meic@micron.com

Lain D bannedand Fer Em faller fam Jarris Ban Anton Canada 200 100 100 200



800-486-205

http://www.mei.micron.com

editorial

Living Dangerously

The computer industry is engaged in a platform war. Which side should you be on?

n one of my favorite movies, *The Year of Living Dangerously*, Linda Hunt explains to Mel Gibson how the shadow

puppets of Java mimic the relationship between gods and people. The puppeteer moves the puppets behind the curtain, so the audience sees only shadowy projections on the gauzy material.

Those of you trying to make sense out of all the alternative platform debates may have the same impression that you're not seeing the whole show. And, indeed, it could be a dangerous year if you guess wrong.

Our cover story this month takes on the issue of Java as a development platform, following on our November cover story about Java chips. Java software is clearly a broader platform than the chips, and we explain why.

Meanwhile, more opening shots in a war over who gets to dominate the computer industry were fired in recent months. At issue is what kind of computer is the right kind, and for whom? As the shadow puppets moved furiously around the stage, some of the images came into clearer focus.

BYTE has always taken the position that there is no one true computer platform for everyone, and we'll continue to be skeptical about anyone who says there is. That goes for Wintel as well as its challengers. So here's a scorecard:

The NC. The Network Computer comes in two distinctly different flavors, anti-Intel and anti-Microsoft. (Well, actually it's more like two different kinds of swirl cones: One's more chocolate, the other more vanilla). Sun's anti-Intel thrust starts with its Java chip; others will use different RISC chips. While Sun has its own servers, there's no reason you couldn't run Java apps off any other server. You can even run Windows apps in emulation mode. At roughly \$1500 for a fully configured system, this is worth some serious thought for users with a few dedicated computing tasks of low-tomoderate complexity and little need for multiple peripherals. You'll save on the admin side.

Oracle, on the other hand, thinks Microsoft's Windows NT doesn't cut it. It has a better idea: an Oracle server feeding lots of low-cost (the now legendary \$500 machine), low-function Intel boxes (after all, Intel's the volume client leader). Give this serious thought if your aim is to push an application or service into many hands that previously haven't used a computer.

The WebTV. You know your aunt and uncle who are on e-mail now? Perfect for them, plus they can see your new Web site during the commercials. So far, this is the

Computing is too pervasive to survive on one model anymore, whether it's Wintel or one of the challengers.

only really sub-\$500 platform out there.

The NetPC. The Network PC is a cheap PC, folks. Microsoft and Intel are making a lot of noise about making it easier to configure and manage—wasn't that what Plug and Play was about?—but this time they might mean it. Competition does have its value. If they can deliver, the NetPC is the right platform for what I'll call the low-power user. Many office workers don't really stress a computer, but they do a variety of things, use a variety of peripherals (scanners, digital cameras, bar code readers), and need the flexibility of a machine with slots and hard drives.

In the coming months, you'll hear lots of appeals from all these gods as they fight behind the curtains. Computing is too Which brings us back to Java. As we move into a world that's about to have many more islands of computing, we may at last have a platform that bridges them. If the various gods behind the curtain don't create a host of competing virtual machines and extensions that recreate the nonstandard world of Unix, we'll get that platform. But to do so, we may have to pull back the curtain and force those squabbling gods to keep to the promise of Java. Or live dangerously.

Mark Schlack

Mark Schlack, Editor in Chief mschlackæbix.com



pervasive and important to survive on one model anymore, whether it's Wintel or one of the challengers. What we all must insist on is that none of these camps builds walls between their hardware and software and that of their competitors'.

LOOKING FOR A SIMULATION SYSTEM THAT HAS IT ALL?





At Cebit '95, the editors of Byte Magazine awarded Taylor II as 'Best application software of Cebit 1995'.

I'VE GOT WHAT YOU'RE LOOKING FOR...



self-running presentations. And much more

... result analysis in reports and graphs ...

design of experiments with confidence intervals ...

TAYLOR II The Leading Software In Business And Engineering Simulation

F&H Simulations: Software, Training and Consultancy - For more information, in-company presentations or the free demo disk, call F&H Simulations. Europe: F&H Simulations B.V. - Maliebaan 88 - 3581 CX Utrecht - The Netherlands - Phone: +31 30 2 311 211 - Fax +31 30 2 333 962 Germany: Phone: +49 211 322151 - Fax: +49 211 322897 - U.K.: Phone +44 71 4300945 - Fax: +44 71 4051689 U.S.A.: F&H Simulations Inc. - P.O. Box 658 - Orem 84059, Utah - Phone: (801) 224-6914 - Fax: (801) 224-6984

Circle 720 on Inquiry Card (RESELLERS: 721).







Our new Smart-UPS insures the web hits you want ... and prevents those you don't

PowerChute plus now shipping with every Smart-UPS

Having your server go down due to a power hit is like hanging a "Come Back Later" sign on your store's front door. Some customers will come back, but others never will,

Whether you're using the Web to sell, to support, or to surf, once you make the investment in a home page you've made a commitment to your customers. A commitment to be there when they need you for product info, technical support, or sales.

Protect your investment in the web with the power protection that protects more networks than all other brands combined: APC.

Our new enhanced Smart-UPS[®] line is perfect for net servers like Sun's Netra[™] and Compag's Proliant, and now includes FREE award-winning



PowerChute plus software with its WebAgent plug-in, so you can manage and configure your UPS via Internet or Intranet. PowerChute plus also notifies web users of power problems via their browser, and shuts down your Web server safely whether you're there or not.

With Smart-UPS you get SmartBoost[™] automatic voltage regulation, CellGuard[™] intelligent battery management (for maximum battery life), hot-

> swappable, user-replaceable batteries and SmartSlot custom configuration and management.

Check out our web solutions today. After all, there's one kind of "big hit" on your from your boss...

000

ity and excellent software. Don't be caught without one"





convenient rack mount models, The Smart-UPS XL series is recommended for long runtime applications. For maximum protection, ask about our new protection, netShelter", premium rack enclosures for all your servers and internetworking equipment.

APC's MasterSwitch provides Web/SNMP manageable, independent control of power to

I 1996 American Power Conversion, Other trademarks are property of their owners, ASU0001.

APC has won more awa for reliability than all UPS vendors com





Smart-UPS

1000XL







Circle 132 on Inquiry Card.

YES! I'd like more information about new PowerChute plus software with Web Agent NO! I'm not interested at this time but please send me a FREE 60-page power protection handbook Name Company Address City: Fax: Phone E-mail: .. End User Reseller Is this your first contact with APC! Yes No How many servers do you use/sell?..... Brand of UPS used/sold? ... AMERICAN POWER CONVERSION

Fax this coupon to APC at (401)788-2797 to receive **FREE** product info.

COMPALI

illis C

0 -

(1)

888-BUY-APCC x8022 http://www.apcc.com/8022.htm 401-788-2797 fax • Worldwide: (+1)401-789-0204 800-347-FAXX PowerFax Literature 132 Fairgrounds Rd., W. Kingston RI 02892 USA Dept. A2

inbox

WebNFS at the Limit

"A File System for the Web" (Core, November 1996) was excellent, and the layout of the protocol diagrams, with each protocol having its own horizontal displacement, is brilliant. Thanks, too, for stressing the limits of Web-NFS. It's important to set expectations correctly: WebNFS is a file-system technology that has some overlap with HTTP, but it's not an HTTP replacement. Brent Callaghan brent.callaghan@Eng.Sun.com

Reading "A File System for the Web" makes me curious about your impression of CIFS, the counterpoint to WebNFS. Does it have the same limitations as WebNFS? Jeff Tanner

jeffta@ccintnet.wrq.com

CIFS, the Common Internet File System, is a modification of Microsoft's Server Message Block (SMB) protocol that can be used over the Internet from a Web browser. One major difference between CIFS and WebNFS is that with CIFS, both the server and client maintain state information; with NFS, only the client maintains state.

If the TCP connection supporting a CIFS session fails, then the CIFS session will likewise fail, and data may be lost. NFS RPC is independent of the TCP connection carrying it, so the TCP session can simply be reestablished with no more barm than a connection delay. In a LAN environment, where connectionless transports are acceptable and often perform better than TCP, CIFS should be resistant to temporary network disturbances. CIFS also supports features that NFS lacks, such as network printing, streaming devices, and built-in file locking.

Internet hype aside, the big money for software vendors is in the intranet (i.e., LAN) market. Since PCs are the majority LAN client, and many already use Microsoft's SMB protocols, CIFS should do well in that area. In the Internet environment, Web-NFS should be more robust in the face of unreliable modem connections and dynamic IPaddress assignments. For more on CIFS, see http:// samba.anu.edu.au/cifs/ or http://www.microsoft.com/ intdev/cifs/. -Bob Friesenhahn

The Real 64-bit OS

I was disappointed to see no mention of Linux in "Unix Leads the 64-bit Charge" (November 1996). Linux for the Digital Equipment Alpha has been available for over a year, is rock solid, and is 64bit through and through. It's also worth noting that the developers in the Linux/ Sparc project are aiming for a 64-bit implementation on the UltraSparc, There's a good possibility that it will be available before Sun produces a true 64-bit Solaris. Christopher Horn chorn@warwick.net



It seems unlikely for Unix to lead the 64-bit charge when AS/400 is already there. While OS/400 (the OS) is mentioned several times in "Unix Leads the 64-bit Charge," AS/400 (the hardware system product) is not, and neither one is put into any context. If OLTP, data warehousing, and content management are interesting to BYTE's readership, then a full description should be of real interest.

While the Unixoids have been playing in the 64-bit space for a while, there are few real 64-bit applications to exploit it. C (and C++) implementations are not truly portable and require significant recoding to work correctly in a 64-bit address space, let alone fully exploit it. The largest volume of 64bit software, by any measure (e.g., lines of code, fully enabled applications, and systems deployed), is written in RPG and COBOL and runs on the AS/400. *Steven J. Munroe SJMUNROE@aol.com*

At the Crossroads

What Mark Schlack seems to miss in his excitement over Sun's Java chip ("Computing Crossroads," November 1996 Editorial) is that we've been here before. We've seen custom C chips, Ada chips, and even BASIC chips. In theory, a chip designed to run a particular language should outperform a general-purpose chip, such as the Pentium; in reality, however, this isn't true. The strong optimizing compilers we now have for C++, with the few tweaks Intel has made in the instruction set, deliver performance that I bet will meet or exceed that of any custom Java chip.

True, portability is a con-

	HOW TO CONTACT US	
ON THE WEB	BY E-MAIL	SUBSCRIPTION
Visit The BYTE Site!	Address letters to	CUSTOMER
Search our archives.	editors@bix.com. To	SERVICE
Download articles. See	reach individual	U.S. only: (800) 232-
industry press releases.	BYTE editors. see The	2983: international;
Join on-line conferences	BYTE Site on the Web	(609) 426-7676; or see
with other BYTE	for a directory, Letters	http://www.byte.com/
readers! See http://	may be edited for	admin/mpcstsvc.htm.
www.byte.com.	publication.	For advertising and
BY POST Editors, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458	BY FAX (603) 924-2550	other noneditorial contacts, see page 10 or click on the Information link on The BYTE Site.

linbox

cern—for Sun and Apple but not to the majority of users who already have Intel chips in their machines.

Java may become a standard for Web programming, but to achieve acceptable performance, it will have to be precompiled with multiple-instruction-set versions on the server. Your browser will request the instruction stream that corresponds to your local processor, and that's what will run on your platform. In that world, a Java chip has no real advantage over the existing choice of RISC and Intel chips. Mike Kelly mikekelly@msn.com

I agree that Sun must demonstrate-not just assert-that the Java chip delivers the needed performance. I think you miss the boat, though, when you say that portability is a concern to Sun and Apple but not to the majority of users. When business managers scream for applications that can leverage the Internet to deliver a service or product anywhere, on any kind of customer computer, portability is no longer a theoretical issue but a pressing concern. While prior technologies may have attempted similar things, they didn't exist in the context of today's need for pervasive computing in a heterogeneous, networked world. Meanwhile, for more on Java as a software platform, see "Today the Web, Tomorrow the World" on page 68. -Mark Schlack, editor in chief

The Egg, VMS, or NT?

I appreciated "VMS: Alive and Well" (Core, November 1996), but author Ben Smith had his facts reversed when he stated that "VMS has incorporated many of NT's data structures and design elements." Dave Cutler was the chief architect of NT; before that, he was employed by Digital Equipment as one of the original architects of VMS. In fact, many of NT's internal data structures resemble those of early versions of VMS. NT owes a lot of its successpresent and future-to its VMS heritage, not vice versa. Glenn Carr gcarr@lgc.com

Actually, it has worked both ways. NT can be said to be a descendant of VMS in some respects, but the point I wanted to make is that VMS has now had to adopt many of NT's structures in order to coexist with it and profit from its growth. NT has drained off some of VMS's potential, as did Unix. —Ben Smith

Help Yourself

The real need with respect to user help ("Self-Help Software to the Rescue," October 1996 Bits) isn't for online databases of answers to frequently asked questions. Nor is it for software to automatically fix bugs. Many of us can fix problems with wrong file types, application clashes, and missing or replaced DLLs. All we need are decent error messages. Message boxes that tell me an error has occurred and ask me to click OK are not OK. Message boxes that present an error code with nowhere to look up that code are just bits blowing in the wind. I wouldn't mind giving disk space to application bloat if it was spent on decent error messages that allowed me to diagnose and

fix the problems on my machine. *Glenn P. Davies* gdavies1@ent.agt.ab.ca

CLV Clarified

Thank you for the informative "CDs for the Gigabyte Era" (October 1996). However, you mention that for CLV to maintain a constant bit rate, the rpm has to be increased as the drive reads the inner tracks. Shouldn't that be the opposite? Are the pits evenly spaced on the disc? Marc Y. Paulin markus@nbnet.nb.ca

It helps to remember that CLV stands for constant linear velocity. Because the inner tracks are shorter than the outer tracks (and because the pit spacing-which must fall within very tight parameters-is constant), they contain less data. Rather, the laser sees less data during a revolution of the disc. Therefore, the drive has to spin the disc faster, exposing more pits to the laser, to maintain a constant bit rate on the inner tracks. -Tom R. Halfhill, senior editor

The Cost of NCs

Your review of the HDS @workStation ("X Terminal + Browser + Java = Web PC," October 1996) shows that a network computer (NC) that's acceptable to a user with enough RAM, a decent monitor, and so forth would cost about the same as a PC. Existing office applications suites are networkaware and can be installed on a server, thereby reducing licensing and support costs. Changing to NCs with browser-based front ends

and running server-based Java applications will make little difference in the cost per user.

Then there's the Internet. Like most dial-up users, I won't have access to inexpensive high-capacity bandwidth for ages. A sure way to make me lose interest in a site is to force me to wait 2 or 3 minutes while a Javabased home page builds up. I'm even less interested in waiting 20 minutes for a VRML-based home page to complete. I want to see changes that bring about more choice and better applications, but the credibility of the new technology might be damaged by overoptimistic comments on cost savings and overuse of the technology in inappropriate situations.

Howard Robinson clippertrading@msn.com

NCs don't need hard disks, CD-ROM drives, floppy drives, extra slots, or a host of other things. Flash ROM and some RAM is enough for a minimal setup. So, NCs can be less expensive. In addition, running an office network isn't as easy as simply buying an office software suite. Users inevitably install their own software; eventually a service technician has to go in and diagnose conflicts individually.

Many businesses also prohibit their employees from downloading software because of fear of viruses. Java is more secure than the old system, and it's also more secure than floppy disk sneakernet. Its garbage collection can also lead to fewer memory management bugs.

In any case, it doesn't really matter whether you download the software as Java applets, EXE files, or COBOL code. The time required is similar, but Java, unlike

FROM THE MAKERS OF CorelDRAW Precision 32-Bit 3D Solid Modeling

RAVE REVIEWS!

ORE

"...CorelCAD...features are extensive and put the product at the top of the growing heap of low-cost CAD programs." 3D Design, July '96

"...the 3D product is so reasonably priced (and of course, does 2D drawing very nicely, too), that it makes a simple one-stop purchase." *CAD SYSTEMS Magazine*, Aug.-Sept. '96

"CorelCAD's 3D modeling tools are—excuse the expression—solid." Windows Magazine, May 1996



For Windows[®]95 and Windows NT[®]

Features:

- ACIS[®]-based 3D solid modeling
- Advanced boolean operations
- Realistic materials and rendering
- Customizable user interface

Includes:

- 100 sample drawings
- 120 TrueType* fonts
- 600+ 3D symbols
- 7,000+ 2D drafting symbols

und more:

Try CorelCAD" FREE!*

Call 1-800-772-6735 for a fully functioning, 30-day trial version! Tee for shipping and handling is required.

CorelDRAW[™] Customers!

You are eligible to upgrade to the precision and 3D flexibility of CorelCAD!

Professional 3D solid modeling at a realistic price

CorelCAD[™] is a 32-bit design tool that allows easy, accurate modeling of real-world objects in 3D. A fully customizable interface and the industry-standard ACIS[®] solid modeling system will give you the flexibility to conceptualize, construct and revise product models and prototypes on the PC. With powerful Boolean operations, advanced blending, extrusions, 2D drafting features, symbols, models and more, CorelCAD will help you add a whole new dimension to all your design projects!

For CorelDRAW

Curul and CorelCAD are trademarks of Corel Corporation in Canada, the United States and/or other countries. ACIS is a registered trademark of Spatial Technology line. All other product and company names are trademarks or registered trademarks of their respective companies.



Generic CADD Corel Visual CADD

US\$ plus applicable taxes and shipping. MicroStation and CADKEY

Competitive

upgrade CD-ROM

version

Full CD-ROM



FULL DWG

http://www.corel.com Call now for faxed literaturel 1-613-728-0826 ext. 3080 Document # 1162

BYTE Customer Service/ Ordering Information

	9		
	Customer Service	Orders	
Belgium	0800 71260	0800 71635	
Denmark	8001 8934	8001 7728	
Germany	0130 829 448	0130 826 112	
Netherlands	06022 4959	06022 2146	
United Kingdom	0800 973 195	0800 973 017	
Italy	1678 79415	1678 76155	
Spain	900 943539	900 933539	
Sweden	020 793386	020 791136	
Switzerland	155 24 18	155 72 57	
France	0591 6068	0591 6088	
Other Intl	+353 91 752792	+353 91 771385	
US	1-800-232-2983	1-800-257-9402	
US/Canada/Mexico	609-426-7676	609-426-5526	
Fax:			
International	+353 91 752793	609-426-5434	
US	609-426-7087	609-426-5434	
e-mail:			
new orders	mporders@mcgraw-hill.com		
customer service	mpcstsvc@mcgraw-hill.com		
address change	mpaddchg@mcc		
in the second second	inputtering winegram-tim.com		

McGraw-Hill web:

Mail: BYTE PO Box 555 Hightstown NJ 08520, USA //www.mcgraw-hill.com/multipub

BYTE Box 72 Galway, Ireland



A Division of The McGraw-Hill Companies

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers. we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:



BYTE Magazine Subscriber Services PO Box 555, Hightstown, NJ 08520

A Division of The McGraw-Hill Companies

Zipped EXE files, is optimized for the Web.

Finally, competent Web designers don't overload their pages with unnecessary glitz; they recognize the time-cost of viewing their information. Some don't, of course, but then you don't have to go to their pages. -Peter Wayner

FIXES

The correct e-mail address for Visage Development, which was mentioned in "Security Gets a New Face" (October 1996 Bits), is bvisick@cix .compulink.co.uk.

Due to an editing error in "Photo Quality Arrives for Low-Cost Printers" (October Bits), we neglected to mention that almost all of Canon's new line of color ink-jet printers (including the BJC-240, BJC-4200, and BJC-4550) take optional photo-quality ink cartridges (which cost \$37 to \$42). Only Canon's BJC-620 model, which prints at 720 dpi and doesn't require the photo inks, does not take the optional cartridges.

In our review "Real-Time RAD" (November 1996), we erroneously referred to Microtec's VRTX real-time OS as Vertex.

COMING UP IN FEBRUARY

COVER STORY **Corporate E-Mail on the Internet**

Should your company replace LAN-based e-mail with a WAN-based system? We analyze the pros and cons of both approaches, examine the reliability of Internet e-mail, and look at ways to ease transition pains.

STATE OF THE ART

Client/Server Computer-Telephony Integration

BYTE helps you make the right hardware and software choices for enterprise-wide CTI systems, integrate legacy applications and data, and build scalable systems and effective client-side CTI applications.

SPECIAL REPORT **Applications Servers**

We examine the benefits of applications servers; what you need to know to choose the right computer, the right network OS, and the right applications-server suites for your enterprise; and offer tips on integrating these tools with your existing file and print servers.

REVIEWS

The Next Wave in Java

We analyze Marimba's Castanet and Bongo, which use a broadcasting paradigm to deliver Java applets quickly and efficiently.

Hardware Lab Report

NSTL tests high-resolution, 24-bit-color graphics cards. We rate high-end 2-D and low-end 3-D cards from Diamond Multimedia, Hercules, Matrox, Number Nine, STB, and others.

600 DPI on any office paper or transparency.

ANCOMINIEANATIONAL FINANCIALS

 $5 \ensuremath{\complement}$ A typical color page. Call for print samples. \bullet

Black ink's free, so it practically obtoletes your b&w laser.

6 PPM Twice as fast as desktop color laser.

To BANCON International

15 Backed by 15 years of award-winning color expertise.

World's fastest workgroup color is now only \$3,495.

Now the incredible speed and brilliant color of Tektronix are also matched in economy and price. The award-winning, multi-platform Phaser[®] 350 costs less than any laser-class, network color printer. No wonder, at over \$500 million in color printing revenue, Tektronix sells more workgroup color printers than anyone. *Call 800/835-6100, Ext. 1358. http://www.tek.com/CPad?1358* Tektronix















Circle 153 on Inquiry Card.





Check out the new web site from Data Communications

www.data.com


News & Views

Web Tools Will Converge

Better tools are coming that address all the needs of an enterprise Web site application.

elp is on the way for Web site development teams frustrated by inferior tools that don't work well together. But before that happens, expect a lot of consolidation in the market. The fundamental difference between old-style, client/server applications and today's dynamic Web sites caught developers by surprise, and the first generation of tools didn't adequately address Webmasters' needs. New tools, and even new tool categories, are appearing at a rapid clip. But while many of these tools excel at a specific function, they still need to improve in their ability to integrate with each other.

"Today, Webmasters are working from 8 a.m. to 10 p.m. shuffling files around and tracking down content when they should be formulating long-term strategy," says Josh Bernoff, an analyst at Forrester Research (Cambridge, MA) who covers the Web tools market. "The tools are improving. But as sites get bigger and more complex, the need for these tools to work better with each other will increase."



A fundamental difference between oldstyle applications and dynamic Web applications is who creates them and the pace at which new applications are introduced. Before, applications were built by

geek mystique

Geekette Power

Although the computer technology realm has more than its fair share of men, women may be geekier than you think. According to

a survey of women who live in a household that has either bought a PC in the past two years or is planning to buy one in the next 18 months, 66 percent had significant

input and 21 percent had some input in computer-related purchases at home. The survey, performed by the research company IntelliQuest, questioned 1500 randomly selected women (ages 18 to 55) in the U.S. • Almost half (48 percent) said joint household funds were used, while 24 per-

cent said they personally paid for the PC.
Of those surveyed, 69 percent agreed somewhat or strongly with the state-



somewhat or strongly with the statement that they feel good about themselves when using complicated technology. And 68 percent said they would hate to be without their PC.

 Women don't feel like they are getting an equal shake from salespeople: 51 percent agreed that women receive less respectful treatment from sales persons than men do. teams of programmers, and months or years could pass before the release of the next version. But a survey conducted by Forrester (see the chart above) shows that today's Web development team includes positions in a company ranging from programmers to marketing personnel. "Web applications are fundamentally different from any other applications that are getting built today," says Rowland Archer, chief operating officer at HAHT Software (Raleigh, NC), a maker of application development and deployment tools. "As the Web makes the move from an advertising medium to an application platform, this difference will matter even more." Tools geared toward programmers or creators of content just don't address the big picture by themselves.

This is why analyst Bernoff predicts vendors will increasingly adopt a strategy of integrated tool suites that address Web developers' diverse needs. Today, developers can pick from a variety of tools that address certain aspects of a Web site's needs. For example, Astra, from Mercury Interactive (Sunnyvale, CA), addresses site analysis, usage tracking, and link management. Ringmaster, from Ikonic (San Francisco), coordinates content among Webmasters, editors, and authors.

Rick Fleischman, senior product manager for tools at Netscape (Mountain View, CA), says these tools generally have one of three goals: creation of core page elements such as graphics and Java or multimedia applications; site assembly that integrates content and these various applications and provides functionality like live database access or electronic commerce; and site/content management and deployment.

Each category has tools with capabilities that cross over into another category, however. For example, Microsoft's FrontPage 97 offers WYSIWYG page layout tools, but the program also has site management and content creation tools (Image Composer that comes with the FrontPage Bonus Pack). The site-assem-

yeah, but...

September 17, 1996, and the National Public Telecomputing Network (NPTN) starts its autumn by filing Chapter 7 bankruptey. So what? Another day, another company bites the big one.


Yeah, but NPTN (http://www.ntnp.org) was the tallest tree in the Free-Net forest. NPTN was leading the way in creating community-run systems that let people get free access to the Internet.

Today anyone can hook up to the Internet for as little as \$15 a month; so who cares?

Yeah, but in rural areas, Internet service providers can be hard to find. Free-Nets give people from Nova Scotia's Cape Breton Community Network (http://highlander.cbnet .ns.ca) to Montana's Big Sky Telegraph (http://macsky.bigsky.dillon .mt.us) a chance to keep up with the rest of us. Urban sites let people whose computer equipment consists of a discarded XT and a 2400-bps modem hook onto the Net. The Free-Net march may continue, but with the flagship gone, the entire movement has been shaken. NPTN reminded us that the Internet is about people, rich and poor, city and country, communicating.

-Steven J. Vaughan-Nichols





HAHT Software's HAHTsite 2.0 typifies new Web tools that integrate a wide variety of functions.

bly category has the widest variation, ranging from WYSIWYG page-layout tools to enterprise application-deployment tools. HAHT Software's HAHTsite 2.0 is an example of this latter category. It has a Windows-based integrated development environment that incorporates other vendors' tools; its application server runs on multiple operating systems and can integrate with existing third-party client/server platforms such as SAP.

Forrester's Bernoff predicts that tools will continue to improve this year and says you can also expect the currently fragmented market to consolidate into partnerships or around platforms. One such platform is Netscape One, an open network environment based on publicly defined standards that lets developers create tools that work with each other. Netscape and Silicon Graphics (SGI, Mountain View, CA), which already offer the LiveWire and Cosmo suites of tools, respectively, will also improve their offerings, either by developing new products or by acquiring products from other companies. Microsoft, which is developing Internet Studio, will play a major role in the suite trend, and so may Adobe and Macromedia. Adobe will probably focus on creating tools that integrate with Microsoft's and Netscape's environments, and Macromedia will concentrate on video, interactive Virtual Reality Modeling Language (VRML), and animation, Bernoff says. SGI's current focus on its own hardware may turn away potential customers who want Mac or Windows solutions.

In the meantime, developers can seek

relief from tools that are improving. Builders of database-connected sites should check out products from HAHT, NeXT (Redwood Shores, CA), and others that avoid Common Gateway Interface (CGI). It's also smart to budget for constant tool turnover to avoid getting locked into products as vendors' fortunes ebb and flow.

The good news about all these bewildering options is that competition among vendors is fierce. "Prices will come down, and performance and features will escalate at a much faster pace than you've ever seen before," says John McCrae, marketing manager for SGI's Cosmo suite. "Customers will end up with better, less expensive products and better content."

-Dave Andrews



Netcards Coming to America

A marvel of technology that enjoys widespread use in Europe, and to a lesser degree Canada, may finally gain acceptance in the U.S. The PC/SC Workgroup, supported by the Smart Card Forum and made up of PC and smartcard companies, recently announced its intention to develop open standards allowing the integration of smartcards with PCs. The workgroup includes Schlumberger Electronic Transactions, Microsoft, Hewlett-Packard, Siemens Nixdorf Informationssysteme AG, and Bull CP8.


While the use of smartcards with PCs is nothing new, an open standard for interoperability between smartcards and PCs is. "The idea is to offer the same type of interoperability between smartcards and PCs as already exists with printers," said Jean McKenna, president of the Smart Card Forum and vice president of Payment Technologies at Visa International.

At press time, the workgroup planned to release its standard in the fourth quarter of 1996, setting the stage for product announcements, including new smartcard readers from Schlumberger, the expected bundling of smartcard readers with HP PCs in early 1997, and support for the standard under Windows.

In the U.S., isolated implementations of smartcards have already occurred. Visa Cash, an electronic-cash card, proved successful at the Atlanta Summer Olympics. However, the U.S. may lack the

marketplace infrastructure and consumer buy-in to make stored-value cards, used at point of sale, the dominant smartcard application in this century. "It will be at least the year 2001 before there is sufficient momentum and infrastructure to allow for the widespread implementation of stored-value smartcards in the U.S.," according to David Weisman, analyst for Forrester Group (Cambridge, MA).

tum from corporations looking to provide secure access for employees to corporate networks from the office or the home. The use of these cards on the Internet (hence the term Netcard) also forces a paradigm change. "With the introduction of universal standards for smartcards and readers, you no longer authenticate your terminal. You authenticate the individual," said Michel Roux, general man-



Microsoft's API for smartcards insulates software developers from having to become cryptography experts.

This is where Microsoft comes in. Its 32-bit Windows APIs include a generic interface for smartcard reader technology (see the figure) that adheres to upcoming PC/SC standards, as well as to the ISO 7816 specification.

Smartcards will initially gain momen-

ager, Multimedia Business Division of France-based Gemplus, a developer of smartcards and readers.

Once the technology exists in the home, or on the notebook, people will be enticed to take advantage of it for personal use. -Daniel Coyle

future watch

Coming This Year: Virtual Receptionists



Tired of waiting on hold to schedule appointments? Relief is on the way in the form of a new Internet calendaring and scheduling stan-

dard. This standard, currently still a work in progress, will let you, where access is permitted, browse other people's calendars, schedule meetings, and view the open time slots that a person or an organization has.

Vendors such as Lotus, Campbell Services, and On Technology offer products that let you check schedules using a browser; for example, Lotus's Organizer 97 Web Calendar server application lets you access Organizer schedules over the Internet. But Lotus's program and alternatives don't universally work with calendar programs from other vendors. "The number of people using PC calendaring is about one-third the number who use PCbased e-mail," says Anik Ganguly, a longtime advocate of calendar interoperability. "Why? Because calendars lack compatibility, unlike

e-mail, which has numerous gateways and a common backbone,"

That's where standards such as the Versit consortium's vCalendar, the Internet Calendar Access Protocol (ICAP) originally proposed by Lotus, and others come in. Once the Internet Engineering Task Force blesses a working standard for calendar interoperability, possibly by this summer, you'll start seeing products that talk to each other.

-Dave Andrews

ARAD TOOL THE COMPLETENCE The Competition of the Source of the Peter Coffee PCWeek, June 10, 1996 Contradicional C++ tools " of forward Aces The Competitive perior of the Source of th "Optima++ marks a leap forward over traditional C++ tools." *Rich Dragan*, Windows Sources, June 1996

"Powersoft's new development tool makes creating corporate applications with C++ an optimal experience. Dan Rogers, Software Development, September 1996

S Powersoll

"Optima++ is a powerful product that combines the ease of use of VB's component metaphor with the speed and power of C++." Steve Jackson, Visual Programmer++, September 3, 1996

"Powersoft has scored a home run." Dan Rogers, Software Development, September 1996

"Optima++ represents a breakthrough in visual programming not only for C++ developers, but for all users of fourthgeneration language (4GL) client-server ent tools." Rich Levin,

development for Windows has never been easier." Sean Gallagher, Information Week, May 6, 1996 "A C++ Tool That Cures VB Envy" Rick Grehan, BYTE, October 1996

"With Powersoft's Optima++ visual tool, C++

"Optima++ provides direct ODBC support, meaning classes and bound controls call the ODBC API directly, without an intermediate layer such as VB's Jet engine or Delphi's IDAPI." Steve Jackson, Visual Programmer++, September 3, 1996

"[Optima++] puts the fastest compiler that we've found to date into an environment that is both approachable and productive." Peter Coffee, PCWeek, March 18 1990

* Component-based RAD C++

- · Drag-and-drop programming
- Over 220 components and classes
- · Build and exploit Powersofi® Data Windows
- · Native drivers for Sybase", Microsoft,
- Oracle, Informix, DB/2, and more Scalable Sybase[™] SQL Anywhere[™] database
- · Exceptionally tight, fast code
- · Build and debug CGI, NSAPI, and ISAPI custom application servers
- · Powersoft ObjectCycle' for team development



Experts agree. Optima++ comes out on top.

"Superb integration; innovative component-oriented tools; superior

execution speed; nonproprietary

language." Peter Coffee, PCWeek, June 10, 1996

Now you can deliver extraordinary solutions - at an extraordinary speed. Optima++™ revolutionizes development by allowing you to quickly build client/server and Internet applications using visual component assembly, drag-and-drop programming and the full power of C++.

For client/server development, the new DataWindow[™] control gives you point-and-click database access, powerful extended attributes, and presentation capabilities made famous in PowerBuilder®. For Internet development, Optima++ delivers visual component assembly and scamless remote debugging so you can create high-performance applications and custom application servers.

Choose the edition that's right for you. Optima++ Developer delivers approachable C++ for client/server development. Optima++ Professional adds powerful features for the corporate developer including DataWindow technology and Internet development.

Optima++ Enterprise takes scalability and performance to the next level with native database drivers and ObjectCycle[™] for team project management.

So don't just read about this revolutionary RAD tool. Download your Test Drive edition today and let Optima++ take your development to new heights!




Get Optima++ Developer, Professional, or Enterprise today: 1-800-395-3525 or www.powersoft.com

19/1996 Sybase, Inc. All rights reserved. Sybase, Powersoft, Optima++, DataWindow, ObjectCycle, PowerBuilder, and SQL Anywhere are trademarks of Sybase Inc. or its subsidiaries. All other trademarks are property of their respective owners. Outside the U.S., call 508-287-1500. Please check the Powersoft Web site for a complete listing of the features in each edition.

Wireless PDAs Will Proliferate

Mobile phones are on the verge of experiencing the same sort of growth and options that personal computers did years ago. Not only are there new prodaddress book, and a calculator are built in. Beyond this, the Nokia 9000's capabilities include Internet access, although the gray-scale 640- by 200-pixel LCD doesn't deliver the type of spiffy Web graphics you may be used to. Still, the ability to log on from a device that weighs less than a pound is pretty slick.

The Nokia 9000 Communicator is an



A wealth of wireless communications options will be available in the U.S., according to NBI's forecast.

ucts on the horizon, but new parts of the radio spectrum are coming into play thanks to the deregulation in the U.S. of the airwaves and the subsequent auctions by the Federal Communications Commission. Digital wireless offers numerous advantages over today's analog system, including relief from congestion in urban areas, support for voice and data, and better security through encryption.

One of the most innovative of the new breed is the Nokia 9000 communicator, which offers far more than just wireless voice communications, The Nokia, which uses the Global System for Mobile Communications (GSM), looks like a conventional phone but can open up to reveal an inside that looks more like a small palmtop computer. In this mode, the Nokia can be used to send and receive e-mail messages that you can type on the small keypad. You can also send and receive messages to and from a fax machine. In fact, the Nokia 9000 not only looks like a palmtop computer when fully opened but also includes some functions that are more typical of a hand-held organizer. A calendar, a notepad, an impressive product (in fact, it won BYTE's Best of CEbit award last year). However, even if you're prepared to spend roughly \$2000 to buy one, you'll have to wait. The phone is available in Europe but won't be rolled out in the U.S. until sometime later this year, partly because its communications network is not fully in place.

In fact, the larger issue for buyers may be whether GSM and the rest of the alphabet soup of personal communications service (PCS), including CDMA (Code Division Multiple Access), TDMA (Time Division Multiple Access), PACS (Personal Access Communications Systems), and DCTU (Dominant Certified Telecommunications Utility), represent a fractured market that make them an unwise buy. According to Bukasa Tshilombo, research manager, world wireless markets, for Northern Business Information (New York City), buyers shouldn't worry. According to Tshilombo, by the year 2000, GSM will enjoy broad coverage in the U.S., as it does in Europe today. However, don't expect a device that supports the U.S. version of GSM to automatically work in Europe. U.S. GSM phones will operate at a different frequency than GSM devices in Europe.

Tshilombo predicts that users in North America will soon have numerous wireless options. "Over time, all of these various options should offer reasonable price and coverage," he says.

That's certainly good news for those attracted by the charms of the Nokia and similar PCS-based phone/communicators. Clearly, talk alone isn't going to be enough in the untethered world.

- Jon Pepper

Bug of the Month

HTML Stymies Netscape Navigator

Even the relatively simple Hypertext Markup Language (HTML) can be used to do bad things. Richard Smith, president of Phar Lap

Software, a vendor of programming tools, discovered a way to disrupt Netseape Navigator using plain old HTML.

First, create an HTML file named BOOM.HTM whose contents include:

<body> <img src="file:///com1

<img src="file://com1
<img src="file://com2
<img src="file://com4
<img src="file://com4</pre>



Compose an e-mail message that contains BOOM.HTM as an attachment and send it to someone. When the recipient reads the e-

> mail message with the Netscape Mail program, Navigator locks up when the mail program attempts to display BOOM.HTM.


The lockup occurs because Navigator is trying to read a GIF file from serial ports COM1 through COM4. Because no data is coming through those ports, Navigator hangs. And when the target device name is AUX, the computer might lock up completely.

Netscape says it fixed the bug with a recent upgrade of Navigator 3.0.

Send yours to edejesus@bix.com

</body>

C O M P U T I N G W I T H O U T L I M I T S™



THE LOW-COST ALTERNATIVE FOR RELIABLE REMOVABLE STORAGE.



What makes a storage subsystem tough? Is it the materials used? Superior design? 100% testing? Sure, it's all of that, and especially the company that stands behind it. Kingston*

engineers took their same rugged, removable drive

enclosures and gave them a metal-shielded plastic housing. The result? The toughest little subsystem ever to be called a "lightweight".

The Data Express" DE90 still provides the superior cooling and reliability you've come to expect from Kingston. Its cam-assisted, carrier-eject feature allows for the smooth removal and insertion of

the carrier tens of thousands of times. Plus, it still mixes and matches beautifully with Kingston's other rugged Data Silo" external expansion chassis. And, since it's Kingston made, it's backed with the industry's best service and support; including

a generous 7-year warranty.

Ask about the DE90 by calling a Kingston storage representative toll-free at

(888) 435-5439. Because in the world of data storage, tough is a Kingston thing.



For more information call the Kingston at (888) 435-5439 (180) or look for us on the net:http://www.kingston.com/b.htm

Circle 143 on Inquiry Card (RESELLERS: 144). Kingson Technology Company, 17600 Newhope Street, Fountain Valley, CA 92708 USA, (714) 435-2600.

©1996 All rights reserved. Kingston Technology is a Titalemark of Kingston Technology Company. All Trademarks and Registered Trademarks are the property of their respective holders.

bits

Welcome to the Real Data Superhighway

North America stands poised to finally enter the age of the true electronic "information superhighway." In December 1996, the 36-kilometer first phase of the Express Toll Road (ETR) Highway 407 was expected to open. Heralded as the world's first fully automated open-road tollway, the system allows commercial traffic to pass through tolls without slowing down or stopping. When phase 2 is completed in 1999, ETR 407 will extend 69 km, spanning the top of metropolitan Toronto and featuring 125 electronic toll points installed at on- and off-ramps.

Each electronic toll point or roadside toll collection (RTC) point operates with in-vehicle transponders, roadside antennae and cameras, and data management systems that record vehicle identity, monitor tollway use, and manage revenue collection. Vehicles without transponders can also use the tollway because digital cameras record rear license plate numbers as the vehicles enter and exit the road.

When a vehicle enters the tollway, its transponder networks via UHF with the RTC. Each RTC utilizes the Slotted Aloha Time Division Multiple Access (TDMA) protocol. (The protocol was originally developed by the University of Hawaii for military applications.) Hughes Aircraft has adapted the protocol for use with its Vehicle-Roadside Communications systems. A technique called angle of arrival, which enables the military to pinpoint enemy targets, can also, in a fraction of a second, identify specific transponders at any place and time, allowing for toll collection without slowing down at the RTC. Transponders, developed by Mark IV Industries, are mounted on the vehicle windshield directly behind the rearview mirror. Each has a communications frame of 10 milliseconds and creates a 915-MHz link using active communications and the Slotted Aloha TDMA protocol.

Slotted Aloha provides for concurrent communications at more than 500 Kbps with up to 272 vehicles at a time, regardless of the speed at which they're traveling. This accuracy allows the RTC to iden-


Survey

Coordination, Cleansing Most Demanding Data Warehouse Tasks

Data warehouse projects can be a bit like cleaning a messy room. It's easy to justify the project, but doing the actual cleaning is the hard work. So say respondents to BYTE's survey on data warehouse projects, which is designed to gauge the level of difficulty for a variety of tasks. Response to the survey wasn't as high as previous ones. But 15 respondents who've completed at least one data warehouse project and five others currently in the pilot phase rated the tasks in terms of difficulty and took the time to write in comments about their experiences.

Their comments suggest that while defining goals and justifying a project are relatively easy (see the charts), data cleansing and coordination amongst various departments are the two most difficult tasks in a project. Respondents wrote that this collision of expectations (goals) and reality (availability of data) can come back to hurt you if you don't plan properly and determine what users need and what you can deliver to them.

"Data [that users] think is available frequently isn't or is in such poor condition it can't



Data cleansing and departmental coordination are the toughest data warehouse tasks, according to a BYTE survey.

be easily used," says one respondent. Several said that warehouse planners should get a strong definition upfront of what data should be in the warehouse and what's available to ensure usable results. Knowing in advance what data is accessible is quite useful, as 60 percent of respondents rated integration with legacy data either "hard" or "very hard."

Along with technical expertise, knowing how to play the political game can help, too, says one respondent. Since coordination amongst various departments is hard, you'll want to ensure that the project sponsor wields a big enough stick to knock down barriers to success. – Dave Andrews

tify individual transponders within a fraction of a meter, so even motorcycles riding side by side, inches apart, can be separately identified.

"Equipped with Slotted Aloha, transponders provide 99.99 percent accuracy even in the high-speed, close spacing, and multilane conditions found on tollways such as the 407," says Martin Gray of Hughes Aircraft and project manager for the ETR 407. In addition to 125 RTCs, ETR 407 also includes two toll transaction processors that use asynchronous transfer mode (ATM) technology. These are

"They thought my new Multipath" Back-UPS® Office[™] was just a big surge suppressor - then the lights went out."



st, a safe place to plug everything: Multipath Back-UPS Office for workstations, PC's and peripherals

Facing the darkness is hard, but inevitable: You have a better chance of winning the lottery than of escaping power problems: They're the

single largest cause of computer data loss and hardware damage. UPS Office provides reliable ir your entire system.

menutrineous battery backup ensures unnutripted operation of your CPU, monitor and an external storage device. Full-time surge suppression and site-wiring Full protection spreads a true Multipath" affity net order any remaining integrated peripherals, like modems, printers, faxes and phone systems, Back-UPS Office also provides convenient BlockSafe⁶⁶ outlet pricing to handle all size plugs - even Linge block transformers.

Unique Multipath protection keeps yolu PC and data safe

Plugging a phone line into your computer doubles your vulnerability to power

Multiple peripherals and data lines to and from your system are

discort data floor to ini n of computer AIC is protected Bad power (red) can enter a comput brinter, data and juliane/five lives

The Multiputh¹⁰⁰ protection of Back UPSD Office¹⁰⁰ shields your periphien and guards your computer from bad power on every path, providing clean safe power (green), to your entire system.

peripheral, and instant battery backup to keep your cutting edge system and O/S from crashing, It means protection for less by integrating the security of a surge suppressor with the power of a UPS, guaranteed up to \$25,000.

APC has won more awards for reliability than all other brands combined

Circle 131 on Inquiry Card.

Inditionally, penterting all your equipment meant huging a surge sup-sin and a UPS Even then, only your AC line was protected. New Back nexts of boths to your constanent Balletinood N

Protect yourself before you kick yourself. Get your new Back-UPS Office today (list price: \$179.99), or call APC for a FREE 60-page catalog!





triples. Even if your AC power-line is shielded, when a surge hits an unprotected peripheral, it can blaze down serial and data lines, Back-UPS Office's compact design installs easily on desktop, flour or mounts to wall and toast your expensive PC.

vital, but dangerous. Without them, you can't do your job. However, if a power sag makes your modem drop the Multipath[®] Means Total Power Protection

line while you're downloading from the Internet, or locks your keyboard before you've saved work, you lose time, money and spend another late night at the office to meet your deadline.

Back-UPS Office protects your entire system

Until now, protection for your entire ystem required several devices. But multidevice protection can leave you vulnerable to line noise and unwanted data glitches created by the voltage differential between outlets. Those glitches are prevented with the Back-UPS Office common voltage reference.

Back-UPS Office incans frue Multipath¹⁶ protection, clean, safe power to every

> ack-UPS Office [is] a shu desktop worke Computer Reseller New





Dept. A2

bits

located in a central administration center with a revenue management system.

Information collected by RTCs passes through fiber-optic cable to the transaction processors via an ATM network. Computer and imaging technology developed by Hughes matches the tollroad entry for each vehicle with the corresponding toll-road exit. This data is then relayed to the revenue management system, which handles all customer billing and collection functions.

ETR 407 is the result of a public/private partnership. Members include the Ontario Ministry of Transportation, Hughes Aircraft of Canada, Bell Canada, Bell Sygma Telecom Solutions, Mark IV Industries, and Canadian Highways International Corporation.

While ETR 407 is the world's first fully automated toll road, electronic toll collection is not unique to Ontario. In 1987, several toll agencies in the Northeast Corridor spanning New York, New Jersey, and Pennsylvania began investigating the potential of electronic toll collection. In 1991, seven toll facilities within the Northeast Corridor joined to form the E-Zpass Interagency Group (IAG). Accounting for almost 40 percent of all U.S. toll transactions and 67 percent of all U.S. toll revenues, the IAG wants to develop a cohesive, regionally compatible electronic system to streamline toll collection and to offer customers a transparent method.

Upon evaluation of several technologies, IAG is now implementing transponder technology from Mark IV Industries. Over the next five years, IAG members plan to install E-ZPass technology at approximately 200 sites, covering approximately 1500 miles of tollway, four tunnels, and 12 major bridges. The success of IAG's efforts represents the most significant move toward standardization of electronic toll collection in North America. Discussions between IAG and the Province of Ontario have taken place; however, at press time, Ontario hadn't committed to join the agency.

While it is the strength of the technology players that has driven regions such as the Northeast Corridor and Ontario to choose similar systems, much work has to be done to provide drivers with a continent-wide standard for toll collection. But the first steps have been taken toward a more efficient way of collecting revenue from busy travelers. **–Daniel Coyle**

Book Reviews

Net Metaphors

A re the metaphors we use to describe the Internet a danger to its development? Mark Stefik, a scientist at the Xerox Palo Alto Research Center (PARC), believes they are, and he makes a convincing case in *Internet Dreams*. Stefik has

compiled a powerful collection of essays, from Vannevar Bush's seminal "As We May Think" from 1947 to more current works. Clever juxtapositioning of the essays wrapped in the author's insight-



ful commentary paints a telling picture: The Internet is unique, yet the policies that shape its design and use are often influenced by the metaphors that we ascribe to it. The rules that govern, say, telephone communications probably won't translate well to the Net.

Why is this a big deal? Although metaphors are useful for explaining the Internet to novices, they mask subtle but important differences. Lawmakers, notoriously uneducated about the on-line world, might impose ill-fitting regulations. Companies might try to adapt existing but inappropriate commerce models to it. Most important, as these metaphors become more and more entrenched in the public subconscious, we lose sight of the vision that Stefik and his chosen essayists outline for the Net.

Stefik organizes the book into four parts, each representing a different metaphor. These include the digital library, electronic mail, electronic marketplace, and the digital world. The essays show the evolution of the metaphor, as well as present a vision of the Net's potential. For example, philosopher Scott D.N. Cook tackles what he calls the Gutenberg Myth, explaining that the invention of the printing press was only one of the events that, over centuries, brought about mass literacy. Laura Fillmore tells what it's like to be an on-line publisher.

Stefik introduces each essay, then puts it into perspective with an ending commentary. *Internet Dreams* is not just a philosophical argument, therefore, but a valuable history (and prehistory) of the Net. In

Internet Dreams: Archetypes, Myths, and Metaphors, by Mark Stefik, MIT Press; \$27.50, hard cover fact, no other book that I'm aware of portrays the philosophical development of the Internet with such depth and perspective.

The book carefully explains where each metaphor fails, but Stefik doesn't really offer any new metaphors, which I took to suggest that it's time for us to accept the Net for what it is. Once we discard that old baggage, we can move on.

Most of the essays were written for an academic or professional audience, and the writing is sometimes dense and dry. Stefik assumes that his readers will be experienced Net users, yet the book repetitively explains some of its most basic aspects. But don't let these nits stop you from reading this book. Stefik brings clarity, focus, and historical perspective to the Internet. -Michael Nadeau

Life in the Outernet

There's a brave new world out there where you can access thousands of magazines and newspapers, chat with friends, make new acquaintances, and receive mail free of charge (albeit only six days a week). Sound familiar? It's the Outernet, the world beyond our computer screen; in other words, *reality*. But congenial as reality sounds, hardcore on-line addicts will need a little help adjusting to it. They may even want to subscribe to *America Off-Line*, A. J. Jacobs's occasionally hilarious guide to life in the Outernet.



Clearly, Jacobs has logged some painful hours in chat rooms; the best parts of his book concern the do's and don'ts of interfacing in real life. His advice for introducing yourself at off-line parties: "Do not describe yourself...a)

you don't have to and b) if you do, you can't lie about what you look like."

In the course of poking fun at the on-line world, Jacobs does the same to its off-line counterpart. He's clearly no technophobe; he's just having a little fun. If you've spent much time on commercial on-line services, you're sure to get a guffaw or two from America Off-Line. –Jenny Donetan


America Off-Line: The Complete Outernet Starter Kit, by A. J. Jacobs, Cader Books, ISBN 0-8362-2433-7, \$8.95

NEW! Release 11 runs on Windows 3.1, Windows 95, and Windows NT – one product, one price!

Master your data with ease.

For over 20 years in over 80 countries, users have experienced the power and simplicity of MINITAB Statistical Software. Used in businesses from start-ups to Fortune 500 companies, MINITAB is:

- Powerful and comprehensive an "all in one" statistical software package from basic to complex statistical functions
- · Easy to use with dialog boxes and prompts every step of the way
- Easy for data entry or importing enter data into MINITAB worksheets or import data from Excel®, Lotus® and other programs
- *Ready to use right out of the box* with MINITAB Statistical Software, there is no lengthy learning process and a simple and quick tutorial gets you working right away
- Available on multiple platforms MINITAB Statistical Software runs on Windows[®] '95, Windows[®] 3.1, Windows NT[™], Macintosh and Power Macintosh
- *Fully supported* on-line HELP is easy and quick plus skilled technical specialists are just a phone call away
- Affordable priced under US \$1,000
- *Guaranteed* when you purchase directly from MINITAB, you receive our unconditional 30-day, money-back guarantee



To learn more about MINITAB, visit us on our Web site: http://www.minitab.com



Minitab Inc., 3081 Enterprise Drive, State College, PA, USA; In Europe, call 444-(01)203-695-730, Outside Europe, fax 814-238-4383. All preduct names are trademarks of their respective companies (0) Minitab Inc., 1996 MINITAB is a rudemark of Minitab Inc. To order MINITAB Statistical Software, call: 800-448-3555 814-238-3280

Goodbye NT for MIPS

The original RISC platform for hosting Windows NT, the MIPS architecture, is getting phased out as a host for Microsoft's enterprise operating system. Microsoft has announced it will cease future NT development efforts for the MIPS platform due to decreasing demand. On NT, the MIPS architecture got caught between Digital's Alpha processor at the high end and the Pentium on the low end; when software developers had only enough resources to support two hardware platforms for NT, the MIPS platform often got squeezed out.

NEC, the manufacturer that sold the most MIPS/NT workstations, says it will no longer build NT machines based on the MIPS platform. However, NEC will continue to make MIPS-architecture chips for Nintendo 64 systems, Silicon Graphics workstations, and the new Windows CE platform.

Although Microsoft says it will continue to support NT 4.0 on MIPS, the company advises customers to evaluate other hardware platforms for future versions of NT. Those hardware choices are PowerPC, Alpha, and x86.

But Cheaper Alpha NT PCs Are Coming

While MIPS gets de-emphasized as a platform for NT, Digital Equipment and VLSI Technology are working to bring lessexpensive computers based on the Alpha microprocessor to market. This year, the two companies expect to release the first products that include VLSI-designed core logic chips that will work with Digital's Alpha chips.

Chips developed by VLSI will handle functions such as connecting microprocessors to memory and the PCI data bus, as well as handling peripheral functions pertaining to audio, graphics, input devices, and I/O ports. Digital officials say the goal is to introduce a desktop Alpha PC that will cost about \$3000 or less, making that platform more attractive to corporate buyers.

Datapro Report

Security Wake-Up Call


It's time for organizations to stop saying they are concerned with securing their information and get down to the business of doing it. In theory, upper management supports the protection of information assets; in practice, the implementation of security strategies is minimal or nonexistent within many organizations today. That's the conclusion Datapro analysts draw from Datapro's 1996 International Survey of Information Security Issues.

Companies that have implemented successful, cost-effective computer security strategies typically have formed a policy, conducted a risk assessment, and put in place riskmanagement methods. An organization should identify its unique risks to ensure those areas are covered by the security policy, then execute suitable countermeasures based on priorities and levels established in the policy stage. Training and awareness play an invaluable role in making a security implementation successful: globally, current employees were responsible for 57 percent of all security incidents.

Unfortunately, economic influences such as the drive to cut costs have taken their toll. Funding for security has disappeared from many corporate budgets. While the number of companies with a dedicated security department and a security policy has decreased, the number of companies with no plans for a policy has risen. Only 54 percent of survey respondents in 1996 had a security policy, down from 82 percent in Datapro's 1992 survey. For those companies trying to salvage some form of protection when the security department is dismantled, the responsibility is primarily reallocated to the MIS manager. MIS is not the ideal location—as long as security remains part of the IT function, it may never become a


priority. Organizations that have a dedicated person assigned to security are more likely to have a security policy in place.

Companies today place high value on the ability of PCs, networks, mainframes, and databases to contribute to an organization's success. Yet security is still regarded as a drain on the bottom line. Organizations need to stop thinking of security as something that impedes or restricts, like the locks and seat belts in a car. Instead, they should think of security as something that enhances the ride and ensures that you reach your destination, like antilock brakes. The drive for electronic commerce, the phenomenal growth of the Internet, and the increasing popularity of business applications that use public networks require organizations to develop sound information security. Security needs to be regarded as an enhancement that contributes to the bottom line, not a function that drains it.



Rebecca J. Duncan and Jackie Hyde are information-security analysts at Datapro. For more on Datapro services, call (609) 764-0100 or see http://www.datapro.com.

Firms with a plan often have dedicated security staff.



Computer viruses are the most common microcomputer security breach.

VISUAL BASIC 3 ADD-ONS

VISU	AL B
Comme Asuno	
Comms - Async	£175
Lax Plus for Win LinxMan SDK	1175
	1.000
Comms - Network	0005
Distinct TCP/IP Visual Internet	£265 £65
disSocket 1.25 intro	100
Database	
ADE/VBX	£350
Smithware VBX for Btrieve	£180 £145
VB/ISAM MU for Win 16-bit	1.145
Graphics - Charting	
Chart FX 3.0 (16-bit only)	2210
Charting Tools for Win - VB	£180 £300
Real-Time Graphics Tools - VB VBGraphix	£270
Graphics - Image Files	
Image SDK Plus/VBX 2.0 ImageKnile/VBX Std 2.0	£250 £200
ImageMan/VBX 5.0	£230
Multi-Function	LLUU
	050
Borland Visual Solutions Pack	£59 £99
Designer Widgets 2.0 Muscle (Win)	£125
VBlite 1.0	£130
VBTools 4.0	£115
Visual Developer's Suite (16 bit)	£216
WinWidgets/VBX	£160
Sundry Components	
CADControl	£365
d-Barcode Dev Kit (lim runtime)	£104
VB/Magic Controls	£120
Visual CAD Dev Klt	£520
C & C++ FOR DOS	
Comms	
Essential Comm 5.0	£235
CommTools for DOS	£215 £210
SilverComin "C" Asynch 4.06	1210
Database	
c-tree Plus 6.6A	£565
SoltFocus Btree/ISAM	£75
Graphics & GUI	
3D-Ware Prof	663
Fastgraph 4,0 (Ted Gruber)	£ 195
GX Graphics 3.0	£ 155
MetaWINDOW-DOS 5.0	£215 £634
Zinc Engine & DOS Key 4.1	2034
Maths & Scientific	
C/Math Toolchest & Grafix	£45
Hugo Virtual Array & NAT 3.0	£215 £115
Science, Eng & Graphics Tools	1.115
Screen	
C/Windows Foolchiest	£45
Greenleal Datawindows 3.0	£225
TCXL UI for DOS/Win 6.2	£135
General & Systems Librar	
GX Sounds	£ 165
MTASK	£215
t ISR Ram Res Dev Sys 2.03	£100
Tools	
C-DOC Pro 6.0	£240
C-Vision for C/C++ 4.0	£145
CodeCheck (Prolessional)	£475
PC-Lint for C/C++ 7.0	£135
LOW PRICE	-
FOR	-
MICROSOFT & BORLAND	-

MS Fortran PowerStation Std 4	£485
MS Visual Basic Std 4.0	£78
MS Visual Basic Prof 4.0	£365
Microsoft Visual C++ 4.x Sub	£399
Bortand C++ 5.0	£245
Delphi Desktop 2	£245
Delphi Developer 2	£390
Paradox for Win95 7.0	£92
Turbo C++ for Win 4.5	£68
Visual dBASE 5.5	£260
WITH FULL TECHNICAL SUPP	PORT
BASIC LANGUAGE	
Design DARIC Des (Mis RDOR)	010

PowerBASIC DLL Compiler Et	10
MD=11- D= 040-000 OF	96
XBasic Pro (Win32) £5	40

Sunary Controis	
3D Graphics Tools 4.0	£130
EDI-VBX 1.0	£705
Ganti/VBX	£195
MediaKnile/VBX	£290
VBX Artist	£240
Visual Instrument Panel Critris	£150
VideoSolt VSView/VBX	£105
Text Editor Control	
TX Text-Control Standard	£205
Tools	
	£100
SpyWorks-VB 2.1	299
TMS Tools 1.1 VBAssist 3.5	£140
VBASSISE J.D	£140
VB/DLL 2.05	£165
VERSIONS/VB 1_1	£135
C	& C++ I
Comms	
Async Pro for Win 2.1	£135
COMM-DRV/LIB 16.0	£140
Eav C++ SDK for Win16/95	£770
Greenleat CommLib 5.2 OnNet SDK 4.0	£235
OnNet SDK 4.0	£370
Compression	
Crusher! Win 16-bit w/Source	e £235
Greenleal ArchiveLib 2.1	£210
PKWare Data Comp Lib for V	Vin £175
TCOMP/Multi-Platform 2,12	£105
Database	
	£295
CodeBase 6.1	2500
CXBase Pro	£1250
DBTools.h++ for ODBC	£715
DISAM96 for DOS/Win	2410
List & Labels for Win (Pro)	
POET Personal SDK 4.0	£649 61470
ProtoGen+ Client/Sorver Win	£1470 .0 £740
Raima DBM Engine+EADS 4	
Velocis + EADS (Offer)	£250
Visual SQL	0003
Graphics - Chartin	ng
Charting Tools for Win 2.0	£ 180
Essential Chart for Win	£275
GraphiC/Win 7.0	£360
Graphics Server 4.0	£245
Real-Time Graphics Tools	£360
Graphics - Image	
Ad Oculos (Image Analysis)	2.0 £325
Image SDK Plus for NT	£505
tmage SDK Plus for NT ImageKnite Pro 2.0	£280
ImageMan DLL 32 & 16-bit !	b.0 £620
LEADTOOLS Win32 Pro 6.0	£7 t5
Graphics & GUI	
3d Graphics Tools 5 (32-bit	C) £230
ProtoGen+ Pro ter Win32/16	£415 01.70
WinGKS	£575
WinMaker Pro 6.0	£725
zApp	2575
Zinc Engine & Win16/32 Key	£634
Maths & Stats	
IMSL C Numerical Libraries	£495
IMSL Math Module for C++	£495
Math.h++ 5.1.3	£495
Monov has	£1075

Sundry Controls

DELPHI

Money h++

Delphi Delphi Delphi Desktop 2 £24 Delphi Developer 2 £39 Delphi Delphi Delphi Delphi Chernol Program with Delphi £126 Learn to Program with Delphi £126 ABC for Delphi 10b £9 Apiary Dev Suite for NetWare £19 Asynch Pro 2.0 for Delphi £18 Conversion Assistant Database £9 DialogPROS £21 Eschaton Power Controls 2.0 £13 Helping Hand for Delphi £16 ImageLin 66-bit £10 IntelProver 2.0 £17 IntelProver 2.0 £17 KingCatendar Pro £16	000000000000000000000000000000000000000
Delphi Developer 2 £39 Delphi Client/Server Suite 2 £126 Learn to Program with Delphi £3 ABC for Delphi 1 0b £9 Apiary Dev Suite for NetWare £19 Borland RAD Pack for Delphi £13 Borland RAD Pack for Delphi £13 Component Create £16 Conversion Assistant Database £9 DialogPROS £21 Eschation Power Controls 2.0 £13 Helping Hand to Delphi £14 HyperTERPDelphi £12 ImageLib 16-bit £12 InnoView MultiLanguage £12	000000000000000000000000000000000000000
Delphi Client/Šerver Suite 2 £126 Learn to Program with Delphi £23 ABC tor Delphi 1.0b £9 Apiary Dev Suite tor NetWare £19 Asynch Pro 2.0 for Delphi £19 Borland RAD Pack tor Delphi £19 Conversion Assistant Database £9 DiatogPROS £21 Eschalon Power Controls 2.0 £13 Helping Hand for Delphi £15 Inderwer 2.0 £10 Inderwer 2.0 £11 Linderwer 2.0 £12 Linderwer 2.0 £13	13
Learn to Program with Delphi £3 ABC tor Delphi 10b £9 Apiary Dev Suite for NetWaro £19 Asynch Pro 2.0 for Delphi £13 Bortand RAD Pack for Delphi £18 Component Create £15 Conversion Assistant Database £9 DiatogPROS £21 Eschalon Power Controls 2.0 £13 Helping Hand tor Dolphi £12 Independent 16-bit £12 Independent 16-bit £12 Independent 62.0 £13 Helping Hand tor Dolphi £12 Independent 64.0 £10 Independent 64.0 £10 Inderwer 2.0 £13 Helping Hand tor Dolphi £12 Independent 64.0 £10 Inderwer 2.0 £17	9
Apirary Dev Suite for NetWare £19 Asynch Pro 2.0 for Delphi £13 Borland RAD Pack for Delphi £12 Contarting Tools for Win - Delphi £12 Conversion Assistant Database £9 DiatogPROS £21 Eschalon Power Controls 2.0 £13 Helping Hand for Delphi £12 Independent for the State of	
Asynch Pro 2.0 for Delphi £13 Bortand RAD Fack for Delphi £12 Charting Tools for Win - Delphi £18 Component Create £15 Conversion Assistant Database £9 DialogPROS £21 Eschalon Power Controls 2.0 £13 Helping Hand for Delphi £15 HyperTERP/Delphi £12 ImageLib 16-bit £10 IntoPower 2.0 £17	
Borland RAD Pack for Delphi £12 Charting Tools for Win - Delphi £18 Component Create £15 Conversion Assistant Database £9 DialogPROS £21 Eschalon Power Controls 2.0 £13 Heiping Hand for Delphi £15 HyperTERP/Delphi £12 IndePower 2.0 £17 InnoView MultiLanguage £12	
Charting Tools for Win - Delphi £18 Component Create £15 Conversion Assistant Database £9 DialogPROS £21 Eschalon Power Controls 2.0 £13 Helping Hand for Delphi £15 HyperTERP/Delphi £12 IntoPower 2.0 £17 InnoView MultiLanguage £12	
Component Create £15 Conversion Assistant Database £9 DiatogPROS £21 Eschalon Power Controls 2.0 £13 Heiping Hand to Dolphi £15 HyperTERPDetphi £12 InnoPower 2.0 £10 InnoView MultiLanguage £12	5
Conversion Assistant Database £9 DialogPROS £21 Eschalon Power Controls 2.0 £13 Helping Hand for Delphi £15 HyperTERP/Delphi £12 IndePediation £10 IndePwer 2.0 £17 InnoView MultiLanguage £12	0
DialogPROS £21 Eschalon Power Controls 2.0 £13 Heiping Hand for Delphi £15 HyperTERP/Delphi £12 IndePower 2.0 £17 InnoView MultiLanguage £12	5
Eschalon Power Controls 2.0 £13 Helping Hand to Dolphi £15 HyperTERP/Dolphi £12 ImageLib 16-bit £10 IntoPower 2.0 £17 InnoView MultiLanguage £12	8
Helping Hand for Delphi £15 HyperTERP/Delphi £12 ImageLib 16-bit £10 InfoPower 2.0 £17 InnoView MultiLanguage £12	0
HyperTERP/Delphi £12 ImageLib 16-bit £10 IntoPower 2.0 £17 InnoView MultiLanguage £12	5
ImageLib 16-bit £10 IntoPower 2.0 £17 InnoView MultiLanguage £12	0
IntoPower 2.0 £17 InnoView MultiLanguage £12	0
InnoView MultiLanguage £12	19
	9
KingCalendar Pro 96	15
111110000000000000000000000000000000000	5
List & Labels for Delphi 3.5 £29	15
Moblus Draw Kit £9	99
Mobius FastSprites £10	15
OCX Expert £19	15
Orpheus £13	35
Pumpkin Project Manager 2.0 £8	16
Real-Time Graphics Tools £36	30
Transform: Component Expert £12	25
VisualPROS 1.1 £12	5
WinG Sprite Kit £9	99



OR WINDOWS

Sundry Components	
C++ Booch Components	£415
HeapAgent 16 & 32-bit Combo	£655
TG-CAD Prol 6.0	£1235
Tools.h++ 7.0	£340
WinWidgets++	£240
Tools	
CC-RIDER for Win16	£250
KPWin ++	£625
Newi Solo Intro	£295
Visual Parso++-	£289

VISUAL BASIC 4

TOOTE INTONE I	
Visual Basic Enterprise 4.0 Visual Basic Protessional 4,0 Visual Basic Standard 4.0	£755 £365 £78
Visual Basic Standard 4.0 3d Graphics Tools 5 (32bit VB4) Aplary Dev Suite for NetWare AutoCoder BetterState Pro w/VB CodeGen ButtonMaker ClassAction (VB4) ClassAction (VB4) ClassAction (VB4) Code Complete Crescent Internet ToolPak 2.0 Designer Widgets 2.0 EnQuiry 2.0 (VB4) Erkwin/Desktop Jor VB4 GeeWiz 2.0 Helping Hand for VB Into Code (VB4) List & Labels for VB3/4 3.5 PowerPak Enterprise for VB4 SplashWizard Splworks - Prol 4.0 (inc Sub) Tear OII Menus for VB4 VB AppFramework VB Assist 4 VB Compress Pro 4.0 VB Language Manager Pro 3.0 VB/EniSate Pro	278 2149 2195 255 2240 2175 2110 2175 2188 2175 2199 2199 2199 2199 2199 2199 2199 219
Visual Bridge (Access → VB4) Visual Expert Developer XREF 2.0	£89 £250 £95

PROGRAMMING

Ada	Assemblers C/C++
Basic	
Comms	Cross Dev
Custom Controls	Database
Debuggers	Delphi
Editors	Fortran
Graphics	GUI
Linkers/Locaters	Liap
Modula-2	Multi-taaking
Pascal	Prolog
Smalltalk	SQL
Version Control	Visual Programming
Windows	Xbase
	ems for which there is use advertisements.
FOI	TTO A M

FORTRAN

FortranPlus System	£250
Lahey Fortran 90-1.1	£690
MS Fortran PowerStation Std 4	£485
MS Fortran PowerStation Pro 4	£665
Salford FTN77 Dev Bundle	£795
Watcom Fortran 77 10.6	£325
FS-Fortran 77	£35
Lahey Personal Fortran	£86
Prospero Fortran	£155

News & Views

VISUAL C++ ENTERPRISE 4.2 Advanced Client/SQL Server Development Tool

If you are using Visual C++ and Microsoft SQL Server, this is the package you have been waiting for:

- Enhanced Developer Studio lots you work with SQL server code as easily as C++ client code. Edit stored procedures, issue SQL commands, examine databases, tables & views
- examine databases, tibles & views integrated SQL bebugger lets you step from C++ to an SQL stored procedure. Set breakpoints (ideal for triggers) and examine local & global database variables н.
- Visual SourceSafe lets teams of developers safely share and archive source dode
- SQL Server, Developer Edition lets you create and test your client/server apps immediately н.

Client/server development has never been so civilised - call us now for more details. £795 + VAT

ROBOHELP 4.0

Build Next Generation Help Systems Now!

Blue Sky's latest version of their RoboHELP help authoring tool adds a host of advanced teatures: 8

- HTML-Based Help Files can now be created, including Microsoft HtmlHelp & Netscape NetHelp
- Help Composer quickly adds context-sensitive help topics to all your dialogue boxes а.
- Dynamic WYSIWYG lets you view graphics, multimedia & buttons exactly as you would in a compiled help system а.
- Single Source Technology generates HTML, HTF (WinHelp) and printed documents from a single Source
- ActiveTest lots you immediately view any topic without compiling

Plus many more new features - it you are Involved with hypertext documentation, call us now for more details. £330 + VAT

PLANETFX

Build Next Generation Web Pages for Internet Explorer 3.0

- ImageFX's new PlanetFX lets you create highly interactive Web pages with studio quality effects like those seen on television. It includes 5 reusable ActiveX controls:
- Image Control displays all standard image liles with rotate, crop, resize, llip, mirror, dither
- Labei Control provides 5 background styles, text can be rotated, animated, filled with an image or gradient text
- Shape Control creates exotic buttons of any shape with text & images, 3D berders & fonts, etc
- Rotating Text Control supports True-Type fonts for continuous rotations, angles & more а.
- Timer Control orchestrates multiple controls to ensure smooth н. presentation effects - with you In complete control

This is the first of a new generation of ActiveX-based Web tools - call us if you want to create Web pages that sizzle & sparklet £216 + VAT

C++ COMPILERS

Borland C++ 5.0 Borland C++ Dev Suite 5.0 BC++ Dev Suite + Des Tools MS Visual C++ 4.2 Enterprise MS Visual C++ 4.x Sub	£245 £337 CALL £795 £399	
MS Visual C++ 4.0 Standard Optima++ Döveloper Intro Satlord C/C++ Win Dev Symantec C++ 7.2 Turbo C++ for Win 4.5 Visual&go for C++ 3.5 w/Docs	259 2139 2395 2375 268 2326	
Watcom C/C++ 10.6 Intro High C/C++ Ior Ext-DOS/Win Salford C/C++ DOS Dov Turbo C++ 3.0	£145 £620 £195 £66	

bits


Corel PDA to Bundle Java Suite

Does the world need another PDA? Corel (Ottawa, Ontario) certainly thinks so. The company that has been successful where others fear to tread (taking on Microsoft in the office suite market, for instance) has an interesting offering on tap. The Corel PDA (as yet unnamed) will be powered by a RISC processor and offer a choice of either monochrome or color LCD screen. The hand-held unit will measure about 3 by 4 inches and should retail for less than \$500. The company currently plans to release the device in the second half of 1997.

Corel plans to bundle in a suite of applications, including e-mail, a notepad, a contact manager and scheduler, handwriting recognition, and voice annota-

should run without problem on the Corel PDA. Plus, the platform independence of Java means that any Java application (e.g, Corel Office for Java) should work on just about any Java-compliant platform, including Java-based set-top boxes, network PCs, and other devices. Furthermore, Java should encourage a lot of development from third parties because of this potentially large market. Corel plans to provide a truly open operating system so that developers will be able to create add-on programs for the PDA. The OS itself will be embedded as a kernel into the PDA with the Java Virtual Machine running on top of that kernel.

The device will incorporate integrated communications, so that sending and receiving e-mail or fax messages and getting onto the Internet will not require you to buy additional options or software. The Corel PDA will have a unique keyboard/docking station that will let it synchronize the database with the desktop computer, work as a battery recharg-



Corel's new office suite looks like the others, but it's written in Java.

tion. So far, this sounds like pretty standard stuff. But a major part of what sets the Corel PDA apart from other PDAs is the fact that all the applications, including a built-in Web browser, will be programmed in Sun's Java language. Corel's Java suite is slated to ship in the first quarter of this year.

The Java approach provides a number of advantages, Corel says. First, Java applets are relatively efficient, so they make sense for the somewhat restricted PDA environment. It also means that Java applets downloaded from the Internet er, and give the user a full-size keyboard.

The Corel PDA is being designed to operate in either portrait or landscape mode. The former will be used to work with the PIM-based functions, and the latter for Internet and e-mail access.

As PDAs begin to mature, functional units like the Corel PDA that don't overreach may well rule the market. And with its inherent cross-platform nature, the Corel Java-based office suite may appear on thin platforms where today's resource-intensive desktop PC applications can't fit. –Jon Pepper

cd-rom review

Learn to Read and Have Some Fun

Finally a great program for three- to sixyear-old beginning readers. Richard Scarry's Best Reading Program Ever actually lives up to its hyperbolizing



In Miss Honey's classroom, children can click on objects.


moniker. If children can get by the opening screen that asks them to type in their name, they will be entertained and gently challenged with reading readiness activities. These exercises focus on language, phonics, listening, and following simple directions.

There are five main sites in the program. At each site, the child works through a specific learning exercise. Examples of these learning exercises include such things as identifying beginning sounds, matching upper- and lowercase letters in a farm while picking apples, and determining which pictures form the beginning, middle, and end of a story.

As is the case in Richard Scarry children's books, the program's graphics are of high quality. The characters in the various exercises will appeal to children. The program is easy to navigate, and there are handy stop points. In fact, once the program is loaded and launched, the computer fades into the background as if it weren't even there. Beginning readers get a lot of positive reinforcement even when they select the wrong answer, but they are richly rewarded when they complete a task correctly. Simon & Schuster Interactive has done a commendable job making learning to read a fun experience.

-Rich Friedman

Richard Scarry's Best Reading Program Ever, Simon & Schuster Interactive, 1230 Avenue of the Americas, New York, NY 10020; (800) 910-0099; http://www.Mpc.com; \$29.95





SECURE FILE SYSTEM

Fortres 101 protects boot process, desktop settings and arrangement, and the file system. Secure File System for Windows and Windows 95 on FAT drives allows you to block or control

Fortres 101 provides complete desktop and file protection from malicious or inseparianced users.

access (full, read-only, no access) to local drives, files, and directories; force user saves to floppy, or specific directories; prevent executing any program from floppies; prevent user from downloading and executing programs. All file security is provided in memory, without modifying the file structure. Provides multi-user or station security for local resources on stand alone and networked PC's. Does not modify the registry. Does not rely on user profile settings. Does not conflict with user profile settings. All security

> can be turned on and off in seconds without rebooting. Fortres 101 can be unloaded, completely, from memory without

restarting Windows. Includes support for both Windows 3.1x and Windows 95 with 16 or 32 bit file access. Does not alter the Windows Interface. There are no visual cues that Fortres 101 is running. Does not patch any DOS or Windows files. Works with Novell, LAN Manager and Microsoft Networks. Central control module is available.

System Requirements:

- OS: Windows 3.1x, WFW 3.1x, Windows 95
- Dos Memory: 1K (can be loaded high)
- Windows Memory: 35K (3.1x), 55K (Windows 95)
- Disk Space: 400K

\$395 per fifty computers per building. Academic discounts available. 30 day money back guarantee.



Copyright notice IC 1996 Factors Grand Corporation. Prizes and sportilizations subject to change. Nevell is a registered trade mark of Novel Corporation. Windows is a registered trade mark of Microsoft Corporation. LAN Manager is a registered trade mark of IBM.



PROPARCYCLON PROM

Fortres Grand Corporation P.O. Box 888, Plymouth, IN 46563 voice 800.331.0372 fax 800.882.4381

rh.

bits

Why Java Won't Repeat

the Mistakes of Unix

Scott McNealy, chairman and CEO of Sun Microsystems, talks

about how Java will change computing and the computer industry.

Blasts from the Past

Years ago in BYTE

We liked Claris Resolve, a spreadsheet for the Mae. But Resolve, along with other Mae versions of spreadsheets such as 1–2– 3 and Wingz, weakened in the face of Microsoft's Office juggernaut for the Mac. We also ran early reports on the Apple/ Motorola/IBM alliance and delays in Windows 3.1 and OS/2 2.0.

Years ago in BYTE

Timothy Leary, late leader of psychedelia, pitched software to the Boston Computer Society. Leary would later document his impending death in 1996 on the Web, a medium that some feel is a powerful drug in its own right, even more addicting than tobacco. In the same issue, editor Phil Lemmons reminded us that people who said most users don't need the power of a 32-bit processor used to say the same thing about 16 KB of RAM.

Years ago in BYTE



We covered the new IBM PC in depth; we figured it was important enough to merit a second look. Guess we made the right eall on that one.

Years ago in BYTE

We covered hashing techniques that speed up table search operations. North Star advertised 5-inch floppy drive systems for the "unbelievable" price of \$599.



BYTE: What's your vision of a Java-centric computing industry?

McNealy: The whole point of the Net is more than convenience, it's open interfaces. All of a sudden now, no single microprocessor's in charge, no single operating system's in charge, no single vendor's in charge, no single customer is in charge. Regarding Sun's place in this new industry, we believe that we can be one of the three equipment suppliers for data-tone/Web-tone equipment on the client and server side. Wintel, Sun, and IBM are the only three equipment suppliers left. Everyone clse is just a dealer of other peoples' equipment.

The problem with Microsoft and Intel is that it's a lot like General and Motors, with Fisher Body separated from Chevrolet, and that's why it takes 10 years to get a 32-bit OS on a 32-bit microprocessor. It's hard to merge them at the end of the assembly line when you're not under the same shareholder agreement.

BYTE: A lot of the open interfaces— TCP/IP, HTML, for example—are controlled by standards bodies. But you own the Java spec.

McNealy: No, this is huge: You can go out and write a Java virtual machine to that spec. I will not sue you. So, "own" is too loaded a word. We're going to continue to drive that [spec] forward. If you want to call it Java *the brand*, yeah, we own Java. The problem with Unix is that nobody protected the brand to mean something and the brand lost value.

BYTE: Is that the primary lesson you take from the Unix experience, that branding was lacking?

McNealy: I also think that licensing terms of Unix were very, very different. We're fundamentally saying that you don't need a Java license from us to go do what you need to go do. You have to go out and just do a great implementation.

BYTE: How important is it to Java enterprise computing that you have a compelling Windows compatibility strategy? McNealy: We'll provide it the right way. Put it on one server, you only have to buy one copy. And I'm urging every CEO to make sure it [Windows] runs really slowly, so people stop using that stuff. The right way is to ban PowerPoint from your company. The second-best answer is to buy just one copy. And the wrong answer is to give everyone their own personal copy.

When the anthropologists dust off the 1980s and 1990s and look at the productivity dip, they're going to blame Office. I banned PowerPoint from my company and we've had the best two quarters we've ever had in the history of the company. I want to give everybody plastic Mylar sheets and all the pens they need to scribble on them. And I said use what I call the [Sun cofounder] Bill Joy font. You can see where he licked his thumb and erases; it's so much faster.

BYTE: Suppose the whole world converted to Java-centric computing today. Is the infrastructure there?

McNealy: That would be a problem. The beauty of the fact that not everybody buys into what we're doing is that it gives us a head start. This is an architecture that really does scale like no other architecture has ever done. It's got all the new stuff built into it, like threading and absolute objects. This is not object-oriented; this is an object-based language. It has enough compelling new features that it is just the right answer.

INTERNATIONAL

BYTE's Systems 96 Awards

Internet shopping software wins top prize in Munich. Page 401S 3

IK/

Acer, IBM Partnership Acer lands a Big Blue OEM

contract. Page 401S 4

Digital Watermarks New technology protects your intellectual property. Page 401S 7

Lights, Camera, Action Computer-based training embraces

the Internet. Page 401S 13

New Notebooks

From Taiwan: higher clock speeds, digital video drives, and more. Page 40IS 17

The Fast Track To ...

Increasing Your PC Systems Business

PCXpress Systems can be delivered to all your worldwide markets under FIC's Global Logistics Assistance Program. Initial barebone assembly is carried out in FIC's ISO-9000 certified facilities in Taiwan or China, and then the systems are shipped to FIC's local integration facilities in the US, the Netherlands, Australia, or Hong Kong for final configuration, from where they are delivered direct to you or your customers.

PCXpress Systems deliver the ultimate in Quality undergoing stringent functional, compatibility and reliability testing before being shipped from FIC's ISO-9000 certified facilities.

CXpress

PCXpress Systems deliver the ultimate in Choice providing you with a complete range of Pentium® and Pentium® Pro processor-based systems in a selection of stylish desktop, mini-tower and mid-tower chassis that can be customized to your requirements.

PCXpress Systems deliver the ultimate in Flexibility - giving you an almost unlimited selection of configuration options and peripherals that allow you to differentiate your products in the market.

PCXpress Systems deliver the ultimate in Value leveraging FIC's highly-efficient manufacturing processes and global sourcing power to provide you with leading-edge systems at highly competitive prices.

150-9001 5

PCXpress Systems deliver the ultimate One-Stop Sourcing Solution - providing you with the products you need for your markets without having to go through the trouble and extra expense of procurement from multiple vendors.





6F, FORMOSA PLASTICS REAR BUILDING 201-24, TUNG HWA NORTH ROAD, TAIPEL TAIWAN Tel:886-2-7174500 Fax:886-2-7182782 http://www.fic.com.tw E-mail:mkt@ss1.fic.com.tw

First International Computer, Inc.

FIC USA FIC EUROPE B.V. FIC AUSTRALIA FIC CZECH REPUBLIC

Tel: 1-510-2527777 Tel:31-73-6273300 Tel:61-2-7484566 Tel:42-5-41241785 Fax:1-510-2528888 Fax:31-73-6231412 Fax:61-2-7484633 Fax:42-5-41241787

FIC SPAIN FIC HK FIC JAPAN

FIC FRANCE Tel:33-1-46810203 Tel:34-1-6373613 Tel:852-2-3453599 Tel:81-3-5461-2181 Fax:33-1-45739885 Fax:34-1-6373863 Fax:852-2-7972408 Fax:81-3-5461-2345

Circle 727 on Inquiry Card (RESELLERS: 728).

teks used berein are the rea

News & Views

Internet Shopping Software Wins Best of Systems 96

n innovative, out-of-the-box on-line-shopping software package won BYTE's Best of Show award at Systems 96. This award recognizes an important and innovative new product shown at the annual computing-solutions-and-technology show held in Munich.

Bits

Voted by BYTE editors as the best of the best new products, NetConsult Communications' (+49 3641 8940; http:// intershop.net) Intershop Online is a complete template-based on-line-shopping solution that can handle inventory, billing, shipping, and marketing statistics. Its latest extension, the Intershop Mall, which was announced at the show, enables users to manage a variety of on-line shops side by side on one Web server.

An on-line customer, for example, can select merchandise from a wide variety of shops, just like in a real shopping mall. With the Intershop Mall extension, Internet service providers (ISPs) can easily administer stores for many different merchants. They can control customer-access rights, log in orders, and keep an up-todate record of payment transactions.

BYTE editors awarded the multimedia prize to the Virtual Assembly technology from the Fraunhofer Institut für Arbeitswirtschaft und Organisation (+49 711 970 2087; Andreas.Roessler@iao.fhg .de). This high-end virtual-reality system simulates the interaction of a human body with objects in cyberspace. It uses a sophisticated virtual model of the human body to simulate the assembly and maintenance of machines that do not yet exist, giving the user tactile feedback during the maintenance tests.

The best communications product the BYTE editors saw on the Munich show floor was Tobit Software's (+49 2561 913 120; http://www.tobit.com) David, a universal inbox for all kinds of business correspondence. This communications-server software for NetWare LANs manages

			и United Elander Administration « Press Account) Anxaixs - Strates Fanctory - Weatow - Halp
2	7 cm	tistics	
Harr	510	usues	Punt Back
			Orders per Follow.up Offer (Weekly)
		Orders	11.00 0.00 0, 45 05 00 200 000 000
44	27 10 96	2	
43	20 10 96	2	Contraction of the Article of the Ar
42	13 10 96	2	
41	6 10 96	2	the state of the s
40	39 9 96	0	
59	22.9.96	1	
38	15 9 96	4	Contractor of the second s
37	89.96	1	Constant and a state of the state
36	19.96	4	Contraction of the Contract Astronomy and the second statements
35	25 8 96	20	
14	18.8.96	4	and a long the same way that the long of the same state of the sam
33	118.96	12	
32	48.96	11	
31	287.96	3	NAME AND ADDRESS OF TAXABLE PARTY OF TAXABLE PARTY.

Intershop Online lets you set up a shopping mall on the Internet.

and archives e-mail, faxes, voice messages, and all other types of multimedia documents. The software provides access to these complex documents via LAN, phone, fax on demand, or a Web browser.

Network Distributed ISDN for Windows NT, developed by AVM (+49 30

Best of Systems 96 Finalists

Industrial Applications

SAC biometric card validator, from Metra Engineering (+38 6611330387), a security device that recognizes finger characteristics.

Industrial Thermics for Mathematica, by Visual Analysis (+49894319810; info@visualanalysis.com), an industrial computer algebra system for thermal calculations.

Business Management Solutions

Betrex 2.0, from Bissantz, Küppers & Company (+499131691450; bissantz@forwise .uni-erlangen.de), a data-mining tool that discovers problem areas in your business.

R/3 Mobile, by IXOS Software (+49 89 460050; http://www.ixos.de), a remote-database-access architecture for SAP R/3 that capitalizes on the GSM Short Message Service (SMS).

Corporate Networking Products

Chameleon NFS/X 6.0, by NetManage (+49 8165 94700; sales@netmanage.de), integrates more than 50 applications under Windows or on the Macintosh.

WiNTimesX, from Lightstone Multiuser Systems (+49 5643 98010; 100524.733@compuserve.com), a low-cost solution for running up to 16 monitors, mice, and keyboards from a single Windows NT PC.

Communications Products

Cell-Ace, from Cellware (+49 30 4670820; http://www.cellware.de), connects private telephone exchanges via an ATM network.

D.I.C.A. 6400 VDM, from DTM Data Telemark (+49 30 20353 309; http://www .datatelemark.com), a modular multiplexer for voice and data compression over ISDN.

Multimedia Products

The DC30, from miro (+49 531 21130; http:// www.miro.de), an inexpensive video-editing card that brings studio quality to the home computer user.

Virtual Vision 1.0, from VR-Systems (+49 89 32470321; http://www.vst.de), a 3-D software application package that combines highend, low-cost virtual reality with an innovative user interface.

Internet Products

Isys Web, from Isys/Development, Inc. (European contact: ISG, +498122910180; http:// www.isgweb.com), a search-and-retrieval software package for Web servers.

Safe Guard IPN, by Utimaco Safeware (+49 6171 9170; http://www.utimaco de), facilitates the task of setting up virtual private networks on the Internet.



International Bits

39976 0; http://avm.de), clinched the title in the Corporate Networking Products category. This communications software package allows an unlimited number of network users to share one or more ISDN controllers. With this program, each LAN workstation gets its own virtual ISDN interface without being physically connected to the ISDN network.

The honors for Best Business Management Solution went to ISD/Professor Scheer's (+49 681 99210; ids@ids-scheer .dc) Aris Applications, which is the latest component of the Aris business-processengineering tool set, for its high level of application, process, and work-flow integration. Aris Applications generates stand-alone applications directly from operative work-flow models.

The winner in the Industrial Applications category was TS Technische Software's (+49 711 77970; http://www .ts-software.de) Guard IV, a quality-management system that supports productionprocess control. The software package has the ability to handle a variety of events and exceptions that standard productionplanning systems cannot cover and thus makes factory work flow more secure.

-Rainer Mauth

Acer, IBM Forge Deeper Partnership

In a deal that reflects the ongoing breakdown of the traditional PC-manufacturing model, IBM recently signed a \$1.8 billion agreement with rival company Acer, under which the Taiwan firm will build and distribute as many as 80,000 desktop PCs per month for resale under the IBM logo, sources say.


The IBM/Acer alliance follows similar moves by other PC companies—including Compaq, Packard Bell/NEC, and others that analysts say are now outsourcing everything from manufacturing to distribution as a way to expand their capacity, reduce costs, and find ways to tap into new markets.

In the past, many PC companies attempted to assemble and distribute everything themselves, but it's difficult to make a buck under this model. "It appears that Acer may have a global agreement to manufacture and distribute a variety of products for IBM," says Donald Floyd, research analyst with Asia Securities in Taipei. "If IBM and other major PC companies follow this path, they may be able to reduce their

Who Will Buy a Network Computer?

A lmost 10 million network computers (NCs) will be sold worldwide during the year 2000, the management consultancy Datamonitor (London) forecasts. This figure includes only dedicated NCs, not devices with limited Internet access, such as game consoles.

Of these 10 million units, a little under twothirds will be sold to the corporate and government markets, and a little under one-third to the consumer market. However, the consumer market is expected to grow rapidly. Educational establishments will make up the remaining small portion. But the NC market will still be dwarfed by PC statistics: Datamonitor says that the NC market volume in 2000 will constitute only 2.5 percent of the global PC market. -R.M.



network computers in the year 2000.

manufacturing costs by about 15 percent instead of doing it all by themselves."

The first company to explore this global-outsourcing model was Compaq, which in 1995 signed a manufacturing alliance with Taiwan's Mitac. At present, Compaq's low-end PCs are made and distributed in various markets by Mitac—a move that has kept the U.S. company in a leadership role in the PC business.

Packard Bell/NEC also has a global manufacturing and distribution alliance. In fact, the partnership procures a large number of PC boards from Intel, but it also has a significant OEM alliance with Taiwan's GVC. In addition, NEC and GVC have a joint venture in China to produce color monitors.

IBM is also no stranger to outsourcing in Taiwan, but it's mum about its new alliance with Acer. For more than two decades, IBM has procured components and peripherals in Taiwan. But it has obtained only a small portion of finished PCs from Taiwan, mainly notebooks made on an OEM basis by a company called ASE.

Acer is also reluctant to talk about its partnership with IBM, which goes far beyond the typical OEM contract. For example, Acer will not only manufacture—and perhaps design—PCs for IBM, it will also be put in charge of global logistics and distribution for the U.S. company. "For IBM, Acer can be viewed as a competitor or partner—or both," comments Jason Lin, industry analyst with Dataquest Taiwan in Taipei. "However, IBM and other U.S. companies know they are under severe pressure to bring down their manufacturing costs."

Until recently, Acer had been making finished PCs for Fujitsu/ICL, Hitachi, and others. But the Japanese companies have discontinued buying finished PCs and instead will buy only boards from Acer in the future. Acer's OEM business is larger than its own name-brand PC segment. Its total OEM business hit \$1.176 billion in 1995, compared to \$642 million in 1994.

Acer walks on a delicate path of pushing its own brand name while selling PCs and component-level products to competitive OEMs. Acer has major plans to boost its OEM and non-OEM businesses. To do so, in 1996 it expanded its total production capabilities, nearly doubling its output of PC-related products. In 1996, Acer had the capacity to churn out 700,000 PCs, 100,000 notebook PCs, and 350,000 CD-ROM drives per month. **-Mark LaPedus**

The Hardlock software protection system.

Universal and individual.



Across the world, there are currently over 2 million Hardlocks in use. They are all virtually hackproof, daisy-chainable, individually interchangeable, compatible, and with an almost incredible variety of forms and features, they are fast and easy to implement.

Want to know more? Want to find out which Hardlock will suit your application? Want to order the FREE Hardlock evaluation pack? No problem! Just dial...

Hungary

Hals

Armonton IT MACH Sistemas Electronicas Ltd (04) 1 795 -8011

Anatrala ns PLY Ltd **Bware Protects** 1611 3 9564 -6455

Henelu Indidin Software Sec netux BV 1111 26 661 -9777

HT MACH Sistemas Electronicas Eld 1 11 21 257 -0314

Datasoft S.A. r (56) 2 246 -7443

G & G I.tectronic (1385) 1 315 -79

Chile

Czech Re EvroCAD 5 r o

Finland FAST Finland Oy 1 (358) 9 5495 -050

Franc AST Technologies (33) 1 4621 -18 40 Szki Recognita Corj 7: (36) 1 201 -8925 TECHNE Security (49) 89 8942213

Greece FAST Heltas AE (* (30) 1 689 -3675

1

Kitec Technology Ltd (~ (852) 2301 -2340

- (39) 59 615611 Korea

AC & P 1-1021 2 736 -4406 4

5moll (* (52) 91 800 55283

Philip Integrity Soltware (63) 2 831 -3112

Spain & Portugal FAST Iberica 17: (34) 1 754 -1212

United Kingd Aladdin Knowledge Systems Ltd (* (64) 1753 622 -266

IN THE USA Aladdin Knowledge Systems In 7 (1) 847 808 -0300 Please contact your local dealer for more information

Visit our internet homepage: http://www.fast-ag.de

Circle 708 on Inquiry Card (RESELLERS: 709



FAULT RESISTANT RAID IN 30 MINUTES OR LESS



• Hot-swappable drive trays, power supplies, & cooling fans

- Environmental monitors
- Internal battery backup
- Intelligent SCSI backplane (no internal cables required)
- Supports internal SCSI tape backup or other peripheral
- RAID levels 0, 1, 1+1, 4, @ 5 with single ended or differential host interfaces

Introducing CMD's new Daytona RAIDarray *just add drives*, and in minutes you'll be experiencing unmatched reliability and high performance. Daytona is the ultimate solution for applications requiring high performance, *fault resistant* desktop data storage on small to mid-size servers and workstations.

Daytona RAIDarrays are platform and operating system independent and come in four half-height and six low-profile drive configurations with support for up to 64 MB of SIMM-based data cache. In addition, each Daytona offers *plug@play* installation and low cost of ownership..

CMD has been a leading supplier of quality storage controller solutions since 1986. For more information on Daytona, or any of our outstanding RAID products, call us or visit our web site today at: **www.cmd.com**.



1 Vanderbilt, Irvine, California 92618 Ph. (800) 426-3832 or (714) 454-0800 • Fax (714) 455-1656 Circle 733 on Inquiry Card (RESELLERS: 734). 01996 CMD Technology, Inc. All rights reserved. All trademarks belong to their respective owners.

Look, It's Not There

Digital watermarking is the best way to protect intellectual property from illicit copying. By Jian Zhao

hy is it so difficult to find a needle in a haystack? Because of the size of the needle relative to the size of the haystack. Also, because once the needle falls out of your hand, it is not predictable where it will land in the haystack. Both principles-inconspicuousness and randomness-help conceal information in digital watermarks to protect intellectual property of multimedia documents.

In contrast to a traditional watermark on an invoice, for exam-

ple, a digital watermark can be detected only by appropriate software. Rather than ensuring the authenticity or integrity of documents, as a digital signature or a digital seal does, a digital watermark aims to identify the origin, author, owner, usage rights, distributor, or authorized user of an image, video clip, or audio clip, even if the image or clip has been processed and distorted (via analog-to-digital conversion, low-pass filtering, resampling, lossy compression, cropping, or rotation).

A digital watermark has to be invisible-or, in the case of music and sound files, inaudible-but nevertheless persistent. Otherwise it could interfere with the quality of the document and also be more easily removed after illicit copying. (For more information on digital copyright protection, see "Handcuff Digital Thieves," BYTE international edition, April



1996.) A watermark must be able to withstand any processing and tampering. It must be present throughout the whole document in case parts get cut off or cropped.

Although digital watermarking is relatively new as a means of protecting intellectual property, the theories and technologies behind it have been around for a while: computer-based steganography (cryptography), spread-spectrum communications, and noise theory.

Traditional steganographic methods vary from simple invis-

ible ink, microdots, and character arrangements to covert channels in digital communications. Earlier computer-based steganographic tools are inadequate to meet the stricter requirements of digital watermarking. Modern steganographic systems use spread-spectrum communications to transmit a narrowband signal over a much larger bandwidth so that the spectral density of the signal in the channel looks like noise.

The two different spread-spectrum techniques these tools

employ are called directsequence and frequency hopping. The former hides information by phase-modulating the data signal (carrier) with a pseudorandom number sequence that both the sender and the receiver know. The latter divides the available bandwidth into multiple channels and hops between these channels (also triggered by a pseudorandom number sequence). Combinations of these methods have been widely used in the military to covertly transmit messages. In copyright watermarking, the digital image, video clip, or audio clip represents the wideband communication channel, and the watermark corresponds to the narrowband signal.

Noise is not just an awkward companion of analog communications, it is also an ingredient in any digital information and a fundamental premise of digital watermarking. The process

of watermarking encodes the hidden information as additional noise and incorporates it in the document. Modifications of the original's noise signal caused by moderate levels of wideband noise or controlled reduction of noise are not visible or audible.

Most common watermarking methods for graphics and audio signals work in the spatial, time, or frequency domains. The advantage of frequency-domain watermarking is that the watermark is spread throughout the whole video or audio clip and hence is resistant to cropping or cutting. However, a standard frequency


filter, or a lossy compression algorithm, which usually filters out the less significant frequencies, could damage the watermark.

Watermarks can also be embedded in an image's luminance and color bands, or in the contour and texture of an image. Common watermarking methods use the luminance band since it contains the most significant information of a color image.

Watermarking Tools

There are two different categories of watermarking tools available. The first is based on fingerprinted binary information (FBI), as exemplified by an eponymous product from the U.K. company High-Water FBI. The other, based on watermarking techniques developed at NEC Research and the University Catholique de Louvain (Belgium), identifies documents by hidden numbers (fingerprints). Other approaches, such as SysCoP (System for Copyright Protection), developed at the Fraunhofer Institute for Computer Graphics; Digimarc, from Digimarc (Portland, OR); and Argent, from DICE, can encode additional identification information such as the author's name or the ISBN number of a book.

Direct-sequence and frequency-hopping spread-spectrum techniques are the major watermark embedding methods used in existing tools. Both modify the noise value of the target documents. The



Digital watermarks hide the identity of an image or audio file in its noise signal.

direct-sequence technique adds noise to every element of the document, whereas the frequency-hopping method selects a pseudorandom subset of the data to be watermarked. Digimarc and FBI, for example, use direct-sequence methods to superimpose a watermark over an image by modulating a noise pattern of the same size onto the image. SysCoP, however, uses a secret key to pseudorandomly select blocks and frequencies that are modulat-

Steganography Overcomes Cryptography Restrictions

N ot only can computer-based steganography be used to embed a watermark in a file to protect intellectual property, new steganographic tools can be used to hide messages in digital images and sounds. This has profound implications for governmentcertified encryption schemes (e.g., the U.S. Clipper chip initiative and other key-escrow techniques) because with messages hidden in a digital image, anyone can inconspicuously exchange secrets and thus overcome restrictions on cryptography (see "Europe: Who Holds the Keys?," BYTE international edition, April 1996).

There are numerous programs for hiding data in pictures (see http://www.sevenlocks.com/SteganographySoftware.htm). One of the better-known programs is EzStego by Romana Machado (http://www.fqa.com /ezstego/). It manipulates an image's color palette and puts the binary data of the hidden message into the least-significant bit of the pixels in the image.

Computer-based steganography not only works with pictures or texts but also with digitized speech. A group of information security experts at the Universities of Dresden and Hildesheim in Germany demonstrated last year that it is possible to transmit undetectable data along with speech during an ISDN phone call. Although the demonstration, at the Information Hiding Workshop in Cambridge, U.K., didn't work in real time, the German experts claim that a real-time application can easily be derived.

As Andreas Pfitzmann, professor at the University of Dresden, puts it: "Computerbased steganography proves that restrictions placed on cryptography on any digital medium are nonsense." – Rainer Mauth ed within the block.

Other systems use secret keys to determine which lines or words of a text will be slightly shifted vertically or horizontally. Hiding secret messages in the leastsignificant bits of some pseudorandom frequencies or pixels of an image, which is a common approach employed in many steganographic tools, can also be considered a simple example of frequency hopping. Because frequency hopping modifies only a subset of pixels or other elements of a document, it tends to be much faster than direct-sequence methods. It is, however, less robust and more vulnerable to attack.

Watermark Extraction

A watermark must be extractable even from degraded documents that might have been photocopied, scanned, or manipulated by imaging programs. If a degraded document does not have the same format, resolution, or physical size as the original, it has to be normalized to the original format before the watermark can be extracted. Typical normalization processes include format conversion, resampling, enlarging a cropped part to full size, and scaling of the signal level.

Watermark extraction includes two main steps: selecting the locations where the watermark has been inserted (only in frequency hopping) and retrieving the watermark from those locations. The retrieval process normally needs either the original, unwatermarked data or the

Software Utilities for Microsoft Windows NT™



QUOTA MANAGER[™]

Windows NT service allowing network administrators to SET DISK USAGE QUOTAS so that user(s) cannot consume the server's disk space. Protects your Server investment and provides full control and continuous real-time monitoring, Microsoft's preferred solution.

REMOTELY POSSIBLE/32[™] OCTOPUS[™]

True 32-bit utility with simultaneous multiprotocol FAULT TOLERANCE / SERVER MIRRORING?

DISKEEPER™

The world's only ON-LINE CUSTOMIZED DEFRAGMENTER for Windows NT. The product eliminates fragmentation and restores maximum efficiency and performance to the File System. Check the level of your fragmentation TODAY.



support for REMOTE CONTROL & ADMINISTRATION. YES , PLEASE !!! Octopus gives real Remote data access, Training, Help Desk, time data protection to single files, File Transfer and Chat, Remote install. It's simply directories or entire systems the fastest product there is....and designed over LAN and WAN to multiple systems. specifically for the NT network administrator. NT Server/ Workstation / Win 95.





GOLD-FAX[™]

THE FASTEST, EASIEST AND CHEAPEST WAY EVENT LOG ALERT MANAGEMENT TO FAX is use GOLD-FAX. Fax from the desktop is If your company has multiple servers and domains as easy as printing. Uses print symbionts and you will have undoubtedly come up with the automatic routing to the desktop. Includes interface problem of collecting and managing the event log files. to MS Exchange and Mail plus a statistical management SeNTry automatically alerts you on the utility for cost analysis and saving. Very Powerful, Very Efficient. important events you need to track easily.





Kane Security Analyst[™]

System monitoring, Data integrity, Data confidentiality mirroring and optimizes system performance. Data Access is instant.

SuperDisk[™]

How safe is your NT or Novell network and 1996 Microsoft Back Office Magazine "Product of the Year"! systems from intruders?! KSA checks the This patented technology CREATES A RAM DISK general state in 6 different areas on your network on Windows NT that uses up to 75% of the and gives detailed reports on: Account restrictions, available physical memory for use as the RAM Disk. Password strength, Access control, Accessible from anywhere on the network, supports data





LAN Licenser[™]

MULTI-PLATFORM LICENSE CONTROL PACKAGE. Designed to keep networks legally compliant and up-to-date so minimizing software costs. Can physically control the number of concurrent licenses running and provide automatic call back for users denied access, or simply monitor usage.

....and many others ! For more information www.sunbelt.co.uk

"The ESSENTIAL Tools for Microsoft Windows NT[™]" for increased PERFORMANCE and ADDED FUNCTIONALITY Fill in the

coupon and we'll send the products for evaluation.



All trademarks are the property of their respective owners

WINDOWS I

C 1996 SUNBELT INTERNATIONAL. ALL RIGHTS RESERVED

EMAIL: europe@sunbelt.fr

European Master Distributor

International Europe

Resellers in 37 countries

116-118 Avenue Paul Doumer

92563 Rueil Malmaison

Cedex (Paris)

+33-1-47770500


+33 - 1 - 47770299

added noise for comparison with the watermarked document. It is also possible to extract the watermark without the original data. In this case the algorithm detects specific properties and patterns from the watermarked document. These patterns can be represented as signal shapes or the cross-correlation between certain document elements. This retrieval method is generally more efficient and enables, for example, SysCoP to retrieve watermarks in real time.

By applying multiplexing techniques as in data communications, the SysCoP

system, for example, can embed several identification codes and extract them separately. This feature is extremely important for identifying ownership and other intellectual property rights in works composed of many copyrighted assets, such as a complex multimedia presentation.

This kind of hierarchical watermarking can also be a danger to copyright protection if subsequent watermarking tries to overwrite the previous identification. However, uncontrolled hierarchical watermarking can cause accumulation of noise and hence create



of unique features that make it the most advanced UPS today.

- Hot-swap modules anytime
- Redundant modules provide fault-tolerance Truly modular - configurable to any power
- and backup time
- Field upgradable for higher power or longer backup time
- Smart communication and network unattended shutdown

For more information contact: Europe Fax # 44-171-439 0262 (UK) America Fax # 1-714-432 6551 (USA) Asia Fax # 60-6-6771811 (Malaysia)

ISO9002 INTERNATIONAL QUALITY ASSURANCE STANDARD



US9001 -configurable from 1KVA to 500KVA and more



perceptual defects such as patterns or blocky images or, in the case of audio streams, hiss. Some watermarking systems-HighWater FBI, for instance-prevent this overwriting attack by permitting only one-time watermarking. In addition, watermark registration or deposit of watermarked documents in trusted agencies may provide more effective means to prevent watermark overwriting.

Counterfeiters Beware

With the pervasive expansion of multimedia, electronic publishing, and electronic commerce, publishers, artists, and service providers are seeking solutions to protect copyrights and revenue streams. For them, digital watermarking is a major step forward. The role this technology can play in copyright protection is twofold. On the one hand, it provides evidence of illicit copying and dissemination; on the other hand, it constitutes a

How to Embed a Watermark

mbedding a watermark requires three functional components: carrier selector, watermark generator, and carrier modifier. A watermark carrier is a list of data elements selected from the original unwatermarked signal and used for encoding a watermark (i.e., a sequence of noise-like signals). The noise signals must be generated pseudorandomly, depending on secret keys, but independent of the carrier. Ideally, the signal should be at maximum amplitude but below the levels of perceptibility.

The carrier modifier adds the generated noise signals to the selected carrier. To balance the tolerance level of the additional noise and the robustness of the watermark, the noise must be scaled and modulated according to the strength of the carrier.

To find the right embedding parameters, psychovisual or psychoaudio analysis and predistortion are effective means of generating the appropriate amounts of noise and modulation. The idea of predistortion is to optimally adjust noise and scaling parameters by continuously controlling the watermark's resistance to image processing during the embedding procedure. This requires an iterative embedding and distortion sequence that continuously evaluates and adjusts the noise level.

Circle 739 on Inquiry Card (RESELLERS: 740).



YOU ARE ABOUT TO DETECT THE ADVANTAGES OF PROFESSIONAL LASER PRINTING (WITH THE PAGEPRO 6)

S) imply looking at a laser printer won't tell you too much. But once you spot the PagePro label you can start investigations immediately.

N o bigger than an A4 file, this compact black and white laser printer is packed with features you vould expect on much larger machines. So you'd better start your investigations right here.

rom screen to print in next to no time. The high F speed intel™ 80960SA CPU coupled with Minolta's super fast graphics compression provides rapid óppm performance. A unique image transfer technology combined with Fine-ART delivers a 600dpl resolution comparable with 1200dpl.

M ore teatures to investigate are: The sophisticated PCL driver for Windows 3.1^{1M} and Windows 95[™], 2 MB of memory, upgradeable to a total of 18 MB.

PagePr



A additional 250 with the optional tray that most competitors in this class don't offer, as well as the single-sheet manual override for first page letterheads or coloured paper.

V irtually no measurable ozone and significantly reduced power consumption are evidence of the

care bestowed on the environment by the PagePro 6. The ingenious two-in-one imaging cartridge system not only cuts waste but also cost as the toner can be replaced separately while the drum cartridge lasts 7 times longer



A fler weighing up all the evidence you can only come to the one conclusion: To invest in the latest PagePro technology at a price that is so competitive it's almost a críme.

(F) or further information just complete and return the coupon or call us now on 0800374481.



THE MINOLTA PAGEPRO 6 WAS JUDGED THE TOP OVERALL PERFORMER IN THE TUP OVERALL PERFORMENT IN THIS REVIEW" AS PUBLISHED IN PC MAGAZINE UK EDITION NO. 10. OCTOBER 1996 ISSUE.

MINOLTA

Circle 712 on Inquiry Card (RESELLERS: 713).

Minolta (UK) Ltd., Rooksley Park, Precedent Drive, Rooksley, GB-Milton Keynes MK 13 8HF. Minolta Co., Ltd., Osaka, Japan

Company:

deterrent so that consumers as well as counterfeiters are likely to be more careful about duplicating and redistributing copyrighted material because they know illegal copies can be traced back to them.

Though commercial use of digital watermarking has begun—Adobe is using Digimarc's technology in the new Photoshop 4, and IBM will use its own technology in its InfoMarket electronic commerce products—there are still several barriers preventing this technology from becoming effective and widespread. The technology for digital copyright watermarking is still in its early development. The major technical challenge is to develop a foolproof protection system while keeping watermarks hidden. Absolute

Enforcing Watermarks

Digital watermarking helps protect intellectual property. But protection is effective only if a legal force with a good tracing system sits behind it. A European R&D project called TALISMAN-for Tracing Authors' rights by Labeling Image Services and Monitoring Access Network-is one of the first efforts to establish an independent agency for monitoring watermarks and tracking down copyright infringements. (See http://www.tele

robustness is impossible, but there is room for improvement as this technology gains more acceptance and wider use. Today, .ucl.ac.be/TALISMAN). TALISMAN will provide interfaces to copyright enforcement and management tools.

International activities, such as the European Copyright Management System (ECMS), have paved the road for watermarks to obtain legal status. Although far from being an accepted global standard, watermarks may be used as evidence in court just like fingerprints or blood samples.

HERE TO EIND

Aliroo Kefar-Sava, 44442, Israel +972 9 7677732 support@aliroo.com

http://www.aliroo.com DICE Company Palo Alto, CA, U.S. +1 415 326-0367 info@digitalwatermark.com http://www.digitalwatermark.com Digimarc Portland, OR, U.S. +1 503 223-0118 Info@digimarc.com http://www.digimarc.com HighWater FBI Cheltenham, U.K. +44 1242 221390 fax: +44 1242 221600 fbi@hwuk.demon.co.uk http://www.highwaterfbi .com Fraunhofer Institute for Computer Graphics Darmstadt, Germany +49 6151 155-147 fax: +49 6151 155-444 syscop@igd.fhg.de http://syscop.igd.fhg.de none of these systems can claim that its watermarks will survive all imaging or signal-processing operations. But like encryption, this technology will be useful as long as it makes tampering with or removing watermarks a time-consuming and costly task.

Dr. Jian Zhao is a senior system analyst and project leader at the Fraunhofer Center for Research in Computer Graphics (Providence, Rhode Island, U.S.). He can be reached by sending email to jzhao@crcg.edu.

EUTRON. COMPUTER SECURITY

SmartLock TOTAL PROTECTION FOR PC AND LAN





SMARTLOCK is the integrated protection system which assures total PC and LAN security: unauthorized access to computers, input of illicit software into company PCs, viruses, illicit use of personal computers. Remote and integrated management for LAN applications.

PC access control

Prevents unauthorized access to PC. Provides an audit trail recording application programs executed, users and login times. Prevents unauthorized booting. Limits the use of floppy disk drives and peripherals. Executes on-the-fly transparent cryptography of the hard disk.

Company software control

Prevents unauthorized execution of illicit unlicensed software. Takes census of company software. Allows controlled distribution of new software licenses via digitally tagged floppy disks.

Antivirus

Provides the final solution to the software virus problem without requiring continuous updating. Takes preventive action by intercepting the viruses before they enter the PC, regardless of the type and techniques of attack.

Increases performance

Prevents the import of useless software (games, shareware, demos, etc.). Avoids accidental deleting or modifying of files containing vital data. Prevents from modifying CONFIG. SYS and AUTOEXEC. BAT system files.

EUTRON 24048 Treviolo Bergamo Italy - Via Gandhi, 12 Tel. +39-35-201003 Fax +39-35-201277 - e-mail eutron@mbox.vol.it

Belgium: Akkermans 03-2338826
 Bulgaria: Vilmat 02-764533
 Finland: Dalma 90-2711800
 France: Logidata 1-46454546
 Greece: Inter Engineering 041-531363
 Hungary: Montana-Kriptologia 1-2691191
 Poland: Gem Computers 022-261576
 Slovenia: Stubelj 065-63215
 Sweden: JM Data 042-238444
 Spain: Larcu 91-7952413
 The Netherlands: Akkermans 046-4432424

Lights, Camera, Action

CBT developers are using advanced movie-making techniques and the Internet to deliver rapidly changing content. By Valerie Thompson

he more people are entertained, the more they'll retain. Computer-based-training (CBT) developers are finally churning out products worthy of that old maxim: Video, audio, and hypermedia are essential ingredients for better training. The latest wave of CBT software, which is just starting to appear in Europe and the U.S., features advanced simulation techniques, hypervideo, and the use of intranets to increase the level of user involvement rise to \$1.52 billion annually by the year 2000. It's no coincidence, then, that many of the multimedia developers in Europe with the highest revenues concentrate on CBT. In Germany, for example, eight of the top 10 multimedia applications developers are working on CBT applications, according to Joachim Graf, editor of the German Multimedia Magazin (Hightext Verlag).

Duncan Garfield of Training Direct (Harlow, U.K.), a training-resource provider, says that the same is true in the U.K. "Of

those companies in the U.K.

that produce genuine multi-

media applications outside

the consumer market, CBT

developers are the most suc-

generally run on stand-alone

PCs that support audio, vid-

eo, and a CD-ROM and that

are usually not networked.

However, the emergence of

the Web and the prolifer-

ation of company intranets

may eventually make the

platform choice superfluous.

of intranet CBT are platform

independence and the net-

worked interaction between

learner and instructor. Other

benefits are that on-line tests

in Hypertext Markup Lan-

guage (HTML) format can be

easily processed, and shared

workspaces with white-

boards and audio permit

communication between

learners. Thus, the most per-

suasive argument for using

the Internet and intranets in

The major advantages

Today, CBT applications

cessful," he says.

and interaction.

The benefits of CBT are well known: more-consistent training materials, better evaluation for students and administrators alike, and more flexibility with regard to when and where learning takes place. CBT can also dramatically shorten the delivery time of course content. For example, Deutsche Bank was able to reduce a fiveday sales-training course to just two days by using seminar-style training to introduce new financial products and video-based simulations to demonstrate appropriate sales techniques.

Today, CBT delivers training materials to users in almost every large public- and private-sector organization. Big organizations are often so lean and downsized that they can't afford to have staff members away from their jobs for long periods of time, making CBT a must. Furthermore, these organizations are



often decentralized. For them, the consistency and reduced learning time that CBT offers are major benefits; in addition, the cost of training is lower than with other methods.

Soaring Sales

CBT is growing rapidly. According to Inteco's (Woking, U.K.) report titled "Software Markets in Europe," training-software sales are growing at a rate of 25 percent per year. The market volume for 1996 was about \$588 million; the company estimates a CBT applications may be a pedagogical one. "The Web and other networks let us take well-designed multimedia applications and strengthen them," says Patrick Littlefield of MicroMentor (Boston, MA).

One of the top multimedia developers in Germany, MIT (Friedrichsdorf), is creating a so-called virtual learning center (VLC) using intranet technology. This is an attempt to re-create on the network a content-rich physical learning center comprising a virtual information source, a library, a classroom, and an on-line meeting place for employees.

The important elements of pilot VLC projects are the servers, with their training archives, statistical features, and message-distribution and message-retrieval modules. A VLC server also offers e-mail. voice mail, chat rooms, forums, BBSes, whiteboards for shared workspaces, audioconferencing and videoconferencing, and screen and applications sharing. A VLC knowledge base enables users to choose from a multitude of self-directed learning methods and explore individual training strategies.

MIT has been working with the Fraunhofer Institute for Computer Graphics (Darmstadt, Germany) and the University of Graz, in Austria, to design such a client-/server-based VLC. The first VLC project, which was completed in September, used custom C++ programming. The developers are now working on a new version, based on Java and ActiveX.

Hybrid Applications

Until independent intranet-based CBT applications become widely available, hy-

Create Hypervideo

f you know what hypertext is, it's easy to understand how hypervideo works. Without interrupting a video, a hypervideo's hot spots can link you to other sources of per-

tinent information. To obtain more information regarding any object, actor, or background in a video, you just click on it; you're then linked to text, photos, sound, video, or other content-delivering applications.

Arts Video Infographique's (Poissy, France) MOVideo hypervideo application generator lets you link up to four differ-

ent hot spots to each object without doing any programming. It offers a choice of 15 fade-in and fade-out effects; is directly usable on CD-ROM; and supports a large number of image, sound, and video formats.

FRIST LET FRIST 11 11 10 10

MOVideo lets you make video as interactive as hypertext.

MOVideo SDK is the package's tool for integrating video into a multimedia application. It provides DLLs for PCs and XObjects for the Mac and supports such com-

> pression codecs as Indeo, Cinepak, MPEG, and M-JPEG. In addition, hypervideo generated with MOVideo can integrate with many authoring environments, including those from Apple, Asymetrix, and Macromedia.

Jean Claude Stella of Arts Video Infographique comments that MOVideo is suited for

presentation, education, and training applications alike. He also believes that hypervideo will have a major impact on interactive TV and interactive games, two areas that will grow rapidly.



POS Printer Cash drawer Scanner

International Distribution: Kassen-Dietrich POS GmbH Fax +49-761 56881 Compuserve 100637.1307 http://www.dietrich-pos.de For printers and plotters

INTERCON - INFRAPRINT

Infrared printer interface

IrDA support, SIR compatible Datatransfer up to 115.200Baud Transfer distance up to 1m Automatic switching Centronics port stays available

Ask for more INTERCON products!

Sunderweg 4 D-33649 Bielefeld, Germany +49/521/94226-0 Phone: +49/521/444049 Fax: Internet: http://www.seh.de E-Mail: info@seh.de 100742,1452 CS-Id .:





Circle 722 on Inquiry Card (RESELLER: 723).

PR4 3-station **POS** printer

NEW

Circle 737 on Inquiry Card (RESELLER: 738).

brid applications, such as CD-ROMs with Internet updates, will be the standard. Hybrid applications overcome Internet bandwidth shortage while enabling upto-date video- and audio-enriched programs. They store vast amounts of multimedia data locally on a CD-ROM and only update the source materials that are stored on the network.

This approach works well for courses with rapidly changing content. The first hybrid CD-ROMs equipped with browser software and content in HTML format are just now emerging in Europe.

The architecture of today's CBT applications is basically a series of frames that take the student through the course material. Management of the information is based on a hypertext or flowchart model with conditional logic and branching. Unlike a classical hypertext architecture, where paths through a body of knowledge are ad hoc and determined by the user, the branch model of a CBT flowchart requires predefined paths. A storyboard defines the content of the training course, user interface, and interactions, and it links the content to the flowchart (see "What's the Story?," March 1996 BYTE).

In the past, multimedia applications developers often had to create their own authoring tools and systems. According to Edgar Brütsch of HQ Lern und Informationssysteme AG (Sissach), one of Switzerland's top CBT companies, many developers continue to employ their own authoring systems, although they're getting too expensive to maintain and too complex to keep up to date. But he notes that while off-the-shelf tools have improved dramatically over the past few years, they are often too slow.


The off-the-shelf tools that European developers like the most are Asymetrix's ToolBook, Macromedia's Director and Authorware, and IconAuthor from Aim-Tech. Most of these authoring tools do not require programming skills, but they offer visual approaches to developing CBT components that can be reused and recycled as training methods need refinement or as content has to be updated.

Easier Content Updates

One important rule most experienced CBT developers cannot overemphasize is to separate the programming structure from the multimedia content. They say that graphics, animation clips, and video and audio segments best reside in their native formats. The practical benefit is that if a particular piece of content appears several times on the storyboard, it's sufficient to store it only once and refer to this original in different contexts. This also makes updates and changes more efficient and saves storage space and maintenance costs.

Furthermore, by separating the programming structure from the content, graphic designers and video producers can work in parallel with programmers to develop subsequent pieces of an application concurrently. Developers can redirect instructional paths and programming structures when course content changes, if globalization is required, or if relevant laws and regulations change over time and need to be updated. In addition, a training course's original writers, who are often experts on the subject matter in question, can more easily maintain and refine the content.

Separating the programming from the content is closely related to the modularization of programs. Clearly, it's objectoriented programming that enables flexibility and moves CBT away from the



You do! Velocis[™] Database Server gives you speed-enhancing architectural choices and APIs, including SQL C-API, low-level C-API, C++ class libraries, and support for custom APIs. Typical relational client/server database products just can't keep up.

And there's more! Velocis supports both relational and pointer-based network model databases in any combination as well as processing on either side of the client/server equation.

The choices of multiple operating platforms, APIs, processing localities (client or server), and database models can be combined to satisfy the performance requirements of virtually any application, regardless of database size or complexity.

> Call: 1-206-557-0200 Fax: 1-206-557-5200 If it's fast-it's

Velocis	Typical RDBMS	Features
V	V	ANSI SQL (DML, DDL, DCL)
V	~	Client/Server Architecture
V	~	RPC Mechanism
V	~	SQL C-API
V		Administrative SQL C-API
V		Low-Level C-API
V		C++ Class Libraries
V		Custom API
V		Both SQL & C Stored Procedures
V		C-based Triggers
V		User Defined Functions
V		Server Extensions
V	V	Relational Model
~		Pointer-based Network Model
V		Combined Database Model
V	V	Primary/Foreign Keys
V	~	Referential Integrity
V	V	Transaction Processing
V	~	Transaction Protection
~	1	Roll Forward Recovery
~		Asynchronous Transactions

or more information on what make Velocis the fastest database, call for a copy of the Bill-of-Materials Benchmark.

Test drive Velocis Database Server today at www.raima.com.

Raima Corporation, 1605 NW Sammamish Rd. #200, Issaquah, WA 98027 USA Inside the U.S.: 1-800-275-4724, Outside the U.S.: 206-557-0200, Fax: 206-557-5200, Web: www.raima.com, Internet: sales@raima.com

Germany: 49 7022 9256 10 Singapore: 65 334 0061 Italy: 39 49 720 577 Argentina: 54 1 470 72 03 Spain: 34 3 225 39 95 Raima UK Itd:: 44 1 273 819 292 Australia: 61 2 419 7177 Denmark: 45 44 88 99 00 Raima Benelux: 31 35 694 4738 Colombia: 57 1 62 10 070 France: 33 1 446 100 42 Sweden:: 64 133 11 588 Baltic States: 372 631 4009 Finland: 358 0 8045 130 Japan: 81 3 5548 6926 Russia: 7 812 316 1965 complex, tailor-made software programs of the past. Developers in France, Germany, the U.K., and other countries say that they regularly reuse elements of their software libraries and combine them with either Visual Basic or an authoring tool. This helps to keep the program development time to a minimum.

Hypervideo Follows Hypertext

"Dramatized video is a superb way of engaging and sustaining the learner's involvement in a complex training assignment," says Mark Iliff of Price Waterhouse (London), a company that has been using and developing CBT for 10 years. But video also serves as an excellent user interface for navigation inside multimedia applications.

For example, Arts Video Infographique (Poissy, France) has developed MOVideo, a program that lets users navigate inside a video. This *hypervideo* software can turn any actor, object, or background in a video into a hot spot and link it to any other information source (see the text box "Create Hypervideo" on page 40IS 14). This feature is particularly useful for CBT applications because it allows a more direct interaction with the actors and objects in a video.

The constant improvements occurring in the processing, 3-D graphics, and vid-

WHERE TO FIND

Germany

Arts Video Infographique Poissy, France +33 1 39 79 41 60 fax: +33 1 39 79 05 25

HQ Lern und Informationssysteme AG Sissach, Switzerland +41 61 9769111 fax: +41 61 9769110

Inteco Corp. Woking, U.K. +44 1483 751777 fax: +44 1483 751496 info@inteco.com http://www.inteco .com

MIT Moderne Informations Technologie Friedrichsdorf, +49 6172 71000 fax: +49 6172 710010 http://www.mit.de Sanderson CBT Sheffield, U.K. +44 114 281 3900 fax: +44 114 281 3901 cbt@sandersoncbt.co.uk http://www.sanderson .com

Training Direct Harlow, Essex, U.K. +44 1279 623927 fax: +44 1279 623795 http://www .training-direct.co.uk eo power of PCs will soon enable a new generation of CBT applications that includes smooth graphics animation, fullscreen video, and realistic scenarios that you can solve using what-if simulations. These kinds of simulations are possible today only with the performance and graphics power offered by advanced, powerful multimedia PCs.

In one real-world example of the power of CBT, transportation authorities are starting to use sophisticated 3-D computer simulations to help their employees understand and predict emergency situations. Research has revealed that if staff members can run through simulated stress situations to understand their own reactions to them, they will have a much better grasp of how to conduct a search-andrescue operation or give directions in a real emergency.

Valerie Thompson is a freelance writer based in Zürich, Switzerland, who tracks telecommunications and multimedia developments. You can reach her by sending e-mail to 100271 .257@compuserve.com.

Real-Time Multitasking Tools for Embedded Systems and DOS

RTKernel

Professional, high-performance realtime multitasking system for DOS and 16-bit Embedded Systems. for Borland UC++, Microsoft UC++, and Borland Pascal. Libraries: DM 800 Source Code: add DM 700

RTTarget-32

Cross Development System for 32-bit Embedded Systems. Supports Intel 386 and higher, as little as 16k RAM/ROM. for Borland (/C++, Microsoft (/C++, and Watcom (/C++. Libraries: DM 2500 Source Code: add DM 1500

RTKernel-32

Professional, high-performance realtime multitasking system for 32-bit Embedded Systems. Supports Intel 386 and higher.

For Borland (/C++, Microsoft C/C++, and Watcom C/C++. Libraries: DM 2900 Source Code: add DM 2400

Australia: Hicroway (03) 9580-1333 Denmark: Ravenhom: 44889900 France: Jechnology Rescue (1) 30660136 Icaly: Sikon Valley (049) 81/1920 Russia: Prodet (055) 9712059 Sweden: Lunoft (013) 311588 Taiwan: Soljet Computer (02) 3660080

NO ROYALTIESI FREE DEMO DISKI http://www.on-time.com

Visa

On Time Informatik GmbH Horeg 49, 22085 Hamburg, GERMANY Phone + 49-40-2279405 Fax + 49-40-2279203 email 102212,3101 @ compuserve.com

On Time

COMPUTER EXPO'97: Where East meets West

The largest computer trade fair in Eastern Europe. It is estimated that Poland accounts for half of computer market of the former East block. Purchase of hardware totalled in 1995 US\$ 2.1 billion. This is one of the reasons why it is high time to book for Warsaw.

12th International Exhibition COMPUTER EXPO'97 21st-24th of January 1997, Warsaw, Poland, Palace of Culture and Science, MOKOTÓW Exhibition Center.

> 812 exhibitors from 12 countries joined us 1996. If you would like to visit the exhibition please contact the Organizer:

BIURO REKLAMY S.A. Warsaw Exhibition Board 9, Flory Str., PL-00586 Warsaw phone: (022) 49 60 81, 49 60 44, 49 60 06 fax: (022) 49 35 84; tlx: 815 812 rekl pl

New Notebooks

This year's notebooks sport upgraded communications, advanced multimedia, bigger screens, and better battery management technology. By Mark LaPedus

ing DVD drives.

obile computing is undergoing some radical changes in terms of new technologies, architectures, and overall functionality. These technologies are turning the once-limited notebook into a true desktop-or even workstation-replacement.

This year's upscale notebooks include many desktop features, such as Pentium-level CPU modules with multimedia extensions (MMX), 13-inch or larger LCDs, 128-bit VGA graphics, dig-

ital-videodisc (DVD) drives, fast modems, and chip sets that support synchronous DRAM (SDRAM), the universal serial bus (USB), and FireWire. New form factors, wireless technologies, videoconferencing, and advanced OSes such as Windows NT are turning notebooks into portable offices for missioncritical applications, says Wu Teng-Guo, regional marketing manager for Toshiba's Asia-Pacific notebook operations in Singapore.

Today's notebooks can do much more than last year's notebook models. For example, a notebook can connect to a Global System for Mobile Communications (GSM) cellular phone via a PC Card. This lets you send or receive e-mail and faxes, and access the Internet over a wireless network, points out Evis Lin, director of Acer's Mobile Systems Business division.

Key Technologies

Has the notebook displaced the desktop PC? Not yet. Today's desktop systems have an advantage in price and performance, and they do not run on batteries. Still, some key technologies will continue to narrow the gap between notebooks and desktop systems: fast microprocessor units (MPUs), MMX, wireless network adapters, videoconferencing, communications, and improved battery life.

One place to look for notebook trends is Asia. Japan's Toshiba is the world's largest notebook supplier. NEC is also a major zoomed from 10.4 inches to 13 inches or larger. Prices for notebooks became even more attractive when LCD costs fell. Over the last year,

player. In addition, Fujitsu, Hitachi, and Sharp have recently

entered the notebook market. Japanese companies are formi-

dable competitors because as well as selling systems, they also

make their own key components, including DRAM, ICs, LCDs,

and, in some cases, batteries and peripherals, such as the upcom-

However, many Japanese suppliers-and U.S. and European vendors-have their notebooks made in Taiwan. Taiwan is

in Taipei.

South Korea's Samsung and LG Electronics moved into thin-film-transistor (TFT) LCD production, causing Japanese suppliers to cut their screen prices.

now the world's largest mak-

er of portables, according to

the government-sponsored

Market Intelligence Center

notebook product cycles are

shortening, while technolo-

gies such as MPUs and screens

continue to evolve quickly. In

the last 18 months, for exam-

ple, notebook makers have

seen their CPUs change from

75- to 100-MHz 486DX4s to

150- to 200-MHz Pentiums

with MMX. LCD sizes have


Like desktop systems,

In mid-1996, a notebook with a 133-MHz Pentium, an 11.8-inch LCD, a four-speed CD-ROM drive, and a 720-

MB hard drive sold for \$2800, according to Dataquest. By the middle of this year, a notebook with a 166-MHz Pentium, an 11.8inch LCD, a six-speed CD-ROM drive, and a 1.2-GB hard drive will go for about the same price.

Lots of Heat

Notebook designers have for the time being abandoned the idea of placing Intel's Pentium Pro processor in a portable. A standard Pentium Progenerates more than 20 W of power, mak-



PRASED O LINE

International

ing heat dissipation and battery life a nightmare. A Pentium Pro would have to dissipate some 8 W before it becomes feasible to put it in a portable, says Michael Lim, marketing manager at Featron, a Taiwan notebook maker. Even Intel is discouraging vendors from putting a Pentium Pro in a portable until early this year, when it will offer an MPU-on-a-card for notebooks, says Jerry Kao, technical marketing manager for mobile systems at Intel Taiwan.

MMX Notebooks

Before that happens, though, notebook and desktop PC makers will first embrace Intel's Pentium-level processors with MMX, a new series of instruction sets in the x86 architecture that boosts multimedia performance (see the text box "Enhanced Multimedia Performance" below). Then, Intel will ship the MPU-ona-card for notebooks. This is much like Intel's approach to its next-generation Pentium Pro, code-named Klamath.

Intel's MPU-on-a-card notebook module is a 4- by 2.5-inch card that sits on the system's motherboard. It consists of a Pentium, the "north-bridge" portion of Intel's Mobile Triton II chip set (called the 430TX), a voltage regulator, and some L2 cache memory.

AcerNote Nuovo



Current System

The AcerNote Nuovo is a sleek midrange notebook featuring a heuristic power management system that offers 5 to 8 hours of battery life. Powered by a 133- or 150-MHz Pentium, the Nuovo weighs 7 pounds and comes with an 11.3-, 11.8-, or a 12.1inch TFT or DSTN LCD screen.

Future System

The 1997 version of the AcerNote Nuovo will be based on the 166- to 200-MHz P55C with MMX. It will come with a 12.1inch TFT LCD with 800- by 600-pixel resolution. Models will offer 2 GB of storage, Fast IrDA, CardBus, and an internal modem.

The 430TX supports several desktoplike features: USB, DMA-33, SDRAM, and, perhaps down the road, RAMbus DRAM. The 430TX is a two-chip solution. The north-bridge portion is the controller, while the south-bridge part is the I/O.

Late in 1996, Intel was expected to ship a Pentium Pro-based module for notebooks, code-named Deschutes, which is a die shrink of Klamath. Like Klamath, though, Intel will sell Deschutes in a module form and will include its Voltage Reduction Technology (VRT) for saving power. Intel's module will make notebook design easier and provide an upgrade path to faster MPUs such as Deschutes, Kao says. All a designer needs to do is tie a connector to the module and buy the I/O part of the chip set.

Why won't Intel sell the north-bridge portion with the module? "If we did that, we would be selling a notebook motherboard. But we don't want to compete with our customers," Kao says. "What a customer can do to differentiate their products is to buy the I/O, add different skins, and integrate other features onto their systems."

Portable Workstations

Notebook makers are implementing Intel's modular approach. For example, Taiwan's First International Computer (FIC) is looking closely at Deschutes for a line of "portable workstations" that were scheduled to be out late in 1996 or early

Enhanced Multimedia Performance

Intel will put a radical twist in computing when it finally ships its multimedia-extensions (MMX) technology. MMX, a set of 57 new instructions added to the x86 architecture, promises to boost multimedia processing.

Intel is integrating MMX in the code-named P55C Pentium chip, which the company expected to ship in the fourth quarter last year. However, confusion over the implementation of MMX technology recently caused Intel to delay the shipment of the P55C until the first quarter of this year. Intel will also incorporate MMX in the Pentium Pro this year.

In theory, MMX could have a profound effect on computing. Preliminary tests suggest that some multimedia and communications applications could run anywhere from 50 percent to 400 percent faster on an MMX platform, including 2-D/3-D graphics, MPEG, audio, and speech recognition.

Notebook versions of the P55C with MMX will come out during the first half of this year or later, reportedly in 150- and 166-MHz speed grades, sources say. In contrast, Intel will ship Klamath, the first single-chip version of the Pentium Pro, in volumes early this year-three months ahead of schedule. With MMX, however, there appear to be some major barriers. "There are only a few business applications that take advantage of MMX," says Jerry Kao, technical marketing manager of the Mobile Computer division of Intel's Taiwan subsidiary.

"In the short term, MMX will boost power management and battery life, because the new instruction sets reduce the CPU work load. If the processor has more time to be in the ideal stage, the system can save more power-up to 40 percent," Kao says.

Some independent software vendors (ISVs) are working on applications that benefit from MMX. Microsoft is talking about a plan to offer MMX technology in Direct3D API, a set of services for real-time, interactive 3-D graphics.

Structurally, the P55C with MMX is like any other superscalar processor. It has an integer pipeline and a floating-point pipeline, with a dedicated register file for each. Data for MMX instructions must be loaded from memory through the L2 external cache and then into the floating-point register. The real changes in MMX involve its highly parallel operations, done via a technique known as single instruction/multiple data (SIMD).

Designed to enable SIMD operations, the four new data types are packed bytes (8 bytes), packed words (four 16-bit quantities), packed double words (two 32-bit quantities), and quad words (64 bits). The new instruction sets fall into five categories—arithmetic, logical, conversions, transfers, and MMX-specific tasks—that operate on these data types using eight new MMX registers. By operating on a packed-data type, the CPU can perform multiple operations all in one instruction.

The MMX instructions are similar to those in Sun's Visual Instruction Set (VIS) for the UltraSparc microprocessor unit (MPU). However, VIS has more to offer than MMX: 32 new registers, accelerated video decompression, more powerful addressing modes, pixel masking, and a highly specialized set of operations that greatly accelerates motion estimation when compressing MPEG video streams. Still, MMX has a good chance to pick up more ISVs. Last year, Intel licensed MMX to its rival AMD.

Smart Routes to Connectivity

The number of PC connectivity paths in your organization has grown. Your users want to connect their PCs to the Internet, to hosts around the world, and to X clients. Mapping out these routes requires the best PC-tohost connectivity software available—SmarTerm®.

SmarTerm crosses all the boundaries, taking Windows 95. Windows NT, and Windows 3.1 users to the information they need, no matter where it is. Whether valuable data is on their favorite web sites, X clients on their local UNIX host, a remote AS/400 host overseas, an IBM mainframe in the corporate office, a Digital host at a regional branch, or a Data General host anywhere, your users can extend the reach of their PCs.

The most complete multilingual connectivity suite offering a PC X

server, Netscape NavigatorTM,

VT420, and DG D470.

and multivendor host connectivity including TN5250, TN3270,

SMARTERM

Essential

arTerm Essential

A aut-effective multilingual

enhanced telnet, FTP, and serial support for corporate users.

DH SD

Windows 95

SmarTerm makes efficient, reliable and quick connections. It's designed specifically to reduce your training and support burden by including tools and utilities that automate common activities and integrate host and PC data. Plus SmarTerm is easy to learn and use, and the technical support is free!

Modem

SMARTER

tice

Smariferm Office Superior multilingual PC connectivity for the corporate user who needs multivendor host connectivity including TIN5250, TN3270, VT420, and DG D470.

TN3270

Diaita

SMARTERM[®]

For Windows 95/NT

Windows 95/NT.

Plot your connectivity course today! Call Persoft for a free evaluation copy of SmarTerm for Windows 3.1 or Windows 95/NT: 1-800-TCP-3130.

Persoft, Inc., 465 Science Dr., P.O. Box 44953, Madison, Wisconsin 53744-4953 U.S.A. Phone (608)273-6000, Fax (608)273-8227, 1-800-368-5283, or sales@persoft.com World Wide Web www.persoft.com, Faxback (608)273-6090

Persoft Inc, European Headquarters, Lower Woodend Barns, Fawley, Henley-on-Thames, Oxfordshire, RG9 6JF, United Kingdom, Phone +44 [0]1491 638090, Fax +44 [0]1491 638010

SmarTerm provides simultaneous access routes to the information you need—whether it's on the Internet, in X applications, or on UNIX, IBM, Digital, and Data General hosts.

Copyright 1996 Persoft, Inc. All Rights Reserved. SmarTerm and Persoft are registered trademarks of Persoft, Inc. Netscape Navigator is a trademark of Netscape Communications. All other trademarks are property of their respective owners. Rev.8/96.

Circle 715 on Inquiry Card.

International

New Notebooks

"PRIME time for electronics!"

Excellence is our title and even more our profession!

Your profits with:





Circle 741 on Inquiry Card.

this year, says Ralph Liu, product marketing manager. Code-named Teak, FIC's portable workstation will have a 13.3-inch screen. "For heat dissipation, we will need a heat pipe and an external fan," he says.

Of course, Intel's modular approach supports only one MPU vendor: Intel. Meanwhile, Cyrix is offering a solution for notebooks, the 5GX86, a 586-like MPU that incorporates DRAM, a PCI controller, and graphics on the same IC. However, the 5GX86 is not pin-compatible with the Pentium.

Better Graphics

Faster MPUs, coupled with new multimedia features and videoconferencing, will also bring the notebook closer to the desktop PC. In fact, notebooks are getting many desktop-like, multimedia features: MMX, DVD drives, MPEG-2, 128-bit VGA graphics, 3-D audio and video, Digital Simultaneous Voice and Data (DSVD) modems, and others. There's talk that notebooks may adopt Intel's Accelerated Graphics Port (AGP), a new approach to accelerate 3-D graphics. Originally designed to be a graphics port for desktop systems for now, AGP has transfer rates of 528 MBps and write performance 10 times better than the 133-MBps PCI bus. Overall, these technologies provide some hot applications for consumers.

For example, with a 16-bit Zoomed Video port (ZV port)-or a 32-bit Card-Bus-and a TV tuner, the notebook could become a portable TV. With its NTSC-out port, the notebook will act as a digital VCR, playing full-length DVD movies, Still, LCD size is one of the roadblocks for these applications, Mainstream markets will continue to embrace 11.8- and 12.1-inch LCDs, while high-end displays are rapidly moving toward a variety of 13inch models. Beyond that, Sharp and others are developing high-end 14- and 15-inch displays, with SXGA resolutions of 1280 by 1024 pixels. However, it is more likely that these latter LCDs will be incorporated in luggable laptops, says Amos Tseng, hardware design manager for Mitac, a Taiwan notebook maker.

LCDs are also critical for videoconferencing. Decent videoconferencing over the telephone line has been promised for years now, but current desktop systems and notebooks are still hampered by poor audio/video synchronization, skipping, time delays, and other problems. The major issue with videoconferencing over



Current Systen

The 6600 is a sleek notebook for multimedia applications. Powered by a 133- to 166-MHz Pentium, the 6600 comes with 32-bit PCI VGA graphics, 1.2 GB of storage, 16-bit sound, MIDI, an IrDA port, ZV port, and Type II or Type III PC Card slots.

Future System

The 1997 version will run CPUs from AMD, Cyrix, and Intel, including the P55C. It will include a 12.1-inch TFTLCD screen, 2GB of storage, 128-bit VGA graphics, a 10- to 12-speed CD-ROM drive, MIDI, 16-bit and 3-D sound, CardBus, an internal modem, and a pair of bays to let you swap peripherals.

the Internet is the lack of bandwidth.

Cost is another issue. Still, Intel and others are working on a \$500 videoconferencing system for PCs, which includes Intel's Proshare software, a V.80 DSVD modem, and an analog camera that links to a capture card or a digital camera that plugs into a USB connector. However, the frame rate is a mere 10 frames per second. This in turn is causing notebook vendors to consider integrating ISDN into a notebook to achieve or get close to real-time video at 30 fps. Still, some improved but competing technologies are surfacing in the videoconferencing arena: ZV port and CardBus.

The first wave of notebooks will support ZV port. In theory, the 16-bit ZV port provides real-time, full-motion video data at up to 27 MBps, or 24-bit color at 640by 480-pixel resolution at up to 30 fps. To do so, ZV port transfers video and audio signals to a PC Card in a Type II slot from a video camera or similar input source attached to a notebook. These signals are sent directly to the graphics memory, bypassing the 133-MBps PCI bus.

However, ZV port may be short-lived, says Derek Brearley, deputy executive of marketing for Taiwan's Twinhead. The 32-bit, 33-MHz CardBus has complete access to the 133-MBps PCI bus for use in video, multimedia, Fast Ethernet LAN cards, and SCSI devices, he says. "If you implement the CardBus, you won't need the ZV port," he adds.


Toshiba, one of the major backers of ZV port, is hedging its bets by implementing both ZV port and CardBus across its notebook lines. "We will be one of the first companies to have CardBus on our platforms, but there are still not a lot of 32-bit cards on the market yet," says Toshiba's Wu.

Getting Connected

Notebooks are getting wired—and wireless. Today's notebooks are embracing USB, which links some 127 peripherals over a 12-MBps network, and, eventually, FireWire, a bus with 100- to 400-MBps transfer rates. Notebooks are rapidly moving toward 10/100-MBps Fast Ethernet networks, 32-bit PCI docking, and other connectivity features.

There are also innovations in wireless systems for remote applications. For example, wireless LANs using 2.4-GHz, spread-spectrum technology hold much promise for PCs, but they have proven to be expensive and slow for now. A PC LAN card for notebooks runs at a mere 1 to 2 MBps and costs \$350. For shorter distances, however, 4-MBps fast infrared (IR) technology is moving to the notebook. It provides a handy way to move files between mobile systems and desktop PCs and printers.

WANs provide a framework for more powerful applications. Today's portables are capable of connecting to GSM phones,



Current System

The Leo Designote 4500 is a multimedia notebook based on the 133- to 150-MHz version of the Pentium. The 4500 comes with a 12.1-inch TFT or DSTN LCD screen, 8 MB of memory (expandable to 48 MB), a 256-KB L2 cache, 32-bit PCI VGA graphics, and 1.2 GB of storage.

Future System

The 1997 version will run 166- to 200-MHz P55Cs with MMX. Late in the year, it will offer a P6-based module. The system will include 128-bit VGA graphics, a 12.1-inch XGA TFT LCD screen, and CardBus. And later versions will go to a 13.3-inch SVGA LCD.

thereby giving you the ability to send and receive data over a wireless network. GSM, which runs at 900 MHz, is the de facto worldwide standard in cellular transmission—except in the U.S. However, the data rate for GSM is only 9.6 Kbps, making it slow and painful to access information over a network. Still, it's becoming feasible to download data via GSM by using V.42bis data compression, boosting the transmission rate from 9.6

The World's Top Notebook Manufacturers

Top notebook makers in terms of worldwide shipments during the first half of 1996.

Company	Units shipped	Market share (%)	OEM partners in Taiwan
Toshiba	1.031 million	20	None
IBM	509,000	10	A small number are built by ASE
NEC	448,000	9	Some are built in-house, others
			by FIC
Compaq	428,000	8	Arima, Inventec
Texas Instruments	280,000	5	Acer, FIC
Apple	238,000	5	Quanta, Inventec
Fujitsu/ICL	222,000	4	Acer, FIC, others
Dell	158,000	3	Quanta
Sharp	113,000	2	FIC, Twinhead, some in-house
Others	1.718 million		
Total	5.145 million		

Source: IDC/Companies

International

Kbps to 30 to 40 Kbps—a promising sign for notebook users.

Battery-Life Advances

Some new battery and power management technologies promise dramatic gains in battery life. Notebook makers will use lithium-ion batteries as standard equipment. The lithium-ion technology offers longer life than today's standard nickelmetal-hydride (NiMH) batteries, but it is up to three times more expensive. Still, there's a trend toward "smart" batteries. Temperature, voltage, and current sensors are placed on the battery pack, optimizing the use of batteries and increasing their lives.

Taiwan's Acer takes another approach. Its new Pentium-based notebook, the AcerNote Nuovo, runs for 6 hours or more on just six lithium-ion cells, says Lin. "In most notebooks, there are some parameters you need to set up, such as the timing," he says. "But we use a heuristic approach to power management. In other words, the software learns power management by itself. We use a software algorithm based on a dynamic timingadjustment system."

There are other developments, too. Microsoft is releasing a service kit to help PC vendors build power management features for portable systems into NT 4.0. Microsoft's service kit is limited, however.

Some vendors are not particularly impressed. "It's a short-term solution," says Lin. "Microsoft may announce NT 5.0 early this year. At that time, they will add more power management features, but still, I don't think NT will be popular for most mobile users."

Changing Form Factors

Aside from the battery and power management technologies, notebook form factors are also changing rapidly. Notebook makers are moving in two main directions: the traditional model design and the so-called thin-and-wide form factor. Digital Equipment, IBM, and Compaq are the pioneers of the emerging thinand-wide notebooks, but Acer, Twinhead, and others are also developing these units.

There are some major trade-offs with many of the thin-and-wide models. The biggest, perhaps, is the lack of internaldrive options. For example, IBM's Think-Pad 560, which is only 1.2 inches thick, does not have an internal CD-ROM drive

International



To Subscribe to BYTE magazine, or for Customer Service, contact your local BYTE Subscription Representative:

Benelux

Gerry Westerhof Phone: 31 72 509 1855 Fax: 31 72 509 1145

Bulgaria **Daniel Christov** Phone/Fax: 359 2 974 3557

France

Eric Le Quinio Phone: 33 1 49 77 03 06 Fax: 33 1 43 76 74 29

Germany, Austria, Switzerland

Wolfgang Brezina Phone: 49 89 525 847 Fax: 49 89 529 850

Greece

Maria Hadjioannou Phone: 30 61 620384 Fax: 30 61 272072

Hungary

Imre Szabo Phone: 36 76 488888 Fax: 36 76 488889

Ireland

lan Bangham Phone: 353 1 280 7133 Fax: 353 1 280 7157

Italy

Enrico Campia Phone: 39 11 8127656 Fax: 39 11 8994422

Middle East

Zafar Inamdar Phone: 971 4 666788 Fax: 971 4 621149

Poland

Wlodek Bincyzk Phone/Fax: 48 2 625 2275

Portugal

Manuel Neves Phone: 351 1 3479301 Fax: 351 1 3475127

Scandinavia

Gunnar Sandbjerg Phone: 45 3314 2226 Fax: 45 3314 2218 or Lauge Dehn Phone: 45 86 223188 Fax: 45 86 228159

South Africa

Cape Town: J Trisos Phone: 27 21 24 4094 Fax: 27 21 24 8681

Durban: T Tyson Tel: 27 31 2027303 Fax: 27 31 2027307

Johannesburg: M Kendrick Tel: 27 11 8804988 Fax: 27 11 4428327

Spain

Barcelona: Javier Casellas Phone/Fax: 34 3 2380342

Madrid: Eduardo Montojo Phone/Fax: 34 1 5716685 or Henri Misrahi Phone: 34 1 7337346 Fax: 34 1 7338970

Turkey

Cengiz Eren Phone: 90 216 345 3473 Fax: 90 216 346 2464

United Kingdom

Peter Greason Phone: 44 1 61 430 3423 Fax: 44 1 61 494 6976

or John Luker Phone: 44 1 258 821114 Fax: 44 1 258 821115

If there is no BYTE representative listed above for your country, please contact:

BYTE Subscriber Services

PO Box 72, Galway, Ireland Fax: +1 353 91 752793. Phone: +1 353 91 752792



or a floppy drive. Twinhead's Pentiumbased Slimnote-7 measures 11.6 by 9.2 by 1.4 inches and weighs 5 pounds. It has an 11.3- or a 12.1-inch LCD and a CD-ROM drive. Twinhead's new offering, the Slimnote-9, is a 1.9-inch-thick. Pentium-level powerhouse that includes an 11.3- or a 12.1-inch LCD, a CD-ROM drive, a 33.6-Kbps modem, and ZV port.

Featron is going in the other direction with a more conventional, modular design. Its new Pentium-level notebook has two expansion bays that can incorporate optional CD-ROM drives, floppy drives, or batteries. Also, there are options

Acer, Inc. Taipci, Taiwan R.O.C. +886 2 545 5288 fax: +886 2 545 5308 http://www.acer.com/

GVC Corp. Taipei, Taiwan R.O.C. +886 2 755 2226 fax: +886 2 755 2513 twang@gvc.com.tw

Featron Technologies Corp. Taipci, Taiwan R.O.C. +886 2 299 0299 fax: +886 2 299 6061

First International Computer, Inc. Taipei, Taiwan R.O.C. +886 2 717 4500 fax: +886 2 714 8676 http://www.fic.com .tw/

Mitac International Corp.

Taipci, Taiwan R.O.C. +886 2 501 8231 fax: +886 2 501 4265 market@smtplink.mic .com.tw http://mitac.mic.com .tw/

Toshiba Corp. Tokyo, Japan +81 3 3457 2105 fax: +81 3 3456 4776

Fujitsu, Ltd. Tokyo, Japan +81 44 754 8577 fax: +81 44 754 8554 http://www.fujitsu .com.jp/index-c.html

Twinhead International Corp. Taipei, Taiwan R.O.C +886 2 917 9036 fax: +886 2 916 0055

to add the latest peripherals, such as a notebook version of a Zip drive or a magneto-optical (MO) drive.

Other companies, including FIC, will hedge their bets and plan to offer several types of notebooks this year: ultraportables, professional multimedia systems, and desktop and workstation replacement notebooks, says FIC's Liu. The AcerNote Nuovo is a modular design based on a 133-MHz Pentium. But Acer will move to 150to 200-MHz CPUs-and faster chips-this year. "We have one goal in mind: We are trying to replace the desktop," says Lin. "We're getting closer to the desktop in performance and features. Maybe we can equal the desktop in features, but we still can't match the price-at least yet." B

Mark LaPedus is a BYTE contributing editor who lives in Taipei. You can contact him on the Internet at editors@bix.com.

A Division of The McGraw-Hill Companies

INTERNATIONAL

What's New

Hardware

Development tools for Unix and NT, and stereoscopic 3-D image processing.



3D Pointer Pro DM 799

Circle 976 on Inquiry Card. Philips Business Electronics Eindhoven, The Netherlands +31 40 2734087 fax: +31 40 2735412 http://www.philips.com

3D Pointer Pro Brings Movement to Presentations

There's good news if you spend a significant part of your life giving presentations. Philips' 3D Pointer Pro, a wireless, mouse-like input device, lets you freely gesticulate, move about the floor, and at the same time control your presentation screen. A miniature gyroscope translates wrist movements into cursor movements on the screen. The RF receiver connects to the mouse port and enables communications at distances of up to 22 meters.

It takes a few minutes to get used to the fact that you don't need to establish a line-of-sight link, and in the beginning, it is not easy to find the cursor when you need it. However, an "activate" button under the device lets you quickly locate the cursor.

There is no software to install unless you want to use Gyro Tools, which comes on a single disk. Gyro Tools is a set of special-effects software that lets you highlight, underscore, and magnify key points in the presentation. These tools enable 56 special effects. At DM 799, 3D Pointer Pro is not cheap, but professional presenters will soon appreciate being able to move around and click from any position in the presentation theater. -Bob Emmerson

Scanners

A Fast, High-Resolution Scanner

ULTIMA'S VIEW STATION AGOOOC PLUS IS a true 24-bit flatbed scanner with 4800-by 4800-dpi resolution. The product offers single-pass scanning. With a SCSI-2 connection, the scanner has 64 KB of cache memory, for high-speed processing of 13.1 seconds per A4-size color image. It features an LCD panel and an automatic document feeder. It supports TWAIN-compatible software applications and features a cold-cathode fluorescent lamp, offering up to 30 times longer life than traditional lamps. Price: Call company. Ultima Electronics Corp., Taipei, Taiwan R.O.C., +88627885470; fax: +886 27885657. Circle 988 on Inquiry Card.

Keyboards

Butterfly Keyboard with Extra Number Pad

THE ERGONOMIC LAYOUT OF THE GEBE BUTterfly keyboard helps you avoid repetitive-stress injuries by providing a number pad on each side and an arrow-key block in the cen-



ter of the keyboard. The AT- and PS/2-compatible device is available with American and German keyboard layouts. *Price: DM 174.20. GeBE Peripheriegeräte, Treuen, Germany,* +49 37468 6500; *fax:* +49 37468 65050. **Circle 986 on Inguiry Card.**

Image Boards

PicPort Synchronizes Up to Four Cameras

With the PicPort IMAGE-ACOUISITION board, you can synchronize up to four cameras, thus enabling stereoscopic 3-D image processing. The



device integrates with the PCl bus, and you can use it with a range of image-sensor and camera types. It transfers data to the video memory of the host system at speeds of up to 132 Mbps. *Price: Starts at US\$495. Leutron Vision, Glattbrugg, Switzerland,* +411 8100676; *fax:* +411 8109440; *http://www.leutron.com.* **Circle 977 on Inquiry Card.**

New PCM Daughterboards

DAIA CELL'S SNAPPER RANGE OF IMAGEacquisition boards includes a PCI Mezzanine Card (PMC) daughterboard with the ability to transfer data to the host system at rates of

International

up to 133 Mbps. The boards are compatible with the Snapper SDK, which is available under DOS, Windows, and Mac System 7. The PMC daughterboard is available under LynxOS and VxWorks. *Price: Call company. Data Cell, Ltd., Maidenbead, U.K., +44 1628 415444; fax: +44 1628 415440; kevinr@active.imaging.co.uk; http://www.imaging.co.uk.* **Circle 978 on Inquiry Card.**

Networking

Link Ethernet Segment to an ATM Backbone

LINKING ETHERNET LAN SEGMENTS IO AN ATM backbone, the switches in the modular ALS family are set to eliminate your LAN bottlenecks. They provide up to 100-Mbps Ethernet



Hardware

ports in a chassis with up to 16 slots. A powerful RISC architecture and a 10-Gbps switching matrix enable operation even under high network loads. All the modules in the ALS family are hot-swappable. *Price: Call company. Hirschmann Network Systems, Neckartenzlingen, Germany,* +49 7127 14 1511; fax: +49 7127 14 1542; n-hi-line @nt-hirschmann.de; http://www.hirschmann.de. Circle 1112 on Inquiry Card.

Low-Cost Network Adapters

THE KNE40T ETHERNET NETWORK adapters for the PCI bus come in 10Base-T and 10Base-2 versions. They include drivers for ODI for DOS, NDIS2 for DOS and OS/2, and NDIS3, as well as NetWare and Windows NT/95. Additionally, the package includes a configuration and diagnostic utility.

Price: Starts at DM 86. PSP Pillokat Systeme, Hahnstätten, Germany, +49 6430



2288; fax: +49 6430 2220. Circle 982 on Inquiry Card.

CD-ROM Drives

Portable CD-ROM Drive Supports Multiple Platforms

THE DISO-6 IS A PORTABLE, IOP-LOADING SIX-speed CD-ROM drive with low power consumption. It uses four AA batteries in stand-alone mode and can also draw its power through the PC Card. You can share the unit and move it between systems without rebooting. Software includes drivers for DOS, Windows 3.1, Windows 95/NT, OS/2, and Mac PowerBook. *Price: £349*.

Chase Advanced Technologies, Bradford, U.K., +44 1274 225000; fax: +44 1274 225020; sales@chase-at.com. Circle 985 on Inquiry Card.

	The	VI	Alaska Xbase ⁺⁺
2.4	ney	tt.	ase
O	ener	atio	n
D	of Xbase	technology	NEW
Alaska Xbas technologies ne	se ⁺⁺ features seamless migration to a cessary in mission critical applicatio	advanced n development.	Now XbTools III available
operating systems like	.2x compatibility protects your investment in ex e OS/2, Windows 95 and Windows NT. Generate	s 32bit multithreaded ready native co	de for fast and solid applications without any
operating systems like limits. Seamless n	.2x compatibility protects your investment in ex te OS/2, Windows 95 and Windows NT. Generate nigration from character to graphical use changeable DataBaseEngines form a bridge b	s 32bit multithreaded ready native co r interfaces. Real object oriented prop	de for fast and solid applications without any gramming model with multiple
operating systems lik limits. Seamless n inheritance. Exc For Free!	e OS/2, Windows 95 and Windows NT. Generate nigration from character to graphical use	s 32bit multithreaded ready native co r interfaces. Real object oriented prop between the powerful Xbase language to the _stat packet.	de for fast and solid applications without any gramming model with multiple
operating systems lik limits. Seamless n inheritance. Exc For Free!	e OS/2, Windows 95 and Windows NT. Generate nigration from character to graphical use changeable DataBaseEngines form a bridge b For more information order a free full function demo	s 32bit multithreaded ready native co r interfaces. Real object oriented prop between the powerful Xbase language to the _stat packet. 96/95 72-22 Which operating system do you plan for using	de for fast and solid applications without any gramming model with multiple
operating systems lik limits. Seamless n inheritance. Exc For Free! 1 Fax or mail t	e OS/2, Windows 95 and Windows NT. Generate nigration from character to graphical use changeable DataBaseEngines form a bridge b For more information order a free full function demo this coupon to Alaska. Fax: +49/61	s 32bit multithreaded ready native co r interfaces. Real object oriented prop between the powerful Xbase language to the _stat packet. 96/95 72-22 Which operating system	de for fast and solid applications without any gramming model with multiple

Software

SOFTWARE

Information Retrieval

Manage Data Off-Line

With @SK.ME, A SERIES OF CD-ROMS, you are able to manage the Internet's information chaos off-line. The product includes popular Web pages, a directory of Internet and e-mail addresses, newsgroups, and international fax and phone numbers. The system accepts queries in 36 languages and can directly connect you to the Web via Microsoft Internet Explorer. *Price: DM 50.*

Media Scout Multimedia, Meckenheim, Germany,

PREVIEW	_	InfoCourier
The Lun View Go	Utilitie	s Help
New Window	Ctrl+N	
<u>Open</u>	Ctrl+0	Age Of Reason: Introductio
Print Print Setup	Ctrl+P	ng can defeat censorship.
Define Web Browser	Ctrl+W	Of Wisdom and the Intern
<u>C</u> ompile		

The Age Of Reason

By Thomas Paine

Editor's Introduction

InfoCourier £99 Oakley Data Services Uttoxeter, U.K. +44 1889 565064 fax: +44 1889 563219 http://www.smartcode.com

Circle 989 on Inquiry Card.

InfoCourier Compiles HTML into Executable Files

How do you distribute an HTML document to someone who hasn't connected to the Web yet? (There are plenty of standalone PCs out there.) InfoCourier (IC) solves this problem by compiling HTML documents into an executable file, so you can distribute it to such users. When the recipient activates the file, the IC run-time browser displays the pages as if viewing them on the Internet. If, against all odds, the recipient happens to be on-line and has a standard browser, he or she can click on links in the document and view URLs on-line.

The program enables the author to protect pages against illicit copying or printing, and you can set a time limit on the publication. In addition, you can password-protect certain pages of the compiled document so only authorized people can view them. To compile a publication, you open the HTML-formatted page that you want to be your first home page. You then click on File\Compile and IC does the rest, automatically compiling the home page and all other files in the same directory.

Although IC is a 16-bit Windows program, it accepts 32-character filenames. A free, fully working evaluation copy of the program is available at http://www.smartcode.com or ftp://ftp .smartcode.com. -Bruce Tober +49 225 889393; fax: +49 225 889397; order @MediaScout.com; http://www.MediaScout.com. Circle 990 on Inquiry Card.

Tourist Guide Includes Mapping Features

The VISUALMAP City SERIES OF DIGITAL tourist guides integrates a vectorized map and SQL queries for such European cities as Barcelona, Berlin, London, Madrid, Munich, Paris, Rome, and Seville. It helps you find hotels and restaurants and plan



sight-seeing trips. You can also measure distances between locations and personalize maps with individual highlights. *Price: DM 70. Visual GIS, Madrid, Spain,* +34 1 372 9920; fax: +34 1 372 8504. **Circle 991 on Inquiry Card.**

Computer Telephony

All-in-One CTI Package

WITH APCENTIA, A WINDOWS NT-BASED computer-telephony system, you can build sophisticated voice-mail, automated-attendant, and IVR applications. It includes a Dialogic voice-processing board and a suite of software applets that support up to 120 telephone lines. Off-theshelf Apcentia applets are available for telecom resale, hot desking, follow-me services, and emergency responses.

Price: Call company. C3 Computer Telephony, Cambridge, U.K., +44 1223 423562; fax: +44 1223 420709. **Circle 995 on Inquiry Card.**

Add Mobile-Phone Addresses

International

THE LATEST VERSION OF WINPHONE (4.1) includes MobiDown, an application that lets mobile phone users download the phone's address book to a PC. MobiDown uses GSM's standard AT-CPB commands and connects over V.24 or PC Card to the PC. It is also capable of selecting just the most frequently used addresses. *Price: DM 50*.

Megasoft, Wien, Austria, +43 1 470 2022; fax: +43 1 470 2022 77; herbert @megasoft.co.at; http://www.megasoft.co.at /megasoft.

Circle 996 on Inquiry Card.

Communications

Multiple-Platform Fax Server

THE COMFAX FAX SERVER FOR HETEROGEneous Windows NT and Unix networks provides least-cost routing and supports ISDN as well as telephone networks. On pure Windows networks, the system integrates with MS Exchange. It also works with OS/2 clients. *Price: Call company. Com-EM-Tex Computercommunications, Munich, Germany,* +49 89 *54750200.* **Circle 994 on Inquiry Card.**

Share an E-Mail Account

OctoMAIL GATE IS A MAIL GATEWAY FOR MS Exchange. It lets all e-mail users on a LAN share a single Internet account. The system deploys the POP3 mail protocol, not SMTP, so it offers an individual mailbox for all Exchange users. For dial-up lines, you can configure OctoMail Gate so that it automatically checks e-mail on a regular basis and reports the status of the inbox and outbox. OctoMail Gate also manages message traffic at several Circle 711 on Inquiry Card.



Subscription Problems?

If you have a problem with your BYTE subscription, let us know! For best service, provide a brief description of the problem and a copy of a recent magazine mailing label (if available). If your label is unavailable, just give us your subscription account number along with your name, address, and zip code where your BYTE subscription is currently being sent. If you have a change of address, be sure to provide both your old and new addresses. If the problem involves a payment, be sure to include copies of your cancelled check (both sides) or your credit card statement. Please include a "business hours" phone number if possible. Send to:



BYTE Magazine Subscriber Service PO Box 555, Hightstown, NJ 08520

Fax: Phone:

(9 a.m. to 8 p.m. Eastern Time, Mon. – Fri.) 800-232-2983 (U.S.), or 609-426-7676

A Durision of The McGraw-Hill Companie

International

Internet accounts. Price: Starts at FF 2990. Octopus, Aix en Provence, France, +33 4 42394533; fax: +33 4 42397939. Circle 993 on Inquiry Card.

Development

Team Development Tool for Unix and Windows NT

SNIFF+, AN OBJECT-ORIENTED TEAM DEVELopment platform for Unix and Windows NT, provides a complete suite of development tools, from project management to documentation.

Tosi Fia Proset Larger 84a	File Types Custom Halp
Searce Tères of any shared	its in any desired
	IP Points Tool Into Clars Has
Faler	D Spar Herorchy Browsert e
12.	Language Anel C
any. shared	any. (/
AnyDofinitions.C	any.e
AnyIapl.C	any. 1 AnyPollounted
AnyInplFactory.C	ANY . I AVY TYNA AD
Any20.C	407.0
The second second	
any shared = Shared(1)	AnyWestar
States I reason	
statement and an	
	seasbuffet
A and have according to the	on 1.34 AmpContest
O WER genery Alap date:	1996/07/36 2

With Sniff+, developers can work in a uniform way in a heterogeneous Unix and Windows NT environment. The system also includes an open-parser API for C, C++, FOR-TRAN, Java, and CORBA IDL. *Price: DM S 100 (four-user Unix license)*.

TakeFive Software, Salzburg, Austria, +43 662 4579150; fax: +43 662 4579156; info@takefive.co.at; http://www.takefive.co.at. Circle 997 on Inquiry Card.

Fast Source Code Parsing

IF YOU NEED TO REENGINEER OR DEVELOP large software projects, Source Navigator, a multiplatform and multilanguage development tool, helps you reduce development cycles. It supports fuzzy parsing and eross-referencing in C, C++, Java, Tcl, and FORTRAN. A symbol and class hierarchy browser lets you efficiently manage existing source eode. The vendor says Source Navigator can scan 100,000 lines of Software

code in minutes. It runs under all flavors of Unix and Windows NT/95. Price: Starts at DM 3000. CAS, Obertshausen, Germany, +49 6104 98080; fax: +49 6104 980830; info@cas-gmbh.de; http://www.cas-gmbh.de. Circle 998 on Inquiry Card.

CAE

STEP-Compliant CAE Tools

FEATURING ON-LINE ANALYSIS, OBJECT ORIentation, and integration of process chains, Sigraph ET and EMR are CAE tools for process automation and electronic engineering. They run on Windows and Unix workstations, support the STEP product data management standard, and integrate with Intergraph's PDS plant engineering system. *Price: Starts at DM 19,000. Siemens Anlagentechnik*, *Erlangen, Germany*, +49,9131 746169; fax: +49,9131 72,5074.

Circle 992 on Inquiry Card.

Spreadsheets

Excel Does Chemistry

Accord 2.0 For Microsoft Excel TRANSforms Excel software into a spreadsheet that understands chemistry. It adds structural diagrams to the spreadsheet, thus letting scientists explore chemical trends and QSAR studies. You can calculate chemical properties (e.g., molecular weight) by linking the corresponding function to a cell. The package also complies with major chemical drawing programs and supports Excel's workbooks and AutoFilter features.

Price: Call company. Synopsys Scientific Systems, Ltd., Leeds, U.K., +44 113 245 3339; fax: +44 113 243 8733; sales@synopsis.co.uk. Circle 999 on Inquiry Card.

STORAGE AUTOMATION

Exabyte libraries employ sophisticated technology like intelligent robotics and multiple drives working parallel to ensure fully automated back-up and rapid file retrieval. When equipped with our new Mammoth drive a single library can store from 140 gigabytes up to 3.2 terabytes of data at a transfer rate up to 86.4 GB/hr.

As the leader in 8mm technology we have designed our libraries to be compatible with multiple software applications across all client/server platforms. Exabyte is the only manufacturer to design all the components in a family of libraries; these include drives, media and robotics. Our tape library expertise eases integration, assures a clear upgrade path and delivers superior performance, capacity, reliability and fully automated back-up.

> For more information about Exabyte's tape library family contact Exabyte's phone service: +31 30 25 48 890 BBS +31 30 25 81 657, http://www.exabyte.com

Exabyte Europe, tel: +31 30 25 48 800, fax: +31 30 25 81 582, Pythagoraslaan 100, 3584 BB Utrecht, The Netherlands Circle 731 on Inquiry Card (RESELLERS: 732). Superior automated back-up and restore from the world's largest manufacturer of 8 mm tape

libraries.

THE STANDARD IN STORAGE

Germany stics Conference 15 M

he New Wave for Success

Global Logistics is Changing the Way We Do Business, and is the Answer to Managing the Computer Component Supply Network.

Sponsored by:





15 March

1997

IT'S VERY WELL MADE IN TAIWAN

Saturday, 15 March, 1997 Auditorium 3B, TCM Conference Center at the Hannover Fairgrounds

To Register for this FREE Conference, please respond by February 19, 1997 via FAX or the Internet

U.S. BYTE Fax (603) 924-2602

BYTE Web site: http://www.byte.com

Please register me for the "Global Logistics" Conference at CeBIT 97 in Hannover, Germany!

Name	Title	Company
Address	City	Postal Code
Country	Phone	Fax
ANIS28 BYTE LANUARY 1007		

Eval

3-D Workstation

SGI beefs up the low end of its 3-D graphics workstation line with the power-packed O2. By Dave Rowell


Silicon Graphics' Wintel Killer

ust when NT-based Pentium Pro PCs are looking like hot 3-D machines (see "Affordable 3-D Workstations," December 1996 BYTE), Silicon Graphics, Inc., introduces the sexy blue O2. Replacing the Indy in SGI's workstation lineup, the O2 is built from scratch to handle complex video and graphics—and street pricing starts below \$6000.

In our OpenGL 3-D graphics testing, the O2 ran well against the latest Intel systems. With professional video applications, it should provide an even-better bang for the buck. I was impressed by the O2's ability to distort a live video stream in real time.

The O2 architecture, a unified memory design on steroids, dynamically allocates the system memory among double-frame buffers, a 24-bit z-buffer, and virtually unlimited texture storage, all through a 2.1-GBps memory bus. With independent "engines" for memory control and rendering, display, imaging, compression, and I/O control, the 64-bit 180-MHz Mips R5000 CPU has little left to do.

The memory and rendering engine efficiently gates access to system memory (up to 1 GB of SDRAM DIMMs) with crossbar switching. The rendering component





O2 Workstation \$8342

(estimated street price) (With 128 MB of RAM, 512-KB L2 cache, two 2-GB SCSI hard drives, 17-inch monitor, and external floppy drive)

Silicon Graphics, Inc. Mountain View, CA

(800) 800-7441 (415) 960-1980 fax: (415) 961-0595

http://www.sgi.com/

Circle 1062 on Inquiry Card.

The O2 packs lots of video, imaging, and 3-D graphics power into a small, modular package.

provides hardware acceleration for triangle setup, z-buffering, and textured and nontextured rasterization with up-to-32bit RGBA graphics modes. The O2's display engine supports up to 1280- by 1024pixel displays, as well as screen capturing and video-format conversion in real time without CPU overhead.

The imaging and compression engine performs real-time JPEG for nonlinear editing as well as MPEG-1 hardware decoding. It supports Cinepak, QuickTime, and AVI codecs (but not in real time). With a programmable 66-MHz R3000 integer core, it will handle future formats.

The O2 can maintain simultaneous analog or digital video streams. It also has two wide UltraSCSI channels, built-in 10/ 100Base-T Ethernet, and a 64-bit PCI slot. An optional \$1000 AV module provides the jacks for video and audio equipment, including the O2's digital camera. Irix 6.3 has a new Web-based user interface, which allows such things as hyperlinks within the extensive on-line documentation. SGI's applications suite lets

RATINGS					
TECHNOLOGY	*	*	*	*	*
IMPLEMENTATION	*	*	*	*	*
PERFORMANCE	*	*	*	*	

you edit images, video, HTML, and VRML. Also bundled is Netscape's Navigator 3.0 and FastTrack Server 2.0, as well as Insignia's SoftWindows 2.0.

With price/performance numbers that match or exceed those of NT workstations, the O2 destroys any rationale to leave the SGI camp to run professional applications recently ported to NT.

Dave Rowell is a BYTE senior technical editor. You can reach him at drowell@bix.com. These "private" versions of AltaVista lack the heavy hardware that makes the Web tool such a screaming performer. By Steven J. Vaughan-Nichols

Local AltaVista Searching

igital Equipment hit a grand slam with its AltaVista Internet search engine (http: //www.altavista.digital.com). Now, the company is trying to repeat its success with free-text search programs for PCs, LANs, and intranets. This software family goes by the cumbersome name of AltaVista Search Private Extensions, but the programs themselves are anything but clumsy.

Eva

From a marketing point of view, it's an unbeatable idea. AltaVista is, without a doubt, the search engine of choice for the Internet. Practically speaking, however, it's another matter entirely. The problem is that the Private Extensions lack what made their big brother successful—screaming performance, thanks to Digital Unix running on an arsenal of high-end servers. Instead, the Private Extension servers are constructed to run on either Windows 95 workstations or Windows NT servers. In both of these cases, any Web browser can act as a client to the database server.

While it's still too early in the development process to make any hard predictions about the baby AltaVistas' speed, they're clearly not going to be as fast as the server we know and love from use on the Internet. Then again, most of us don't have the luxury of running applications on maxed-out Digital Alpha clusters either.

From your desk, you won't be able to tell the difference between your local AltaVista servers and the Internet server (except for the performance slowdown). The interface looks and feels the same as ever. Behind the front end, the database engine, while taking different roads, works as its Unix elder does. For example, with advanced searches, you use Boolean-style operators—the one odd fish is "AND NOT" for "NOT"—and you can narrow searches by restricting them



Besides letting you use a Web browser, the local AltaVista services come with their own front end.

to particular fields in the automatically generated records.

On the server side, while query results come in at a decent clip, full-text indexing takes a long time. You'd be well advised to run this job in batch mode at

RATINGS				
TECHNOLOGY	*	*	*	*
IMPLEMENTATION	*	*	*	*
PERFORMANCE	*	*	*	


an obscene hour of the morning, when it won't impact anyone's real-time work.

The only real problem with the new AltaVista spin-offs is that there's nothing new here. Long before the Web was a gleam in Tim Berners-Lee's eyes, askSam Systems (http://www.asksam.com), with its eponymously named free-text database product, was indexing and retrieving data for PCs and LANs. Today, the company's Web Publisher does essentially the same job as AltaVista. What's more, askSam bests AltaVista in the number of file formats it supports.

For example, the AltaVista servers can work with most Microsoft formats, several graphics and spreadsheet formats, and all Hypertext Markup Language (HTML) formats. However, askSam can do all that and adds Lexis/Nexis, Word-Perfect, and database formats like the Xbase family's DBF.

Now, make no mistake, AltaVista does a fine job of organizing information from your PC to your intranet. It's just that you should look at other products, rather than simply leaping for AltaVista. You may find that the best-known product is not the best product for your office.

Steven J. Vaughan-Nichols is a freelance writer. You can reach him at sjvn@bix.com.



Not all Virus Detection software is created equal. Most aren't even close.

You want the best virus detection software for your computers. Just look at the facts.

In study after study, test after test, one virus detection software wins out against the rest – Dr Solomon's. The fact is, Dr Solomon's anti-virus scanners give you superior detection and repair of all varieties of viruses – polymorphic, "in the wild," boot sector, stealth and others. The numbers prove it, again and again.

Dr Solomon's Anti-Virus Toolkit is the international leader in virus detection, with over 3 million users worldwide. The Anti-Virus Toolkit is available on all platforms including: Windows 95, Windows NT, Windows 3.x, DOS, NetWare, Macintosh, OS/2 and SCO UNIX.

Make sure you know the facts about anti-virus software. Because when it comes to choosing the best, the decision isn't even close.

For free evaluation please visit our web site at: www.drsolomon.com Dr Solomon's Software, Inc. USA = 1-888-DRSOLOMON (888-377-6566)

Dr Solomon's Software Ltd., U.K. = +44 1296 318 700

Dr Solomon's Software, Germany, GmbH = +49 40 25 19 540

IT Secure, India = +91 22 643 1233/1246

Priority Data Systems Ltd., Ireland = +353 1 284 5600

Memory Masters, Kenya = +254 2 751 916/743934/223543

Grupo ASISA, Mexico = +52 5 392 4155 Data Alert International BV,

Netherlands = $+31\ 70\ 307\ 7111$

Bysupport South America = +56 2231 0308

Information Security AB, Sweden = +46 8580 100 02

CSS Computer Services, Zimbabwe = +263 4 304 822

For a complete listing of all worldwide distributors: please fax your request to 617-273-7474 SNOWOTOS #0

DR SOLOMON'S

The international leader in virus protection

Dr Solomon's Software One New England Executive Park Burlington, MA 01803 888-DRSOLOMON


State or sale	Sportste Winmodem	r	your new Sportster	-		PSON	Includes: Look Your Bey Color Pak, a \$299 value itylus Color 500 Award-winning photo quality color p A 720 x 720 dpi black an	et) printin
	made especially for Windows-based PCs 33.6K bps data V.17 Grou III 14,400 and 9,600 bps Class and Class 2 send/receive fax 115,200 bps maximum throu True ITU-T V.34 at 28,800 b	aghput	-	ET	AIL?		▲ Up to 4 ppm black, 720 x 360 dpi plain pap ▲ ESC/P 2 and IBM enulation ▲ 4 scalable and 5 quality built-in fonts at Color Pak" includes full versior	per X24/X letter- n of Sie
C ON	V.42/MNP 2-4 error control compression 5-year parts/la \$114.9 Available 1/97. Supported I Call 1-800-525-US	bor war CDV	ranty N 65767 Internet providers.		loce Mae	nePublisher ^{1M} intosh", FUN'l ranty	0 and Adobe* PhotoDeluxe~ for Pv V2.1 and Adobe PhotoDeluxe for FASTIC Fonts and more! A 2-yee 279.00 CDW 73069	
	HARDW	ARE	, SOFTWARE &	PERI	PHERALS AT	DISCO	UNT PRICES	
Š	SOFTWARE Adaba PiageMaker V& 0 WIN 3.5/CD Adaba PiageMaker V& 0 WIN 3.5/CD Adaba Photoshop V3.0.5 WIN 3.5/CD Adaba Photoshop V3.0.5 WIN 1.9g Arcada Backup for Windows 95.	132.81 545.78 159.55 56.52	NETWORKING PRODUCT NOVEI IntranetWare in NetWare V4.11 and r IntranetWare Upgrades 5-unor CD 19-unor CD	nore .	NETWORKING PROD VELKIN ArMetro starter lat Expand/New 4-port Omn/New PS/2 4-port Omn/New 5-port semal	386.01 .99.12 245.52 246.66	MULTIMEDIA NEC 6Xe 6X CD external SCSI-2 Parasionic portiable 4X CD SCSI Story portshol 4X CD Seconavil SundkoorStale 6X CD pretornal (DE/ATAP) SundkoorStale 6X CD portiable	449.51 399.0 302.9 135.24 271.8
	Carero OmaiPago Pro V7.0 WINBS wers upg Claren FiloMakier Pro V3.0 WINDS:NT CD Corel Office Pro V7.0 WINBS compivers upg Corel WEB.GHAPHCS Sub-WINBS/MT Corel WordPreteris Sub-V7.0 WINBS CD Corel WardPreteris Sub-V7.0 WINBS CD Corel WardPreter Sub-V7.0 WINBS core CD Corel WardPreter Sub-V7.0 WINBS core CD	113.65 176.80 187.32 186.35 241.34 133.70 89.87	25-uner CD 50-uner CD 100-uner CD 250-user CD IntraneWare 5-uter CD 10-uner CD	981.32 1245.68 1869.03 3349.95 - 672.39 1261.15	Parashare 95 PC expansion pack Parashare 95 starter kit IOAT55 ISAVEISA vo 2 serial 1 paraflet BOCAHUEI-8 0-port 108T BOCAHUEI-8 0-hn 1-6prt 108T	36.20 71.61 46.63 89.72 219.67	INPUT DEVICES App. Destatyp (GalePoint App. GalePoint % hypotent) Calcomp Drawing State III 12 12 wijsease pen Calcomp Drawing State III 12 12 wijsease pen Epson PhotoPC digital camera Epson ActionScanning System II Epson & Stoloco colar scanner	66 95 195 34 217 8 399 9 - 376 4
	Corel WordPerfect Suite WIN 3.5/CD. Corel WordPerfect Suite WIN CD Corel WordPerfect Suite WIN upg 3.5/CD	272.17 239.95 133.70 91.77	25-user CD 50-user CD GroupWise V5.0 5-user CD 10-user CD 25-user CD 50-user CD 100-user CD	2339.69	BOCARUB-24 Plus 24-prot 1017 CiscoPro CPA201 personal office ISDN CiscoPro CPA201 personal office ISDN CiscoPro CPA261 access realer ISDN CiscoPro EtherSwitch 1200 25 port 101 CiscoPro EtherSwitch 1200 stack system	479.58 614.74 T 3416.69	Epson ES1200C Pro celar seammer Hewelte Radiand Scinitel 4s Hewelte Radiand Scinitel 4p Hewelte Radiand Scinitel 4c Kodik (DC20 Digital Science Camera Kodik (DC20 Digital Science Camera Logitech Musickian 96	1138.W 196.4 499 - 857 - 299 0 499 0 899.0 55.5
So	Datastorm Procomm Pris V3.0 WIN95 CD Delinia WinFAX PRO V7.0 WIN95 CD. Helia Muncano V2.0 WIN955 Initial Quicken Detaxo V5.0 WIN CD Lotus 1-2-3 V5.0 WIN Lotus 1-2-3 V5.0 WIN spec upg Lotus 1-2-3 V5.0 WIN spec upg	. 124.11 76.84 43.30 59.99 295.75	ManageWise V2.1 5-wor CD 10-wor CD 25-wor CD LAN WorkPlace V5.0 Senjte-user CD 10-wser CD	539.40 893.86 1349.81 169.52 1345.99 4677.48	Control control of the system COMPACI Netelligent 108T PCI controller Netelligent 1001008TX PCI controller Netelligent 2000 8 port 108T repeater Netelligent 5000 1000TX 6 port switc Netelligent 5012 1011008TX 12 port switc Netelligent 5012 1011008TX 12 port switc	103.25 138.45 477.16 564.13 h 1020.19	Legitech Cortiless MouseMan 96 Legitech Survival Man Internet Contraîte Legitech TrackMan Mixtrite Legitech Program Comparet Iscanser Mercines Englithic comparet Iscanser Mercines Scanklaker Ef side Coder Batheol Mercines Scanklaker OS Plane Mercines Scanklaker OS Plane	61.7 84.5 84.7 307.7 96 1 309.8 556.7 731.6
ğ	Lotus Organizer 97 WIN95 CD McAres VirusScan V2.0 WIN95 McAres VirusScan V2.2 WIN Microsoff Focess V2.2 WIN Microsoff Focess V2.0 WIN Microsoff McBrook V6.22 upg Microsoff Microsoff Wice Pro wiAccess WIN95 upg	71.63 44.25 44.85 298.04 137.34 49.88 314.50	Microsoft BackOffice Server V2,0 Version upg CD Comp upg CD Full version CD 5-client licenso.	693.55 1593.10 1949.14 1179.39	EtherExpress PRO/10+ PCI combo EtherExpress PRO/10+ PCI combo EtherExpress PRO/10+ PCI combo EtherExpress PRO 100 PCI EtherExpress PRO 100 PCI EtherExpress PRO 100 PCI Express 100 ITX switching hub	134.03	Pair or ongrey wears sait capara - uma Wala Set science science Uma Wala Set science Visioneer PaperPort is science Visioneer PaperPort is science MONITORS Mag Innovision D31595 Pair 15: 28mm	- 195 9 - 239 4 292 93 712 1 277 21 304 -
Z	Microsoft Office Pro WIN95 CD wflisheit Microsoft Office Pro WIN95 (gc O wflisheit Microsoft Office Pro V4.3 WIN Microsoft Office Pro V4.3 WIN CD wflisheit Microsoft Office Pro V4.3 WIN upg Microsoft Office Pro V4.3 WIN upg Microsoft Office Std WIN95	544.30 317.41 . 535.47 443.49 354.25 539.03 454.43	20-Clenn liconee Windows NT Server V3.51 Network Value Pack withinnet Into Server Singler clener liconee 20-Clenn liconee pack Windows NT Server V4.0 Upg + 10-Clenn liconee CD Upg + 10-Clenn liconee CD	3737.33 889.15 38.13 503.27 377.15 499.73	NetPortExpress PRO Enet internal NetPortExpress PRO Enet external SIMC EtherE2 ST 10BT hub	261.49 367.14 86.00 151.97	Mag Innovision IXX1795 PriP 17: 20mm Mag Innovision IXX1795 PriP 17: 20mm Mag Innovision IXX17956 17: 20mm Mag Innovision IXX17976 17: 20mm Magnatoxis OKX2015 15: 20mm Magnatoxis OKX2015 15: 20mm Magnatoxis OKX2015 15: 20mm Magnatoxis OKX2015 15: 20mm	612.61 394.4 529.00 713.22 244.24 299.87 341.3 602.58
ž	Microsoft Office Std WIN95 CD Microsoft Office Std WIN95 upg. Microsoft Office Std WIN95 upg CD Microsoft Office V4.2 WIN Microsoft Office V4.2 WIN upg.	453.30 223.97 226.13 449.03	Comp upg + 5-client licensis CD Comp upg + 10-client license CD. Server + 5-client license CD. Server + 10-client license CD. Single-client license upg Single-client license upg Microsoft Windows NY Workstation V4.0	378.82 508.26 746.28 1033.76 17.19 _34.32	ElhorF2X 101T ISA 5-pack ElhorF2wor 101T FC1 - ElhorPowor 101T001TX FC1 TigerStack 101T 12-port hub TigerStack 101T 12-port hub DATA STORAGE	372.03 117.39 139.60 499.02 658.25	Magnuros 20CM64 20' 31mm MIC XV15-15' 28mm NEC XV17-17' 28mm NEC X121-12' 28mm NEC X121-21' 28mm NEC X121-21' 28mm Sorry Mattiscan 15sa 15' PaP 25mm Sorry Mattiscan 15sa 15' PaP 25mm Sorry Mattiscan 17581 17' PaP 25mm	849 473.1 759.05 1705.69 1943.57 369.34 439.58 729.23
AR	Microsoft Project V4.1 WINBS CD Microsoft Providenter V2.0 WIN MS Visual Basic Pro V4.0 WINBS/NT CD MS Visual Basic Pro V4.0 WINBS/NT Vers togCD Microsoft Visual C++> Subscription WiNBS Microsoft Visual J++> WINBS/NT.	421.73 . 60.29 443.49 219.18 .86.33 447.93	Version upg CD Single-chent upg Ful version CD Microsoft SQL Server V6.5 Server + 0-chent licensa CD Server + 0-chent licensa CD Server + 25-chent licensa CD S-chent licensa,	1239.19 1768.06 3534.84	CCLORADO Jumbo 350 350 MB TBU internal Jumbo 1400 13GB TBU internal T1000E 800MB TBU external T1000E 800MB TBU external Concega Zip drive 100MB patialist Zip drive 100MB patialist	193.66	Sony Multiscan 17sell 17" PriP 25mm Sony Multiscan 20ell 20" PriP 30mm ViewSonic 15GSIII 15" 27mm ViewSonic 17GS 17" 27mm ViewSonic 0810 21" 25mm ViewSonic 0810 21" 25mm ViewSonic 0915 21" 25mm ViewSonic 1915 21" 25mm	616.79
Ŧ	Microsoft Windows 95 Microsoft Windows 95 upg Microsoft Windows 95 upg CD - MS Windows 95 wintermat Explorer upg CD - MS Windows NT Workshiltin V4.0 Furar upg CD Microsoft Windows NT Workshiltin V4.0 CD	183.47 .94.77 .94.77 .97.69 239.49 283.20	20-Clevel license Microsoft Systems Mgmt Server V1.2 SMS Server CD 5-client license Microsoft SNA Server V2.11 SNA Server CD Single-client license	2084 26 817 59 242 46 - 359 59	Ditto Eray 800MB Travan internal Ditto Eray 800MB Travan internal Jaz drive 168 internal SCSI-2 Jaz drive 168 external SCSI-2 Jaz drive 168 carindje SONX	149.95 399.95 	VIDEO BOARDS ATI 30 Xprossion PCI 2MB ATI Graphics Xpression PCI 2MB ATI Graphics Xpression ISA 2MB ATI Graphics Pro Furb PCI 2MB ATI Meto Xpression PCI 2MB Diamond Steatish 30 2000X, 4MB PCI	93.68 95.87 175.28 83.27 176.43
2	Microsoft Windows V3.11 Microsoft Windows V3.11 Jacenso. Microsoft World V6.0 WIN upg Microsoft World V7.0 WIN95 upg Microsoft Works V3.0 WIN Microsoft Works WIN95. Microsoft Works WIN95. Microsoft Works WIN95.	78.51 115.55 55.75 45.46 45.46	20-chimi license park. Microsoft Eschange V4.0 5-chimi license. 20-chimi license. Microsoft Eschange Server V4.0 Server + 5-chimi license CD Server + 10-chimi license CD	861 40 323 91 1034.04 	SDT-5000 DDS-2 DAT internal SDT-5000 DDS-2 DAT internal SDT-5000 DDS-2 DAT internal SDT-7000 DDS-2 DAT internal	995.48 1003.37 919.00 119.23	Diamond SpeedStarde 2000 2481 ISA Matrox Micromann PCI 2481 WTAM Matrox Micromann PCI 4481 WTAM Matrox Misleyer PCI 2481 WTAM OVERDATVE PROCESSORE intel	- 94.84 - 182.31 - 251.15 - 167.71
	NewSoft WewOffice PowerSuite WIN CD Quarterdeck QEMM V8.0 WIN/95 Stac ReachOut V6.0 WIN/95 Symantec ACT1 V2.0 WIN Symantec Notion AntiVirus V2.0 WIN/95 Symantec Notion AntiVirus V2.0 UOS/WIN	48.21 62.16 121.33 171.24 65.91 46.08	Server + 25-client license CD 2000 Ellient ink XL PCI 1087 5-pack 30:000 Ellient ink XL PCI 1087 5-pack 30:000 Ellientei XL PCI combo 30:000 Ellientei XL PCI combo 30:000 Ellientei XL PCI combo 30:000 Ellientei XL PCI 10:00087	1928.12 112.16 504.30	EZ135 135MII external	119.23 19.99 291.47 291.47 29.39	Initel OverOvero DX4/75 Initel OverOvero DX4/100 Initel OverOvero Pontiana 63MFz Initel OverOvero Pentiana 63MFz Initel OverOvero Pentiana 150MFz upg for 5505 Initel OverOvero Pentiana 150MFz upg for 5575 Initel OverOvero Pentiana 150MFz upg for 5500 Initel OverOvero Pentiana 150MFz upg for 5500	138.66 183.34 136.66 189.27 5 253.45 259.24 319.20 456.23
TM	Symantice Notion AntiVirus WING5 taide-up Symantice Notion NT Toole V1.0 WIN NT CD Symantice Notion Utilities WING5 Symantec Notion Utilities WING5 Symantec Notion Utilities WING5 Symantec Parton Utilities WING5 Symantec Parton Utilities VING5 Symantec Parton VWHERE V2.0 WIN Symantec Part VVHERE V5.0 DOS	45.32 114.77 116.15 55.15 119.83 121.17	3C909 Final Etihertuni XI, PCI 10/1008T 5-pack. OfficerConnect 8-point hub. OfficeConnect 8-point hub. HING port SuperStack II Hub 12-point 1018T SuperStack II Hub 24-point 1018T SuperStack II Hub 25-point 10018T	606.42 149.94 179.36 511.66 849.26 1247.21 4717.09	ADS TV Superscan 2 PC to TV converts Connects CatackCam for Windows EXP 8X CD wijsme port PCMCIA EXP 8X CD wijsme port PCMCIA EXP 8X CD wijsme nordike PCMCIA Microsofutions 4X CD parallel Microsofutions 4X CD wiscard parallel	291.13 97.36 222.66 377.51 498.64 219.67 357.76	PC CARDS SCom Etherlink IIIC . SCom Etherlink III 28 & Ereit 1987 Hayns IZJack V 54 33.6 wifas. Mergahertz Course 33.6 . Mergahertz 33.6 ceitukar w/XJACK Mergahertz 33.6 ceitukar w/XJACK	135.44 339.85 206.42 259.67 248.93 248.93
	Symarkie poANYWEBE V7.5 WINBSNT upp Symarkie poANYWEBER2 V7.5 WINBSNT Symarkie WINFAX PRO V4.0 WIN Vrsio Technical V4.1 WIN95/NT Vrsio V4.0 WIN 3.5/CD	. 81.79 131.24 78.14 - 256.28	SuperStack II Switch 1000 12 port Enet SuperStack II Switch 1000 24-port Enet SuperStack II Hab TH 12-port SuperStack II Hab TH 12-port SuperStack II Switch 2000 TH 12-port Need a 3Com LAN PC Card? Call CDW	2103,08 2664.78 1194,04 5349.47	Microsolutions 8X CD partitlet NEC 4X6 4X CD 7-disc changer external NEC 6X6 6X CD reternal NEC 6X6 6X CD external NEC 8X6 6X CD external IDE NEC 81X 8X CD internal IDE NEC 8X1 8X CD internal SCSI-2	337 55 354.60 243.82 	Mokinnola Montana 33 6 celular Simple 33 e Communicator a/SimpleJark Vircom 33 6 Xincom 33 6 Ethernet 108T Xincom 33 6 Ethernet combo	2746.93 227.46 177.31 238.32 224.96 311.52 339.14

800-959-4239 www.cdw.com CDW[®] TELEPHONE HOURS Sales

Solos Solos Monday Faday Zaro Spra CST Salarday Buro-Spra CST Tech Support for Costomers Manday Faday Suro-Spra CST Salarday Suro-Spra CST

If you find a better price, call CDW before you buy! Fax: 847-465-6800 Sales: 800-959-4239 VISIT US ON THE WEB! WWW.cdW.com

CDW^e Computer Centers, Inc.1020 E. Lake Cook Road Buffalo Grove, IL 60089 Byte 1937 1/97



TravelMate Notebooks TM6020 5/120 8MB 1.06GB 11.3° active TM6030 5/133 16MB 1.35GB 12.1° active TM6050 5/150 16MB 1.35GB 12.1° active

Vectra 520 Series Desktops 520MCx 5/120 12MB 1.2GB 8X CD 520 5/133 16MB 1.2GB 520CD 5/133 16MB 1.2GB 8X CD 520MCx 5/133 16MB 1.2GB 8X CD

Sector 313 1048 1258 57 40 Vectra 525 Series Mini-towers 525CD 5/166 16MB 1.6GB 8X CD 525MCx 5/166 16MB 1.6GB 8X CD 525CD 5/200 16MB 2.5GB 8X CD 525MCx 5/200 32MB 2.5GB 8X CD

MD-2010 color print MD-4000 color printer/scanner

HL-730 laser, MFC-1950Plus 6-in-1 MFC-4550 5-in-1 MFC-6550mc 6-in-1

DF X5000+ FX870 LQ870-LQ270 LQ2170 LX300 Stylus Color 200 Stylus Color 300 Stylus Color 80 Stylus Color 1 Stylus Pro XL color Stylus Pro XL color

HP DeskJet 400 prin

1284.20 1748.44 1929.31

HP Desklet 400 printer HP Desklet 304 portable inkjet printer HP Desklet 682C color printer HP Desklet 820Case color printer HP Lasor-let 5L Xra printer HP Lasor-let 5P printer HP Officiel inkjet fackcopersprinter HP Officiel 350 inkjet multi-function

HL-720 laser

HEWLETT'

HITACHI

PRINTERS

ALPS

brother.

Canon

EPSON

PACKARD

LS-30 minincenome BJC-70 BJC-240 BJC-4100 BJC-4200 MultiPASS 800 multi-function MultiPASS C2500 color multi-function

E 100D 5/100 BMB 810MB 11.3" dual E 133T 5/133 16MB 810MB 11.3" dual M120T 5/120 16MB 1GB 11.8" active 4X CD M133T 5/133 16MB 1GB 11.8" active 6X CD

 Hold
 1.2568
 12.1° dolai
 2.946.28

 Hold
 1.2568
 12.1° active 0X CD 4168.89

 Hold
 1.2568
 12.1° active 0X CD 5289.11

 Hold
 1.2571
 1.21° active 0X CD 5289.11

 Hold
 1.3681
 12.1° active 0X CD 5289.11

 Hold
 1.2681
 12.1° active 0X CD 5289.11

AST
Amandia Notebooks
111 1 1 MB 1GB 11 3° dual 6X CD 2399.00
1 1 MB 1GB 12.1° active 6X CD 2999.00
1 1 540MB 11 3" dual 1449.07
1529.41 1529.41
10 101 800MB 10.4" dual
141 6M81 800MB 10.4" active 1573.96 111 11 18 800MB 10.4" active 1899.00
1 II I III III III III 800MB 10.4° active 1899.00
100 MB 800MB 11.3° dual 4X CD1851.49
1 0 48 1.2GB 11.3" dual 4X CD 2064.97
1.0 16MB 1GB 11 3" active 6X CD 3028.70
121 16MB 2 1GB 11.3" active 6X CD 3399.18
111 HB 800MB 11.3° active 4X CD. 2999.74
1 1 1 13 1.2GB 11.3" active 4X CD 3236.67
1 1 4MB 1GB 12 1° active 6X CD 3627.54
MILL MMB 2.1GB 12.1° active 6X CD. 4275.73
Ait-antage! Lifestyle Mini-towers
110 116 1MB 2 5GB 8X CD 2199.00
111 105 4MB 2 5GB 8X CD 2299.00
1 MB 2 5GB 8X CD 2399.00
MB 3GB 8X CD 2699.00
Mantage! 9300 Series Mini-towers
4 1.0 4MB 1.6GB 8X CD 1599.00
10 MRI 2.5GB 8X CD 1999.00
1114 MB 4GB 8X CD 2499 00
100 8MB 630MB 1004.99
1 1 8MB 630MB 1189.91
1 10 16MB 12GB 1322.61
1322.01
110 106 12GB 1579.55 110 100 16MB 12GB 1118.99 100 100 16MB 21GB 1201.93
11111111111111111111111111111111111111
100 10MB 2 10B
1 133 16MB 1,2GB 1327.11 1 133 16MB 2 16B 1389.25
1 133 16MB 2 16B 1389.25
10 106 16MB 2 1GB 6X CD 1921.67
Brove Mini-Towers
1 100 100 16Mil 1 2GB 1174.24
1 1111 5/100 16MB 2 1GB
1 1 1 133 16MB 1.2GB 1399.11
1 1 3 1 133 16MB 2 1GB
COMPAQ
Armada Notebooks
1 3MB 810MB 10.4" dual
1 100 8MB 810MB 10 4° active 1999.00
104 0 100 8MB 810MB 11 3" dual 2499.00
DED 5100 8MB 810MB 11 3" dual 2899.00
1100 1/100 16MB 1.08GB 11.3" dual 3099.00
1 11 1 20 16MB 1 08GB 11.8' active 3749.00
1 1 16MB 1.09GB 11.8' active 4449.00
Hr 6000 Series Notebooks
4032.97
BME B10MB 11.3" dual 2889.00
8MB 1.35G8 10.4" active 4801.37
1 16MB 810MB 10.4° active 3199.00
1 16MB 1.35GB 11.3" active 3099.00
1 1 3 16MB 1.35GB 12.1° active4399.00
1 1 3 16MEI 2 16GB 12.1° activo 5499.00
1 1 1 10MB 2 1008 12 1 ACIVO 5499.00
Inskaro 2000 Series Desktops

100 Series Desktops 100 8MB 630MB

5/100 8MB 1.2GB 5/100 16MB 1.2GB 5/120 8MB 1.2GB 5/120 16MB 1.2GB 5/120 16MB 1.2GB 5/133 16MB 2.2GB 5/133 16MB 2.2GB

Deskpro 2000 Series Mini-towers	
5139/2500/CD 5/133 16M8 2 5GB 8X CD 5166/2500/CD 5/166 32M8 2 5GB 8X CD 6200/2500/CD 6/200 32M8 2 5GB 8X CD 500/2500/CD 6/200 32M8 2 5GB 8X CD 500/2500/2500/CD 6/200 32M8 2 5GB 8X CD 500/2500/CD 6/200 32M8 2 5GB 8X CD 500/2500/CD 6/200 32M8 2 5GB 8X CD 500/2500/2500/CD 6/200 32M8 2 5GB 8X CD 500/2500/2500/2500/2500/2500/2500/2500/	1769.00
5166/2500/CD 5/166 32/MR1 2 5GB 8X CD	2219.00
6200/2500/CD 6/200 32MB 2.5GB 8X CD	2749.00
Deskpro 4000 Series Desktops	
5120/1080 5/120 16M81 L08G8 5120/1620/LS 5/120 16M81 L62GB 5133/1080 5/133 16M81 L08G8	1349.00
5120/1620/LS 5/120 16M81 1.62GB	1529.00
5133/1080 5/133 16M81 108GB 5133/1620 5/133 16M81 108GB 5133/1620 5/133 16M8 1 62GB 5166/1620 5/166 16M8 1 62GB	1539.00
5133/1020 5/133 16MB 1 02UB	1629.00
5100/1020 5/100 10MD 1 020D	2089.00
5166/2500/LS 5/166 16MB 2 5GB 6180/1620/CDS 6/180 32MB 1 62GB 8X CD	2549.00
6200/2500/LS/CDS 6/200 32MB 2 5GB 8X CD	2050.00
	2039.00
Deskpro 4000 Series Mini-towers	
5133/1620/LS 5/133 32ME1 1 62GB	1979.00
Deskpro 6000 Series Desktops 5166/1080/CDS 5/166 16MB 1 08GB 8X CD 5166/1080/CDS 5/166 32MB 1 08GB 8X CD	
5166/1080/CDS 5/166 16MB 1 08GB 8X CD	2329.00
5166/1080/CDS 5/166 32MB 1 08GB 8X CD	2579.00
5200/1080/CDS 5/200 32/MB 1 08/GB 8X CD 6180/2150/CDS 6/180 32/MB 2 15/GB 8X CD 6200/2150/CDS 6/200 32/MB 2 15/GB 8X CD	2899.00
6180/2150/CDS 6/180 32MB 2 15GB 8X CD	3199.00
6200/2150/CDS 6/200 32MB 2.15G8 8X CD. 6200/4200/PDS 6/200 32MB 4.2GB PD-CD	3339.00
	4649.00
Deskpro 6000 Series Mini-towers	
5166/2150/CDS 5/166 32MB 2 15GB 8X CD	2999.00
Presario Desktops	
4112 5/120 16MB 1 6GB 6X CD 4122 5/150 16MB 2 5GB 8X CD	1399.00
4122 5/150 16MB 2 5GB 8X CD	1899.00
4402 5/133 16MB 1 6GB 6X CD tuil in 15" montor .	1999.00
Presario Mini-towers	
Presario Mini-lowers 4704 5/33 16481 5 668 6 X CD 4712 5/166 24M8 2 568 6 X CD 6704 5/166 24M8 2 568 8 X CD 8702 5/166 24M8 2 568 8 X CD 4716 5/200 32M8 2 568 8 X CD 6708 5/200 32M8 2 568 8 X CD	1599.00
4712 5/166 24MB 2 5GB 6X CD	1899.00
6704 5/166 24MB 2.5GB 8X CD	2199.00
8702 5/166 24MB 2 5GB 8X CD	2499.00
4716 5/200 32MB 2 5GB 8X CD	2209.00
6708 5/200 32MB 2.5GB 8X CD	2699.00
11 10 10 M	
IBM	
ThinkPad Notebooks	
365ED 5/100 8MB 540MB 10.4" dual 4X CD .	1578.05
365X 5/120 8MB 810MB 10.4° active	2286.00
365XD 5/100 8MB 810MB 10 4° dual 4X CD	2368 17
365XD 5/100 8MB 810MB 10.4° dual 4X CD 365XD 5/120 8MB 810MB 10.4° active 4X CD	2368 17
365XD 5/100 8MB 810MB 10.4° dual 4X CD 365XD 5/120 8MB 810MB 10.4° active 4X CD 365XD 5/120 8MB 1.08GB 11.3° dual 4X CD	2368 17 2528.80 2358.55
365XD 5/100 8MB 810MB 10.4" dual 4X CD 365XD 5/120 8MB 810MB 10.4" active 4X CD 365XD 5/120 8MB 1.08GB 11.3" dual 4X CD 365XD 5/120 8MB 1.08GB 10.4" active 4X CD	2368 17 2528.80 2358.55 3001.60
365XD 5/100 8MB 810MB 10.4" dual 4X CD 365XD 5/120 8MB 810MB 10.4" active 4X CD 365XD 5/120 8MB 1.08GB 11.3" dual 4X CD 365XD 5/120 8MB 1.08GB 10.4" active 4X CD 365XD 5/130 8MB 1.35GB 11.3" active 6X CD	2368 17 2528.80 2358.55 3001.60 3578.60
385X 5/132 0M48 B10M81 10.4" active 385X 5/133 0M81 10.688 11.3" dual 385X0 5/130 0M81 0.1688 11.3" dual 385X0 5/120 0M81 010M81 0.4" active 4X CD 385X0 5/120 0M81 010M81 0.4" active 4X CD 385X0 5/120 0M81 0.1686 11.3" dual 4X CD 385X0 5/133 0M81 13/37 active 6X CD 365X0 5/133 0M81 610M81 11.3" dual	2368 17 2528.80 2358.55 3001.60 3578.60 2786.08
365XD 5/100 8MB 810MB 10.4* dxiai 4X CD 365XD 5/120 8MB 810MB 10.4* active 4X CD 365XD 5/120 8MB 11.0BGB 11.3* dxia 4X CD 365XD 5/120 8MB 1.0BGB 10.4* active 4X CD 365XD 5/120 8MB 13.5* active 6X CD 560 5/120 8MB 8130MB 11.3* active 6X CD 560 5/120 8MB 810MB 11.3* dxia	2368 17 2528.80 2358.55 3001.60 3578.60 2786.08 3745.64
365XD 5/100 RMB 810MB 10.4" dtu4 4X CD 365XD 5/120 RMB 810MB 10.4" dtu4 4X CD 365XD 5/120 RMB 810MB 11.3" dtu4 4X CD 365XD 5/120 RMB 10.8%B 11.3" dtu4 4X CD 365XD 5/133 RMB 135%B 11.3" dtu4 560 5/133 RMB 810MB 11.3" dtu4 560 5/132 RMB 810MB 12.1" dtu4 560 5/132 RMB 81.0%B 12.1" active	2368 17 2528.80 2358.55 3001.60 3578.60 2786.08 3745.64 4195.15
365X0 5/100 8MB 810MB 10.4* dual 4X CD 365X0 5/120 8MB 10MB 104A 1-4 adev 4X CD 365X0 5/120 8MB 104B6 11.4* adev 4X CD 365XD 5/120 8MB 1.08GB 10.4* adev 4X CD 365XD 5/120 8MB 1.3CG 11.3* adev 45X CD 560 5/100 8MB 810MB 12.1* adev 560 5/120 8MB 810MB 12.1* adev 560 5/120 8MB 810MB 12.1* adev 560 5/120 8MB 810MB 12.1* adev	2368 17 2528.80 2358.55 3001.60 3578.60 2786.08 3745.64 4195.15 4462.26
365X0 5/100 0M88 810488 10.4" dual 4X CD 365XD 5/120 0M81 810481 10.4" calcer 4X CD 365XD 5/120 0M81 104058 11.3" dual 4X CD 365XD 5/120 0M81 10456 11.4" calcer 4X CD 365XD 5/130 0M81 10456 11.3" calcer 4X CD 365XD 5/131 0M81 10468 11.2" calcer 560 5/132 0M88 810481 12.1" calcer 560 5/132 0M88 810481 12.1" calcer 760E 5/120 0M88 11.0668 12.1" calcer 760E 5/120 0M88 12.0681 12.1" calcer	2368 17 2528.80 2358.55 3001.60 3578.60 2786.08 3745.64 4195.15 4462.26 4427.71
365X0 5100 0MB 810MB 10.4" chai 4X CD 365X0 5120 0MB 10MB 10MB 14.7 active 4X CD 365X0 5120 0MB 10MB 10MB 14.7 active 4X CD 365X0 5120 0MB 10MB 14.7 active 4X CD 365X0 5132 0MB 10MB 11.3" chain 6X CD 365X0 5132 0MB 10MB 11.3" active 560 5133 0MB 10MB 12.1" active 560 5133 0MB 10MB 12.1" active 7005 5120 0MB 10MB 12.1" active	2368.17 2528.80 2358.55 3001.60 3578.60 2786.08 3745.64 4195.15 4462.26 4427.71 5056.50
365X0 5100 0M81 810M81 0.4 * dual 4X CD 365X0 57120 0M81 810M81 10.4 * active 4X CD 365X0 57120 0M81 104051 0.1 3* dual 4X CD 365X0 57120 0M81 104561 0.4 * active 4X CD 365X0 57130 84M51 136561 0.1 3* active 4X CD 365X0 57130 84M5 810M81 12.1 * active 560 57130 84M5 810M81 12.1 * active 560 57130 84M5 810M81 12.1 * active 760E 57120 84M5 13.0661 12.1 * active 760E 57130 84M5 13.0661 12.1 * active 760E 57130 84M5 13.0616 12.1 * active 760E 57130 84M5 13.0616 12.1 * active 760E 57130 84M5 13.0616 12.1 * active	2368.17 2528.80 2358.55 3001.60 3578.60 2786.06 3745.64 4195.15 4462.26 4427.71 5056.50 5407.41
365X0 5100 0MB 810MB 10.4" dual 4X CD 365X0 5120 0MB 10MB 104, "active 4X CD 365X0 5120 0MB 10MB 104, "active 4X CD 365X0 5120 0MB 1046B 10.4" active 4X CD 365X0 5133 0MB 1046B 10.4" active 4X CD 365X0 5133 0MB 10MB 12.1" active 560 5103 0MB 810MB 12.1" active 560 51120 0MB 810MB 12.1" active 7065 51120 0MB 10MB 12.6" active 7065 51120 0MB 10MB 12.6" active 7065 51130 0MB 10MB 10MB 12.1" active	2368 17 2528.80 2358.55 3001.60 3578.60 2766.06 3745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.38
365XD 57100 7M88 810488 10.4" chai 4X CD 355XD 57120 8M81 810481 10.4" chai 4X CD 355XD 57120 8M81 104058 11.3" chai 4X CD 355XD 57120 8M81 105C8 11.3" chai 4X CD 355XD 57120 8M81 105C8 11.3" active 4X CD 355XD 57120 8M81 104081 12.1" active 550 57103 8M81 104081 12.1" active 550 57103 8M81 104081 12.1" active 750E 57120 8M81 104081 12.1" active 750E 57130 8M81 120581 12.1" active 750E 57130 8M81 120581 12.1" active 750E 57133 16481 12.581 12.1" active	2368 17 2528.80 2358.55 3001.60 3578.60 2786.08 3745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.38 5499.97
365XD 5100 0M81 810M81 10.4" chail 4X CD 365XD 5120 0M81 810M81 10.4" chail 4X CD 365XD 5120 6M81 810M81 10.4" chailer 4X CD 365XD 5120 6M81 108C81 11.3" chail 4X CD 365XD 5130 6M81 108C81 10.4" chaine 4X CD 365XD 5130 6M81 108C81 10.4" chaine 4X CD 365XD 5130 6M81 108C81 10.4" chaine 560 5130 6M81 108C81 10.4" chaine 560 5130 6M81 108C81 10.4" chaine 560 5130 6M81 108C81 10.4" chaine 760E 5120 6M81 108C81 12.1" active 760E 5120 6M81 108C81 12.1" active 760E 5120 6M81 108C81 12.1" active 760E 5130 10481 108C81 12.1" active 760E 5130 10481 10481 10.2 cm 21.2" active 760E 5130 10481 10481 12.1" active 760E 5130 10481 10481 12.1" active 760E 5150 10481 2.1051 12.1" active	2368 17 2558,50 2358,55 3001,60 3578,60 2766,06 2766,06 2766,06 4495,15 4462,26 4427,71 5056,50 5407,41 5799,38 5499,97 2559,90
365XD 5100 0H81 810481 10.4" dual 4X CD 355XD 5120 0H81 810481 10.4" calcer 4X CD 355XD 5120 0H81 810481 10.4" calcer 4X CD 355XD 5120 0H81 105G81 11.3" dual 4X CD 355XD 5120 1481 105G81 12.1" active 4X CD 355XD 5120 1481 810481 12.1" active 550 5120 0H81 810481 12.1" active 550 5120 0H81 810481 12.1" active 700E 5120 0H81 810481 12.1" active 700E 5120 0H81 105G81 12.1" active 700E 5120 0H81 125G8 12.1" active 700E 5130 16481 225G8 12.1" active 700E 5133 16481 225G8 12.1" active 700E 5130 16481 225G8 12.1" active 700E 51550 16481 225G8 12.1" active 700E 51550 16481 225G8 12.1" active 700E 51550 16481 225G8 12.1" active	2368 17 2528,00 2358,55 3001,60 3578,60 2786,06 3745,64 4195,15 4462,26 4462,27 4462,27 4462,27 5056,50 5407,41 5799,38 5-199,97 2569,90 4615,23
365XD 5100 0M81 810M81 10.4" chail 4X CD 365XD 5120 0M81 810M81 10.4" chail 4X CD 365XD 5120 0M81 810M81 10.4" chailer 4X CD 365XD 5120 0M81 105KB 11.3" chail 4X CD 365XD 5120 0M81 105KB 11.3" chailer 4X CD 365XD 5130 0M81 105KB 11.2 1" active 500 5130 0M81 810M81 12.1" active 700E 5130 10M81 810M81 13.1" active 700E 5150 10M81 810M81 13.1" active 700E 5150 10M81 810M81 13.1" active	2368.17 2528.80 2358.55 3001.60 2578.60 2786.08 3745.64 4195.15 4462.26 4462.26 4462.26 5407.41 55799.38 5499.97 2569.90 4615.23 2669.50
365XD 5100 0H81 810481 10.4 * dual 4X CD 355XD 5120 0H81 810481 10.4 * active 4X CD 355XD 5120 0H81 810481 10.4 * active 4X CD 355XD 5120 0H81 105G81 11.3 * dual 4X CD 355XD 5120 1481 105G81 12.1 * active 4X CD 355XD 5120 1481 810481 12.1 * active 550 5120 1481 810481 12.1 * active 550 5120 1481 810481 12.1 * active 7005 5120 1481 10.663 12.1 * active 7005 5130 16481 12.663 12.1 * active 7005 5130 16481 12.663 12.1 * active 7005 5130 16481 12.663 12.1 * active 7005 5150 16481 25.663 12.1 * active 7005 5150 16481 12.663 12.1 * active	2348 17 2528.80 2358.55 3001.60 3578.60 3745.64 4195.15 4462.26 4462.26 4462.26 5465.50 5-107.41 5799.38 5-109.14 5799.39 2569.90 4615.23 2669.50 4392.50
365XD 5100 RMB 10408 10.4" dual 4X CD 365XD 5120 RMB 10408 1047 active 4X CD 365XD 5120 RMB 10408 1047 active 4X CD 365XD 5120 RMB 10453 11.3" dual 4X CD 365XD 5120 RMB 10553 (1.4" active 4X CD 365XD 5130 RMB 10563 10.2" active 5X CD 560 5100 RMB 10408 11.2 1" active 560 5120 RMB 10408 11.2 1" active 706E 5120 RMB 10408 11.2 1" active	2144 17 2528,00 2358,55 3001,60 3578,60 2776,00 3745,64 4195,15 4462,26 4427,71 5056,50 5407,41 5799,38 5499,97 2569,90 4615,23 2669,50 4392,50 3489,99
365XD 57100 7M88 110488 10.4" chail 4X CD 355XD 57120 7M88 110488 10.4" chailer 4X CD 355XD 57120 7M88 110486 11.3" chail 4X CD 355XD 57120 7M81 10456 11.3" chail 4X CD 355XD 57120 7M81 10456 11.2" chailer 4X CD 355XD 57120 7M81 10468 11.2" chailer 4X CD 355XD 57120 7M81 10468 11.2" chailer 550 57120 7M81 10468 11.2" chailer 7505 57120 7M81 10468 11.2" chailer 7505 57120 7M81 10468 12.1" active 7505 57130 7M81 10468 12.1" active 7505 57130 7M81 12.563 12.1" active 7505 57120 7M81 10468 11.3" chail 7505 57120 7M81 10468 11.3" chail 7505 57120 7M81 10468 11.3" chail 7505 57120 7M88 110468 11.3" chail	2184 17 2528,80 2358,55 2001,60 3578,60 2768,06 3745,64 4195,15 4462,26 4427,71 5066,50 5407,41 5790,38 5499,97 2569,90 4615,23 2669,50 4392,50 3469,50
560 5/120 BMB B10MB 12,1" active 560 5/133 BMB 1.00GB 12,1" active 700E 5/120 BMB 1.00GB 12,1" active 700E 5/120 BMB 120B 12,4" active 700E 5/130 BMB 120B 12,1" active 700E 5/150 BMB 110BB 11,3" dual 700E 5/150 BMB 110BB 11,3" dual	3745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.38 5499.97 2569.90 4615.23 2669.50 4392.50 3489.99 4503.92
560 5/120 BMB B10MB 12,1" active 560 5/133 BMB 1.00GB 12,1" active 700E 5/120 BMB 1.00GB 12,1" active 700E 5/120 BMB 120B 12,4" active 700E 5/130 BMB 120B 12,1" active 700E 5/150 BMB 110BB 11,3" dual 700E 5/150 BMB 110BB 11,3" dual	3745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.38 5499.97 2569.90 4615.23 2669.50 4392.50 3489.99 4503.92
560 5/120 BMB 810MB 12,1" active 560 5/132 BMB 1.00GB 12,1" active 760E 5/120 BMB 1.00GB 12,1" active 760E 5/120 BMB 120B 12,1" active 760E 5/130 BMB 120B 12,1" active 760E 5/150 BMB 120B 12,1" active 760E 5/150 BMB 11,2" active 4X CD 760E 5/150 BMB 180B 11,3" active 760E 5/150 BMB 180B 11,3" active 760E 5/150 BMB 190B 12,1" active 760E 5/150 BMB 190B 12,1" active 760E 5/150 BMB 190B 12,1" active 760E 5/130 BMB 190B 12,1" active 760E 5/100 BMB 190B 12,1" active 760B 5/100 BMB 100B 12,1" active 76	3745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.38 5499.97 2569.90 4615.23 2669.50 4392.50 3489.99 4503.92 1497.13
560 5/120 BMB 810MB 12,1" active 560 5/132 BMB 1.00GB 12,1" active 760E 5/120 BMB 1.00GB 12,1" active 760E 5/120 BMB 120B 12,1" active 760E 5/130 BMB 120B 12,1" active 760E 5/150 BMB 120B 12,1" active 760E 5/150 BMB 11,2" active 4X CD 760E 5/150 BMB 180B 11,3" active 760E 5/150 BMB 180B 11,3" active 760E 5/150 BMB 190B 12,1" active 760E 5/150 BMB 190B 12,1" active 760E 5/150 BMB 190B 12,1" active 760E 5/130 BMB 190B 12,1" active 760E 5/100 BMB 190B 12,1" active 760B 5/100 BMB 100B 12,1" active 76	3745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.38 5499.97 2569.90 4615.23 2669.50 4392.50 3489.99 4503.92 1497.13
540 5/120 BMB B10MB 12 1" active 550 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/130 BMB 1.20(B 12.1" active 700E 5/130 IAMB 1.20(B 03.0C) C35 5/130 IAMB 1.20(B 83.CD) C35 5/130 IAMB 1.20(B 83.CD) C45 5/166 IAMB 2.25(B 83.CD)	3745.64 4195.15 4462.26 4462.26 4462.26 4462.26 4462.27 4452.21 5056.50 5499.97 2569.90 4615.23 2669.50 469.50 4492.50 3489.99 4503.92 1487.13 1699.74 2099.00 2249.00 2249.00
540 5/120 BMB B10MB 12 1" active 550 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/130 BMB 1.20(B 12.1" active 700E 5/130 IAMB 1.20(B 03.0C) C35 5/130 IAMB 1.20(B 83.CD) C35 5/130 IAMB 1.20(B 83.CD) C45 5/166 IAMB 2.25(B 83.CD)	3745.64 4195.15 4462.26 4462.26 4462.26 4462.26 4462.27 4452.21 5056.50 5499.97 2569.90 4615.23 2669.50 469.50 4492.50 3489.99 4503.92 1487.13 1699.74 2099.00 2249.00 2249.00
540 5/120 BMB B10MB 12 1" active 550 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/130 BMB 1.20(B 12.1" active 700E 5/130 IAMB 1.20(B 03.0C) C35 5/130 IAMB 1.20(B 83.CD) C35 5/130 IAMB 1.20(B 83.CD) C45 5/166 IAMB 2.25(B 83.CD)	3745.64 4195.15 4462.26 4462.26 4462.26 4462.26 4462.27 4452.21 5056.50 5499.97 2569.90 4615.23 2669.50 469.50 4492.50 3489.99 4503.92 1487.13 1699.74 2099.00 2249.00 2249.00
540 5/120 BMB B10MB 12 1" active 550 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/120 BMB 1.00(B1 12.1" active 700E 5/130 BMB 1.20(B 12.1" active 700E 5/130 IAMB 1.20(B 03.0C) C35 5/130 IAMB 1.20(B 83.CD) C35 5/130 IAMB 1.20(B 83.CD) C45 5/166 IAMB 2.25(B 83.CD)	3745.64 4195.15 4462.26 4462.26 4462.26 4462.26 4462.27 4452.21 5056.50 5499.97 2569.90 4615.23 2669.50 469.50 4492.50 3489.99 4503.92 1487.13 1699.74 2099.00 2249.00 2249.00
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 5700E 5/120 BMB 1.006B 12.1° active 5700E 5/120 BMB 1.206B 12.1° active 5700E 5/130 BMB 1.206B 12.1° active 5700E 5/130 BMB 1.206B 12.1° active 5700E 5/130 BMB 1.206B 12.1° active 5700E 5/150 BMB 12.60B 12.1° active 5700E 5/150 BMB 12.60B 12.1° active 5700E 5/150 BMB 12.60B 12.1° active 5700E 5/150 BMB 11.60B 12.1° active 5700E 5/150 BMB 11.50B 11.2° daal 5700E 5/150 BMB 11.50B 11.2° daal 5700E 5/150 BMB 11.50B 12.1° active 5700E 5/150 BMB 1.50B 8X CD C65 5/166 BMB 2.55B 8X CD 574 5/500 BMB 2.56B 8X CD	1745.64 4195.15 4462.26 5065.50 5407.41 5799.38 5499.97 2569.90 4615.23 2669.50 3489.99 4503.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 2699.00
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 5700E 5/120 BMB 1.006B 12.1° active 5700E 5/120 BMB 1.206B 12.1° active 5700E 5/130 BMB 1.206B 12.1° active 5700E 5/130 BMB 1.206B 12.1° active 5700E 5/130 BMB 1.206B 12.1° active 5700E 5/150 BMB 12.60B 12.1° active 5700E 5/150 BMB 12.60B 12.1° active 5700E 5/150 BMB 12.60B 12.1° active 5700E 5/150 BMB 11.60B 12.1° active 5700E 5/150 BMB 11.50B 11.2° daal 5700E 5/150 BMB 11.50B 11.2° daal 5700E 5/150 BMB 11.50B 12.1° active 5700E 5/150 BMB 1.50B 8X CD C65 5/166 BMB 2.55B 8X CD 574 5/500 BMB 2.56B 8X CD	1745.64 4195.15 4462.26 5065.50 5407.41 5799.38 5499.97 2569.90 4615.23 2669.50 3489.99 4503.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 2699.00
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 700E 5/120 BMB 1.006B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1306B 12.1° active 700E 5/150 BMB 12.50B 8X CD 700E 5/150 BMB 2.50B 8	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 700E 5/120 BMB 1.006B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1306B 12.1° active 700E 5/150 BMB 12.50B 8X CD 700E 5/150 BMB 2.50B 8	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 700E 5/120 BMB 1.006B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1306B 12.1° active 700E 5/150 BMB 12.50B 8X CD 700E 5/150 BMB 2.50B 8	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 700E 5/120 BMB 1.006B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1306B 12.1° active 700E 5/150 BMB 12.50B 8X CD 700E 5/150 BMB 2.50B 8	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 700E 5/120 BMB 1.006B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1306B 12.1° active 700E 5/150 BMB 12.50B 8X CD 700E 5/150 BMB 2.50B 8	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 700E 5/120 BMB 1.006B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1306B 12.1° active 700E 5/150 BMB 12.50B 8X CD 700E 5/150 BMB 2.50B 8	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
560 5/120 BMB 1006B 12.1° active 560 5/132 BMB 1.006B 12.1° active 700E 5/120 BMB 1.006B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/120 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/130 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1206B 12.1° active 700E 5/150 BMB 1306B 12.1° active 700E 5/150 BMB 12.50B 8X CD 700E 5/150 BMB 2.50B 8	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
540 5/120 BMB B10MB 12 1' active 560 5/130 BMB 1.00GB 12 1' active 700E 5/120 BMB 1.00GB 12 1' active 700E 5/120 BMB 120GB 12 1' active 700E 5/120 BMB 120GB 12 1' active 700E 5/130 IGMB 120G 12 1' active 700E 5/130 IGMB 120G 12 1' active 700E 5/150 IGMB 120GB 12 1' active 700E 5/150 IGMB 120GB 12 1' active 700E 5/150 IGMB 110GB 11 3' dual 700E 5/150 IGMB 10GB 11 3' dual 700E 5/150 IGMB 10GB 12 1' active 700E 5/150 IGMB 10GB 20 BX CD C3 5/150 IGMB 25GB 8X CD C5 5/160 IGMB 25GB 8X CD 51 5/50 IGMB 25GB 8X CD 51 5/500 IGMB 25GB 8X CD 51 5/500 IGMB 25GB 8X CD 51 5/500 IGMB 25GB 8X CD 72 5/500 IG	3745.64 4195.15 4462.26 4427.71 5066.50 5407.41 5790.38 5499.97 2569.90 4615.23 2669.50 3489.99 4455.23 2669.50 3489.99 4455.23 2669.50 3489.99 4457.13 1669.74 2099.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2599.00 469.12 157.62 909.45 11799.22
560 5/120 BMB 10.00G 12 1' active 560 5/132 BMB 1.00G 12 1' active 700E 5/120 BMB 1.00G 12 1' active 700E 5/120 BMB 120B 12 1' active 700E 5/130 BMB 120B 12 1' active 700E 5/130 BMB 120B 12 1' active 700E 5/130 BMB 120B 12 1' active 700E 5/150 BMB 100B 11 3' dba1 700E 5/150 BMB 100B 11 3' dba1 700E 5/150 BMB 100B 11 3' dba1 700E 5/150 BMB 100B 12 1' active 700E 5/150 BMB 100B 100B 12 1' active 700E 5/150 BMB 100B 100B 12 1' active 700E 5/150 BMB 100B 100B 100B 100B 100B 100B 100B	1745.64 4195.15 4462.26 4427.71 5056.50 5407.41 5799.36 5499.97 2569.90 4615.23 2669.50 4392.50 4392.50 4392.90 4593.92 1497.13 1699.74 2099.00 2249.00 2249.00 2249.00 2399.00 1499.12
540 5/120 BMB B10MB 12 1' active 560 5/130 BMB 1.00GB 12 1' active 700E 5/120 BMB 1.00GB 12 1' active 700E 5/120 BMB 120GB 12 1' active 700E 5/120 BMB 120GB 12 1' active 700E 5/130 IGMB 120G 12 1' active 700E 5/130 IGMB 120G 12 1' active 700E 5/150 IGMB 120GB 12 1' active 700E 5/150 IGMB 120GB 12 1' active 700E 5/150 IGMB 110GB 11 3' dual 700E 5/150 IGMB 10GB 11 3' dual 700E 5/150 IGMB 10GB 12 1' active 700E 5/150 IGMB 10GB 20 BX CD C3 5/150 IGMB 25GB 8X CD C5 5/160 IGMB 25GB 8X CD 51 5/50 IGMB 25GB 8X CD 51 5/500 IGMB 25GB 8X CD 51 5/500 IGMB 25GB 8X CD 51 5/500 IGMB 25GB 8X CD 72 5/500 IG	3745.64 4195.15 4462.26 4427.71 5066.50 5407.41 5790.38 5499.97 2569.90 4615.23 2669.50 3489.99 4455.23 2669.50 3489.99 4455.23 2669.50 3489.99 4457.13 1669.74 2099.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2249.00 2599.00 469.12 157.62 909.45 11799.22

PC700 5/100 16M8 1 2GB 5 bity PC700 5/133 16MB 1 2GB 5 bitys

800-959-4239

1119.00 1229.00 1139.00 1239.00 1389.00 1549.00 1639.00 Call for a FREE CDW® catalog!

1119.00



148.15

148.15 256.18 344.04 5913.75 499.48 1849.57 2688.22 1255.23 1483.44 1483.44

228.28 317.15 445.72 005.20 381.94 509.02 445.72 603.67 299.00 399.00

497.33 673.62

132.89 201.89 282.25 275.33 749.27 604.12 1008.51 1897.53

169.94 212.45 238.47 298.38 316.80 384.41

141.13 149.36 168.17 184.51 158.77

149.48 169.29 169.29 189.40 114.93 229.66

238.90 273.51 293.14 344.74

Circle 133 on Inquiry Card.

Okipage 4w OL600e

631MB East-ATA

Coviar 853MB EIDI

Caviar 3 1GELE IDE

Caviar 1.2GH TIDE Caviar 1.6GB IDE Caviar 1.6GB IDE Caviar 2.1GB FIDE-2 Caviar 2.5GB FIDE-2

ACCURA 336 V.34 intern ACCURA 336 V.34 extern ACCURA 336 DSVD inter ACCURA 336 DSVD exter

URA 336 V.34 v

Sportster Series V34 33.6 internal wfax. V34 33.6 external wfax. Voice V.34 33.6 internal wfax Voice V.34 33.6 external wfax

Voice V.34 33.6 extornal what Winmodern V.34 33.6 extornal what ISDN 128K terminal adapter Courter Series V.34 33.6 external what V.34 33.6 external what I-modern ISDN V.34 taxmodern inter I-modern ISDN V.34 taxmodern exte

VISA

OPTIMA 336 Busin

631MB Fast-ATA 1 2GB TIDE-2 1 08GB Fast SCSI-2 2 1GB Fast ATA-2 2 1GB Fast SCSI-2 2 1GB utra wide SCSI-3 4 29GB Fast SCSI-2 9GB Fast SC

HARD DRIVES

Www.sterne

CONTROLLERS

MODEMS THayes

un ärnfor

as Modern external **Robotics**

Acculogic SIDE 4+ wipor 2 sening sume Acculagic SIDE 3+ wipor 2 sening sume Acculagic SIDE 3+ wipor 2 sening sume Adapter CH SIDE SCSE 2 CD K8 Adapter CH CUm Web SCS K8 Promise EIDE SCS VII, 34 do a bed BIOS Promise EIDE SC30+ VII, 34 do a bed BIOS 6650

Severate

OL610e OL810e

3751.93 4229.30 4609.91

1533.75 1279.84

1534.65

1894.94 2094.49 2196.31 2584.40

699.00

351.81

399.99 499.99 799.99 999.99

265.50 297.28 179.00 399.00 229.00 279.00 449.00 599.00


1387.25 289.45 443.03 383.04

204.61 293.84 299.00 399.00 479.00 796.71 475.87 549.00

SMART**CACHEV**

"Our competitors are solidly behind us."

20-50% behind us, to be exact.



This chart from the May, 1996 issue of **PC Magazine** (UK) shows the results described in their review of SCSI adapters entitled *"Survival of the Fastest"*. According to PC Magazine, *"SmartCache IV was demonstrably quicker than the other two [boards tested]."* (Adaptec 2940UW and BusLogic BT-958).

Here's your chance to get ahead of the competition. Call for more information about SmartCache IV SCSI adapters and modules. You'll see why we say: SmartCache, Smart Choice!



B9701) Rade in the U.S.A

New Ultra Wide Adapters Now Available

Circle 137 on Inquiry Card.



Development Tool

A popular Mac development tool steps out—this time, ready to do battle with a variety of platforms. By Raymond GA Côté

Multiplatform CodeWarrior



etrowerks CodeWarrior is one of the all-time great development tools for the Macintosh. The latest release,


Code Warrior 10 (CW10), tackles C, C++, Object Pascal, and Java. Platform-wise, CW10 supports System 7 on 68K and PowerPC Macs.

Code Warrior is expanding beyond Mac programming with development kits for General Magic's Magic Cap and the new US Robotics Pilot PDA (see the screen). You can also target Windows 95 and NT, BeBox, PowerTV, and Sony PlayStation. As this article was taking shape in early November, Metrowerks announced that at fall Comdex it would demonstrate a Windows version of Code Warrior. This will let you build 32-bit Windows and Mac applications from the PC side of the world. Other development kits (such as for the Pilot) will appear on the PC as well.

Metrowerks' core technologies are its compilers, linkers, and debuggers. However, the CodeWarrior integrated development environment (IDE) is just as important. Metrowerks has built an extensible IDE, with plug-in compilers, linkers, and pre- and postprocessors. The company provides the API for this IDE as part of the standard development kit. Compiler (and linker) writers who deliver tools as plug-ins to the IDE are able to leverage those powerful core capabilities.

There are, however, some rough spots. Even Metrowerks has not moved all its compilers into the IDE. For example, both the Pilot and the Magic Cap development cycles require that the final product build (the build downloaded to the target hardware) be performed using Apple's MPW command-line environ-





CodeWarrior now supports development for the US Robotics Pilot PDA, a simulation of which appears in the upper right.

ment and a custom Metrowerks compiler. Granted, you can automate this build from within the Metrowerks IDE, but I find having to switch in and out of the IDE during development unsatisfactory.

Pilot Development

I spent some time with Metrowerks' Magic Cap and Pilot development environments. Aside from Magic Cap being based on C++ and the Pilot being based on C, they are fairly similar environments. Both let you link your applications into a simulated environment that runs native on the Mac. Both need a final compile and link phase to be run through MPW. Both let you remotely debug your application on the target hardware.

The simulators permit Metrowerks to leverage the wide assortment of Macintosh development tools. For example, while working on a Pilot application, I can use Jasik's The Debugger and Onyx Technology's QC quality-control tester.

The Wise Route

With the exception of Java, Metrowerks is not attempting to build tools that allow cross-platform application development (that is, a single source-code base simply recompiled for Windows, Mac, etc.). CW10, for example, supports Metrowerks' PowerPlant C++ framework on the Mac and Microsoft Foundation Classes on Windows. Instead, Metrowerks is taking the wise route of providing a core IDE onto which new tools can be grafted, setting the stage for what could be the next standard in development environments.

Raymond GA Côté is president of Appropriate Solutions, Inc. You can reach him via e-mail at rgacote@apsol.com.



Storage


Seagate's new Cheetah UltraSCSI hard disk is the first to hit 10,000 rpm. By Stan Miastkowski

World's Fastest Disk Drive

emanding PC applications too often run up against hard disks that can't push data fast enough. Seagate Technology has changed that picture with its introduction of the Cheetah line of disk drives. They're the first to bump the standard for high-performance hard drives from 7200 rpm to 10,000 rpm.

I tested an UltraSCSI Cheetah on a 133-MHz Pentium system using an Adaptec AHA-3940UW SCSI card. The results were impressive. The Cheetah was able to transfer data at a continuous rate of nearly 11 MB per second. That's more than enough for the most demanding use. And the Cheetah's embedded-servo technology means the drive doesn't need to perform periodic recalibration that slows down data transfer. This is particularly important for video applications, where even the smallest data interruptions mean dropped frames.

It's not difficult to see why the Cheetahs offer better performance; the faster a drive spins, the quicker it delivers data. The faster rpm rate also means the drive finds data faster. I measured the unit's average access at 5.8 milliseconds. But it's the Cheetah's latency figure (which measures the average time to access the next data called for) that's real-





More revolutions per minute drives the Cheetah's latency down to a ridiculously low 2.99 milliseconds.

ly impressive. Seagate claims 2.99-ms latency, by far the fastest of any drive available today. By contrast, average latency on high-performance 7200-rpm drives is about 4.2 ms. These seemingly small differences become important when you're pushing a drive to its limits.

When first turned on, the Cheetah sounds like a distant jet engine spooling up. But because of special sound-absorbing and sonic-damping materials, the drive soon settles down to a sound level that's little different from other high-end drives. The Cheetah does, however, get very hot after it's been running for a while. You'd be wise to follow the airflow specifications in the manual. Seagate's stated mean time between failures (MTBF), by the way, is 1,000,000 hours— 114 years.

The Cheetah uses magneto-resistive heads to pack the data, a 512-KB buffer, and partial-response, maximum likelihood (PRML) read channels that separate that tightly packed data from electronic noise. The drives are compliant with SCSI Configuration Automatically (SCAM) and with Self-Monitoring, Analysis, and Reporting Technology (SMART), so they should be easy to install and maintain.

RATINGS								
TECHNOLOGY * * * * *								
IMPLEMENTATION	*	*	*	*				
PERFORMANCE	*	*	*	*	*			

The Cheetah comes in 4.5-GB and 9.1-GB models, in both UltraSCSI and Fibre Channel versions. Other major manufacturers will no doubt follow suit and introduce 10,000-rpm drives, but for now, Seagate is the one to buy if you want stateof-the-art hard disk storage.

Stan Miastkowski is a BYTE consulting editor who has been poking around inside computers for almost two decades. You can reach him at stanm@bix.com.

Operating Systems

The latest version of this free Unix spans multiple platforms and offers many sophisticated features. By Jim Mohr

The State of Linux

Core

magine a Unix server supporting a dozen users connected via serial terminals. Now add a few more users connected across the network using X Window. Finally, let's add a handful of Windows PCs that use the Unix machine as a file and print server. If you think that the machine can't handle this many operations, just add another processor and let the OS perform symmetrical multiprocessing (SMP) to distribute the load. If I were to say that all this is available for free, including the source code, you might think I was joking. If I were to add C and C++ compilers, a text processing system, a spreadsheet, and a Web server to the deal, you might begin to question my sanity. If I were to tell you that most of this software smorgasbord has been available for years, you might begin to question your own sanity and wonder why you haven't checked it out yet.

It's called Linux, and it's a Unix-like 32-bit OS that supports all the utilities, tools, and other features found in commercial Unix products. The latest kernel (version 2.0) provides enhancements such as Java and SMP support, making it better than some commercial Unix offerings. The best thing about Linux is that it's essentially free. However, for this same reason, many people question its legitimacy. Added to the fact that Linux started as a college project by Linus Torvalds, it seems only natural that it would not be something you'd want to run your business on. But as we'll see, the most logical question Linux poses is: "Why not?"

Running Linux

Linux runs on most major processors, such as various species of the x86, the PowerPC family, the Alpha series, and MIPS chips. It supports most major hardware peripherals, with some caveats. Typically, the developers of Linux hardware drivers are Linux users themselves. If someone wants to get a peripheral to work, he or she either writes the driver or waits for someone else to write one. The positive side of this situation is that since the developer uses the device and ends up with the same bugs as you, problems are quickly fixed, usually in a matter of days or weeks. Another advantage to this arrangement is that the person describes how to configure an Internet firewall, or hardware-related, such as the CD-Writer HOWTO that describes how to get certain CD-R devices running on your system.

It is important to check if there is a HOWTO for a specific piece of hardware in case it describes problems someone has already dealt with. A good example is the CD-Writer HOWTO. Although

Selected Linux Sites of Interest

OCICUCULINUX OILCS OF INCOLOSU	
URL	Description
ftp://ftp.crynwr.com/pub/kchanges	List of kernel changes, including links to sites with this information
http://sunsite.unc.edu/linux-source/	The Linux Source Navigator. Linux source code in HTML pages. A must for the developer
http://sunsite.unc.edu/mdw	The Linux Documentation Project home page; comprehensive set of on-line documents
http://vortex.cc.missouri.edu/~rhys/linux.html	List of common fixes to Linux problems
http://www.10mb.com/linux/	Home page of The Linux Advocacy Project; encourages commercial Unix application vendors to provide a Linux version
http://www.li.org/linux-int/	Linux International home page
http://www.tu-chemnitz.de/home/linux	Information, including books, links to other home pages (most in German)
http://www.xnet.com/~blatura/linux.shtml	Web Wanderer's List of Linux and Unix resources

who actually uses the particular peripheral—again, typically the developer writes the documentation. The negative side of this arrangement is that older peripherals won't garner such devoted support, so finding a reliable driver for vintage hardware, such as an old CD-ROM drive or network card, can be problematic. Furthermore, the person bestsuited to write device drivers may be ill-equipped to write clear and userfriendly documentation.

The documentation of all commercial Linux distributions appears in the form of HOWTO files. As its name implies, a HOWTO describes how to do something. This can be software related, such as the Firewall HOWTO that there exists a program (cdwrite) that operates CD-R drives, not all CD-R drives work with it. The HOWTO describes how to get the standard SCSI driver to work with specific CD-R drives. Computercontrolled uninterruptible power supplies (UPSes) are another example. Without any direct support from the manufacturers, users have gotten UPSes to work with Linux; their experiences are documented in the UPS HOWTO.

Many of the Linux hardware problems are due to the peripheral being simply too new to the Linux scene, so no driver exists. Other times, changes to the kernel may cause problems to specific drivers. For help, a glance at the Yahoo Web page is a good place to start. For example, when checking the driver status for 3 Com EtherLink III Vortex Ethernet cards, I was able to quickly locate patches for the 2.0 kernel, as well as for several other, older releases. The table "Selected Linux Sites of Interest" shows other useful Web sites. There are also sites that provide information in German, Swedish, Czech, French, Italian, Russian, and Spanish.

Perhaps the single most important HOWTO is the Hardware HOWTO. This is the Linux hardware "compatibility list." It describes not only the hardware that is supported but provides tips and URLs for hardware that isn't. "Supported" means only that the standard distribution has drivers for that particular set of hardware. It's always a good idea to check the Hardware HOWTO for a specific peripheral before attempting a Linux installation.

For information on the latest drivers and ports, you should check out the Linux Documentation Project (LDP) home page (http://sunsite.unc.edu/mdw). Aside from providing a full version of various LDP documents or "books," this Web site is a treasure chest of links to the latest drivers and patches, as well as to companies that provide Linux software and complete systems.

Running with Linux

If you're asking, "What good is all this if there is no software to run on it," the answer to that is: There is. Besides supporting all the programs that come standard with a Unix system, Linux supports all the network protocols that Unix users have grown accustomed to, like TCP/IP, NFS, and HTTP. In addition, there is a wide range of free applications software such as a text processing system, a spreadsheet, and a database. If these are insufficient, a wide range of commercial software is available.

Not every software product runs perfectly on Linux the first time. Most noncommercial Linux software is available as source code that you compile on the host system. This increases the likelihood that it will work correctly. However, check the program's accompanying README file that describes what steps to take for specific platforms.

Like the hardware, many software products have their own HOWTO. The Java HOWTO describes the steps necessary to get Java working on your system. Java requires support for Executable and

50 BYTE JANUARY 1997

Linking Format (ELF) binaries, which is not available prior to the 1.2.13 kernel. In addition, there are known problems with Java for specific versions of Linux.

A common issue with Linux is its compatibility with other systems. While its interoperability with other dialects of Unix is taken for granted, its connectivity to Windows-based PCs may be a point of concern. Linux works fine as an Internet server, but can it offer the file and printer services that other Unix dialects can? It can if you have Samba running. Samba is a software package that provides the session message block (SMB) funcux has developed a very large army of followers able to help since they have experienced the same problems you have.

Industrial-Strength OS

The most compelling aspect of Linux is that it typifies the whole Unix mentality. Unix is a system of choice. You choose how to configure the system and what functions the system has. If you want to implement it on a low-end PC or a highend workstation, you can. If you need real-time processing, that's available as well. Linux takes this one step further: Not only can you change parameters and

Selected Linux Distributors						
Company	Linux type	Web site	E-mail			
WorkGroup Solutions	LinuxPro	http://www.wgs.com	info@wgs.com			
Red Hat	Red Hat	http://www.redhat.com	redhat@redhat.com			
Walnut Creek CD-ROM	Slackware	http://www.cdrom.com	info@cdrom.com			
InfoMagic	Slackware	http://www.infomagic.com	info@infomagic.com			
Debian GNU/Linux	Debian	http://www.debian.org	debian@debian.org			
Craftwork Solutions	Craftworks Linux	http://www.craftwork.com	info@craftwork.com			
Delix Computer GmbH	DLD	http://www.delix.de	delix@delix.de			
Yggdrasil Computing	Yggdrasil Linux	http://www.yggdrasil.com	info@yggdrasil.com			
S.u.S.E. GmbH	S.u.S.E. Linux	http://www.suse.de	suse@suse.de			

If you need information in languages other than English, there are a number of places to look. A good start is: http://www.yahoo.com/Computers_and_Internet/Operating_Systems/Unix /Linux/Foreign_Language_Sites/.

tions required to support Windows for Workgroups, Windows 95, Windows NT, and LAN Manager. In fact, any client that supports SMB can access a Linux system running Samba. The great thing about Samba is that it works both ways, so your Linux system can also access other systems such as NT.

One of the biggest arguments against Linux has been that of support. Because Linux was not developed by a single entity, there is no 800 number you can call. However, Linux is bundled and distributed by a number of companies, as shown in the table "Selected Linux Distributors." If you purchase one of these bundles, you are often provided technical support on basic issues such as installation. Many companies do nothing other than Linux support. Some companies, such as WorkGroup Solutions, not only provide complete systems, including their own version of Linux, they offer consulting services as well. Finally, Linconfiguration as you wish, you can change the basic behavior of the operating system if you need to because you have the source code.

Although Linux doesn't yet run on mainframes, it's just a matter of time. Since Linux runs on every major computer architecture, the odds are that there is a Linux system that fits your needs. Because of the amount of software and support available, Linux has found a place right alongside Unix OSes from even the largest vendors. And you can't argue with the price.

Jim Mohr is a system and network administrator for Kaeser Compressors in Coburg, Germany. He has spent six years providing technical support for SCO Unix and is the author of SCO Companion: The Essential Guide for Users and System Administrators (Prentice-Hall, 1996). He is working on a book on Linux, to be published this year. You can reach him at 100542.2677@compuserve.com.

3D Graphics Meltdown

is for

Fast action and stunning realism that's the promise of new 3D games and edutainment software. But if your Super Star Fighter jerks along instead of zooming and your "terrifying" monsters are glaringly pixelated — face it. You're not having much fun.

Don't just play it...Live it!

With a Reactor 3D graphics accelerator on your PC, expect a whole new interactive experience!

Plus IndyCar II®and HellBender™ FREE!



you really into this race?

Notice the jagged lines and edges and the flat, dull colors. Where's the crowd? What are those blocky things in the background? Are

IndyCar with SVGA Graphics

300 0 3993

00.63

FOR

IndyCar with Reactor Graphics Now you're racing! See the detail on next car. Watch those rearview

300

0 39

0.01

<u>30 fp</u>

mirrors — that's real 3D! Notice the crowd in the stands and the mountains in the background. And how about that sky!

Want to know more? Call 800-763-0242 or reach us on the Internet at http://www.intergraph.com/ics/reactor.



TM

Circle 141 on Inquiry Card (RESELLERS: 142).

Across the Office... Across the Building... Across the World!

OK. Your boss (and his boss and her boss) are crowded around your computer, looking at your new product concept. You need to show them the idea Becky is working on, but her computer is all the way across the lab. You start to herd everyone over there, knowing you only have 5 minutes before your budget meeting.

Oh, if only you could go over those figures one more time! But Bob has them on his computer six floors down and is probably editing them again RIGHT NOW.

But, you can still make it ... until you get the call (you know you shouldn't have answered it) telling you that your server has gone down at the Atlanta office. You could fix it - if you weren't in Frankfurt.

you had been using a Cybex Solution, you could have done all that and more right from your desk.

No matter how far your work takes you from your computers, Cybex keeps you in the driver's seat. With our hardware, you can access and operate most any computer, anywhere, just as if you were sitting in front of it.

One company. One solution. Cybex.



Cybex Computer Products Corporation 4912 Research Drive Huntsville Alabama 35805 USA (800) 93CYBEX (29239) • (205) 430-4030 fax http://www.cybex.com





Cybex is a registered trademark of Cybex Computer Products Corporation. Lantastic is a registered trademark of Artisoft Inc.. Banyan is a trademark of Banyan Systems Inc. Netware is a registered trademark of Novell Inc. Come see us at Comnet, Washington, D.C., Feb. 4-6 at Booth #1612 Circle 135 on Inquiry Card (RESELLERS: 136).

Networks

Remote procedure calls bring network applications together. By Tom Yager

Client/Server Magic

evelopers can no longer pretend that their applications run on isolated systems. While today's workers are used to seamless data exchange among applications running on the same system, it won't be long before they demand the same effortless data connectivity across networks.

Core

Every network-capable OS has its pet scheme for passing applications data through network links. Sometimes you can graft one vendor's method onto another vendor's OS. The TCP/IP ("Berkeley") sockets API has taken up with PCs (even those running DOS) and Macs, staying transparently compatible with its Unix birthplace. However, sockets programming takes some time to master. Developers yearn for a simpler, more elegant networking API.

That API does exist. It's called remote procedure call (RPC). RPC was born at Sun as part of its NFS and Open Network Computing (ONC) distribution. The Open Software Foundation (OSF) made a significantly enhanced RPC part of its Distributed Computing Environment (DCE). There is also an emerging ISO RPC specification.

RPC, old or new, comes with most OSes. The focus of this article is the implementation Microsoft delivers with Windows NT Server 4.0. If you're a Unix or Mac user, you should have little trouble applying what you read here to your target OS. Note that Microsoft ships only the RPC portion of the DCE standard with NT. A complete DCE implementation is available in source code from the Open Group/OSF (http://www.osf.org).

Embrace Diversity

NT's version of RPC is sweet. It supports NT's standard networking protocols and can converse effortlessly with clients running DOS; Windows 3.x, 95, or NT; Unix; or the Mac OS. Data knows no platform preference, because RPC smooths the data representation, such as byte ordering and INT size differences. As long as both client and server speak DCE RPC, all lines are open. The Win32 Software Development Kit (SDK) includes the tools and header files needed to support RPC, The server can even modify data that is passed as arguments, just as a local function can. You can pass pointers, structures, and unions as data. RPC takes care of sending the data, making the call, and returning the results.

If your network is running an RPC directory service (DCE defines its stan-

Protocol name	Description	DOS	Win 3.x	Win 95	Win NT	Mac	Unix
ncacn_nb_tcp	NetBIOS over TCP	С	С	N	C, S	N	N
ncacn_nb_ipx	NetBIOS over IPX	С	С	N	C, S	Ν	N
ncacn_nb_nb	NetBEUI	С	С	C, S	C, S	N	N
ncacn_ip_tcp	TCP/IP	С	С	C, S	C, S	С	C, S
ncacn_np	Named pipes	С	С	С	C, S	N	Ν
ncacn_spx	SPX	С	С	C, S	C, S	N	N
ncacn_dnet_nsp	DECnet	С	С	N	N	N	Ν
ncacn_at_dsp	AppleTalk	N	N	N	N	С	N
ncacn_vns_spp	Banyan Vines	N	N	N	C, S	N	N
ncadg_ip_udp	Datagram UDP/IP	С	С	N	C, S	Ν	C, S
ncadg_ipx	Datagram IPX	С	С	N	C, S	N	N
ncalrpc	Local procedure call	N	Ν	C, S	C, S	N	N

Each protocol's OS support is shown with a C for client support, S for server support, and N for no support.

and Microsoft's Visual C++ development environment supports and documents RPC development.

In describing RPC, it helps to start with a broad brush and work down to the detail. A one-line summary of RPC is that it lets you call virtually any C function from across a network. If you let RPC do all the work, your client code simply makes ordinary function calls, even though the target function resides and executes on a remote server. You can pass arguments from client to server, and the server can send back return values. dard Cell Directory Service [CDS]; NT includes Microsoft's proprietary RPC Locator), the client searches the directory for a server that is offering the requested function. A server can upgrade its functions and still remain compatible with older clients. Each RPC interface (group of functions) is tagged with a version number. The server invokes the function with the matching version number, or it refuses the request if a version is no longer supported.

In the NT environment, a server can make an RPC function available to all Networks

types of network clients simultaneously. That means one server application can advertise its functions to TCP/IP, Microsoft NetBIOS, NetWare IPX/SPX, and AppleTalk clients. The table "Microsoft-Supported Network Protocols" shows the OSes that offer RPC and which protocols they support.

Fetch the Marshal

RPC's programming interface is partly implemented in a way not often seen today: as a C-code generator. There are libraries and header files, of course, but RPC's simplicity comes from its generated code. Every RPC application is tagged with a Universal Unique Identifier (UUID), which is derived randomly as the first step of code generation. This is part of the identification string that servers register with the directory service. Clients searching for a server must supply a registered UUID, interface name, and version number to get a match.

The RPC code generator works from a template written in the RPC interface definition language (IDL). Microsoft made its mark with some enhancements, turning IDL into MIDL. "Sample MIDL Listing" shows a MIDL file that defines the UUID, version number, and interface name for the application. It also defines the data that passes between client and server through expanded C-style function templates.

Earlier implementations of RPC permitted one outgoing and one incoming data structure. DCE RPC permits any number of function arguments. Each argument can send data to the server ([in]), return data to the client ([out]), or both ([in, out]). MIDL files can contain quite ordinary-looking C variable definitions, even typedefs. You can use any data types that are defined in the MIDL file as arguments and return values in RPCs.

The MIDL compiler takes in the MIDL definitions and churns out stubs, the C source code that does RPC's hard work. This includes three files: a server stub, a client stub, and a header file. Using RPC's simplest model, you need only compile your stubs to object files and then link those objects into your code. You link the server stub with your server application and the client stub with your client application. You include the header file in both client and server to import the data definitions and to gain access to the RPC API.

The stub code converts data for transmission through marshaling and unmarshaling operations. When a client calls a server, the client stub marshals the arguments by combining the data and converting numeric information into an architecture-independent Network Data Representation (NDR). When the server receives the data, the stub breaks apart the incoming arguments and converts NDR-encoded numerics back to the access to a binding handle. Calls in the RPC API use this binding handle to identify and manage the server connection, but the stub code holds the handle for you. If you choose explicit binding, your client is responsible for the binding handle and must pass it as an argument with every remote call. Implicit binding exposes more of the RPC API, while explicit binding lets a single client maintain connections with multiple servers.

Sample MIDL Listing

After the header, the MIDL file follows C-language conventions with some extensions. The RPCDemo function prototype shows one string argument passed to the server, one string shared by the client and server (the server may modify it), and a Boolean (true/false) return value.

```
//file RPCDemo.idl
uuid(7a98c250-6808-11cf-b73b-00aa00b677a7),
version(1.0).
pointer_default(unique)
interface RPCDemo
  const long MAX_LEN = 255:
  typedef [string] char pszArg1[MAX_LEN + 1];
  typedef [string] char pszArg2[MAX_LEN + 1];
  Boolean RPCDemoProc(
    [in] pszArgl,
     [in, out] pszArg2
  );
```

host's native format. The server calls the requested function, and the server stub then marshals modified ([out]) arguments and the return value for transmission back to the client.

Ties That Bind

When you're building an RPC application, you must choose a binding method. This determines how the client locates the remote call on the server. Automatic binding takes care of everything. The server can advertise itself on all protocols simultaneously. The client consults its configured directory service (RPC Locator or CDS) to find the server it needs. It lines up matching network protocols, marshals the arguments, makes the call, and unmarshals the returned data with practically no effort. Furthermore, a connection based on automatic binding can often automatically retry a call that fails due to a temporary network outage.

Implicit binding gives your client

Of the three binding methods, automatic binding is clearly the slowest one. It exacts enough of a performance penalty to force you to use another method for frequent calls or performance-critical code.

While it's a little slow, automatic binding creates the shortest, most easily understood code. The sample code (which is available at http://www.byte.com/art /download/download.htm) includes a Visual C++ make file, a MIDL file, and client and server code for a simple RPC application. The server is written for NT, but the client can run on any version of Windows. If you run the client under Windows 95, check the readme file for instructions on modifying the registry to point to an RPC Locator or CDS on your network. B

Tom Yager is a freelance writer and senior software developer in Dallas, Texas. You can reach him at tyager@maxx.net.

Compex Fast Ethernet Hub

Spans the distance, defies speed barrier.



All done in a snap

Introducing the latest 16-port Fast Ethernet hub from Compex : The **MicroHub Plus 100/TX16**. Its **SpaceLink** option extends the cascading distance between hubs to 100 meters while the **10/100 SuperLink** option incorporates switching technology to allow automatic connection to either a 10Mbps or a 100Mbps hub up to 100 meters away. Docking pins connected directly to the backplane of the hub chassis provides for the **SnapLink** feature of the hub. So stacking up to 4 hubs is just that easy and secure, without the need for any external stacking cables. The innovative MicroHub Plus 100/TX16 also comes with a network management option using an SNMP agent to lighten the load of network managers and LAN administrators. For more information about the MicroHub Plus 100/TX16 (TX3216) and other network products, contact us or check out our website at http://www.cpx.com.



Networks that work

U.S.A. Compex, Inc. 4051E. La Palma Ave Anaheim, CA 92807 U.S.A. (714) 630 7302 Fax (714) 630 6521 Germany ReadyLINK Networktechnology GmbH Albert-Einstein-Straße 42 63322 Rodermark, Germany (49) 607 4 98017 Fax (49) 607 4 90668

Compex Systems Pte. Ltd. #08-01, PM Industrial Building. 135 Joo Seng Rd Singapore 368363 (65)288 8220 Fax (65)280 9947

Singapore

Circle 701 on Inquiry Card (RESELLERS: 702).

Introducing Mega



UVB) 819-7976. Fac: 60% 100-7958 • Califaciants' at 1907 009-7213 2/4 hour tex cerdinand, • Minnet www.exemplot.com Proce and specification subject to change without notion "1638" in of January 1, 1997 IP VewSion Carporation 1996, 1997. All rights resempt: Corporate names and tendencels State) there are the property of ever respective computers

Monitor

with 250 MHz video input bandwidth, 1800 x 1440 @ 76Hz and a 30–115 KHz horizontal scan range,

what else could you call it?

Announcing the ViewSonic P815 21" (20" viewable) monitor: Mega sharp. Mega stable. Mega fast. Mega value. It's the latest innovation from ViewSonic^{*}, the recognized leader in color monitor technology. And it's a mega hit.

More power to you.

Revolutionary Invar Shadow Mask technology delivers some pretty unbelievable numbers. Like resolutions up to 1800 x 1440 at a 76Hz refresh rate.

	ViewSonic Professional Series						
Model	P815	PT813	P810	PT775	17PS		
CRT Size/Viewable	21°/20.0°	21°/20.0*	21*/20.0*	17°/16.0°	17°/16.0"		
Dot/Aperture Grille Pitch	0.25mm	0.28mm*	0.25mm	0.25mm*	0.25mm		
Horizontal Frequency	30-115 kHz	30-107 kHz	30-95 kHz	30-96 kHz	30-86 kHz		
Video Input Bandwidth	250 MHz	230 MHz	200 MHz	200 MHz	135 MHz		
Maximum Resolution	1800 x 1440	1600 x 1280	1600 x 1280	1600 x 1280	1600 x 1280		
Optimal Resolution	1800 x 1440 @ 76Hz	1600 x 1200 @ 85Hz	1600 x 1200 @ 76Hz	1600 x 1200 @ 77Hz	1280 x 1024 @ 80Hz		
TCO Certified	Yes	Yes	Yes	Yes	Yes		
MSRP**	\$2,195	\$1,895	\$1,745	\$999	\$799		

*Aperture Grille

CEXPO S

Vinner ViewSonic P815 June 1996 Winner ViewSonic P815 June 1996 A whopping 250MHz video input bandwidth. And a horizontal scan rate up to 115KHz. All of which are high water marks in the industry. Add to that a 0.25mm dot pitch (also the best in the business) and you've got the new standard for highend CAD, document imaging and other applications where absolute precision is a prerequisite.

The benefits of this new, state-of-the-art P815 are many—and obvious to the eye. The text is the sharpest available today. Period. The images are absolutely flicker-free, virtually eliminating fatigue and eye strain.

The P815 displays more information faster than any monitor you've ever seen before. And with BNC <u>and</u> VGA connectors, you can easily switch between two separate systems.

<u>Compared to other monitors</u> there is no comparison.

After winning the Byte Spring '96 "Best of Comdex" and "Best of PC Expo" awards, the performance is obviously rated the highest in the industry, but the price is not—it is a real mega value. It comes with ARAG[®] anti-reflection, anti-glare screen coating, a limited 3 year warranty on CRT, parts and labor (the best in the business), and an optional Express Exchange[®] Service program that insures 48 hour replacements.

If all this doesn't convince you that the ViewSonic P815 is truly a "mega monitor," then seeing it certainly will. Call (800) 888-8583 and ask for agent 1287 for your nearest dealer.



Circle 232 on Inquiry Card (RESELLERS: 233).



C-Cube Microsystems' low-cost MPEG encoder brings digital video to the mainstream computer user. By William Chien

Video for Everyone

ntil recently, the use of MPEG—a standard for the storage of high-quality digital video—as a data type on PCs was limited. That's because while decoding MPEG data is easy—software can convert it back into a digital video stream—encoding live video into the MPEG format requires dedicated and expensive hardware. This restricted PCs to being playback devices for MPEG data.

Core


However, that situation is about to change. Low-cost encoder processors from C-Cube Microsystems capture live video and convert it into MPEG-1 data in real time. One of these encoders, the CLM4111, lets OEMs turn standard PCs into true video-processing engines. Thus, you now can create high-quality MPEG videos for presentations, training videos, and communications on the Internet.

CLM4111 Architecture

The CLM4111 performs all the processing required to turn uncompressed digital video from a video-capture device into an MPEG-1 video data stream. To provide this capability at low cost, C-Cube took a programmable approach, enhancing a 32-bit RISC core, the VideoRISC CPU, with special instructions and hardware coprocessors, as shown in the figure "The CLM4111 Microarchitecture."

The VideoRISC CPU operates at 80 MHz with single-cycle instruction execution. Integrated 1-KB instruction and data caches provide single-cycle access to data for both the VideoRISC CPU and Motion Estimator (ME) coprocessor to reduce stalls.

Besides the standard operations, the VideoRISC instruction set includes single instruction/multiple data (SIMD) instructions. These SIMD instructions perform operations on multiple pixels, and C-Cube widened the CPU's internal data paths and registers to 36 bits to support



Because of little overlap in chip resources, most of the MPEG-encoding stages can execute in parallel.

processing four 8-bit pixels in parallel. The SIMD instructions execute on a dedicated Video DSP (digital signal processor) ALU. Video DSP instructions accelerate filtering, discrete-cosine-transform (DCT) calculations, and the image analysis required for MPEG compression.

Coprocessors and I/O

The CLM4111 has several on-chip coprocessors that boost the data-encoding rate. Operating on 8- by 8-byte data arrays, the ME coprocessor performs the repeated block matches required to find the best motion vector when coding MPEG B and P frames.

The variable-length-coder (VLC) coprocessor performs the final lossless

compression stage of the MPEG algorithm. The VLC does a zigzag scan of each data block to order the data for maximum compressibility, followed by run-length and Huffman encoding. The VLC uses ROM-based lookup tables to implement MPEG-1, MPEG-2, and H.261 encoding schemes. The variable-length-decoder (VLD) coprocessor performs the reverse processing necessary to decode an MPEG data stream.

To keep the large amounts of video data flowing through the processor, the CLM4111 has four I/O interfaces. Two 8-/ 16-bit video interfaces handle digital video data, and each one of these has a 32- by 32-bit first-in/first-out (FIFO) buffer to hold the data. The video input port can

CPUs

interface directly to CCIR-601 signalcompatible video decoders. The data output port can transfer data to the host application asynchronously.

The third interface, a 16-/32-bit host port, is used to initialize the processor and download microcode. The CLM4111 has a message-based API that controls the MPEG encoder and its compression parameters. The host system issues the commands through this interface.

The last interface is a 32-bit DRAM interface that connects to 2 MB of fast page-mode DRAM. The CLM4111 uses this DRAM as a scratchpad to store temporary data during the encoding process. This interface generates the signals necessary to drive the DRAM bank, thus reducing parts in a design. A seven-channel on-chip DMA controller prevents congestion by managing data transfers.

Making MPEG

A description of how the CLM4111 encodes video data shows the complex processing required to achieve real-time MPEG encoding. In the capture stage, the processor receives uncompressed video frames through the video input port. The input interface's hardware performs subsample filtering and 2-to-1 horizontal scaling of the data. The DMA controller transfers the processed data from the input FIFO buffer to a buffer in DRAM.

In the preprocessing stage, the DMA controller transfers frame data to the VideoRISC data cache. The VideoRISC CPU and Video DSP perform additional filtering, scaling to Quarter Source Input Format (QSIF) resolution, and image analysis to determine rate-control settings (i.e., how to encode the current frame with the highest quality). The resulting data is transferred back to DRAM for use in the subsequent encoding stage.

Target and search data are also transferred to the data cache for processing by the ME coprocessor. The resulting bestmatch information is stored by the VideoRISC CPU in DRAM.

The filtered video data, the ME's motion vectors, and the preprocessing

WHERE TO FIND


C-Cube Microsystems Milpitas, CA (408) 944-6300 fax: (408) 944-6314 http://www.c-cubed.com/

60 BYTE JANUARY 1997

stage's coding instructions are now available for the MPEG-encoding stage. The Video DSP performs the motion compensation, DCT, and quantization on each 8- by 8-byte data block. These results are transferred to the VLC. The VLC unit performs the run-length and Huffman coding of the data, with the output again transferred by the DMA controller to DRAM. In the output stage, the CLM4111 transfers the compressed data frames to the CLM4111 to perform different functions, depending on the targeted market.

CLM4111 System Design

The CLM4111 is a 3.3-V part, using a three-metal-layer, 0.5-micron process. It's housed in a 208-pin Plastic Quad Flat Package (PQFP). It dissipates only 1 W at 80 MHz. To help OEMs incorporate the CLM4111 into their products, C-Cube provides a reference design, as shown in



The parts to add MPEG editing to a PC cost about that of a quality graphics card.

the host through the video output port, again under DMA control.

Microcode Machinations


The CLM4111's microcode manages the overall operation of the processor and implements C-Cube's MPEG compression algorithm. The microcode provides the flexibility to handle different video-frame sizes (SIF and QSIF resolution) and rates (NTSC and PAL). The microcode implements the MPEG algorithm's "smarts," making on-the-fly decisions about how to best encode each frame. The microcode is also responsible for managing the data flow through the processor, such as scheduling DMA transfers and coprocessor execution.

The CLM4111's internal architecture lets the microcode implement a software pipeline. Because most of the MPEGencoding stages use different on-chip resources, the microcode arranges them to execute in parallel, boosting throughput. Finally, the microcode can program the figure "The CLM4111 Reference Schematic." Sincee it has a generic host interface and outputs fully compressed MPEG video data, you can connect the CLM4111 to ISA or PCI buses or integrate it on a graphics accelerator board.

The CLM4111 costs \$75 in production quantities (i.e., lots of 5000). The reference schematic's estimated bill of materials is \$175. These costs are comparable to those of a quality graphics card. The CLM4111's capabilities and price point make it attractive as an add-on for vendors wishing to differentiate their systems. Because the CLM4111 lets you capture, edit, store, and communicate with digital video, MPEG becomes an active data type and useful to everyone. The PC finally becomes an active—not passive—tool for video work.

William Chien is the program manager for the CLM4111 processor at C-Cube Microsystems. You can contact him at william.chien @c-cube.com.

A developer's dream come true...



The world's #1 software protection is now the easiest to implement!

You've always dreamed of superior software protection that was simple to integrate into your entire product line. The new SentinelWizard makes your dream a reality.

Just tell the SentinelWizard how you want to sell your products. It then automatically configures your Sentinel keys and generates the pseudo code necessary to complete the protection process. Call the Rainbow office or distributor nearest you to order your Sentinel Developer's Kit, featuring the SentinelWizard.



Visit our web site www.rnbo.com



RAINBOW TECHNOLOGIES CONCERNING AND A CONTROLOGY Drive, Irvine, CA 92618 Tel: (714) 450-7300 Fax: (714) 450-7450 ASIA/LATIN AMERICA: (714) 450-7300 FRANCE: (33) 1 41 43 29 00 GERMANY: (49) 89 32 17 98 0 U.K.: (44) 1932 579200 O1996 Rainbow Technologies, Inc. Sentinel, Sentinel M and SentinelWizard are trademarks of Rainbow Technologies. All other names are property of their respective owners.

ALGERIA: AFAK (2.13) 41.85.61 ARGENTINA: Agri-Aid, S.A. (54) 1.8030536 AUSTRALIA: LOADPLAN (61) 3.9650.0455 BELGIUM/LUXEMBURG: [25 (32) 92.21 11 17 BRAZIL: MPS Statemas Lida. (55) 11.574.8686 BULGARIA: KSIMETRO (35) 92.79.1478 CHINA (BSU): Shangha Pudolog Software faek Electronics Company (86) 21.6403.1966 CHINA (North): CS8 (86) 10.621.7722.24304 COLOMBIA: Construidata (57) 1.622.6011 CZECH REPUBLIC: ASKON Im11(42) 2 3103 652. EGYPT: ZEDANI-ADS (202) 248 8094. GREECE: Byte Computer SA. (301) 924 17 28 GUATEMALA: Soft Corporation (502) 2 304006 HOMS KONG: Allatini. Iech. Co (552) 2333 0626 HUNGARY: Polyware Kft (36) 76 481 236 HUNGARY: Polyware Kft (36) 76 481 236 HUNGARY: Polyware Kft (36) 76 481 236 HUNGARY: Polyware Kft (36) 72 481 246 HUNGARY: Polyware Kft (36) 72 481 246 HUNGARY: Polyware Kft (36) 72 481 246 HUNGARY: Polyware Kft (36) 74 44 001 HAN: GAM Electronics (98) 21 87 44 001 HAN: GAM Electronics (98) 21 87 44 005 HAN: GAM Electronics (98) 21 87 40 005 H ITALY: Siosisterni (39) 30 24 411 JAPAR: Gáen Ship Co, Ltd (81) 52 972 6544 JORDAN: COE Figureering (96) 26 863 861 KOREA: Genesis Technologes (82) 2 578 3528 LEBAION: Haltond Group Com. (96) 1 49311 MALAYSIA: Eastern Systems Design (M) Schn Bhid (60) 3 241 1188 MEXICO: Impac Comp. SA de C Y (52) 66710 291 MOROCCO: Futur & Soft (212) 2 40 03 97

Circle 228 on Inquiry Card.

NETHERLANDS: thitoCom (31) 74 7430 105 NEW ZEALAND: Software trauges (64) 09 378 9750 PERU: OpenSoft (51) 1 224 2125 PHILIPPINES Mannasoft Technology Corporation (63) 2 813 4162. POLAND: HITEX 5p. 2 o. (48) 22 41 97 51 PORTUGAL: COMELTA (351) 1 941 65 07 RUSSIA: Multiroft In(1 (7 095) 186 35 84 SAUDI ARABIA: ZEDAN (966) 2 665 1904 SCANDINAVIA: Fetico AV (47) 2249 1500 SINGAPORE Systems Design PTE 110 (65) 747 2266 SOUTH AFRICA: SOFTSECURE (27) 11 477 6053 SPAIN: MECCO (34) 3 422 7700 SWITZERLAND: BV AG (41) 1 745 92 92 WITZERLAND: BV AG (41) 1 745 92 92 WITZERLAND: Safe Compad 5A (41) 2 421 536 TAIWAN: Evershime Tech. (886) 2 319 4451 TURKEY: BINESS, Ltd. (90) 216 348 3508 TURKEY: BINESS, Ltd. (90) 216 348 3508 VIENEZUELA: INTEM Overs (58) 2 261 4282

EXPLORING CHEMISTRY FOR WINDOWS

EXPLORING CHEMISTRY contains a large number of topics, which include: the laws of chemistry; Lavoisier, Dalton and Proust; the weighted balance of chemical reactions; matter; pure substances and mixtures; elements and compounds; atoms and molecules; atomic models; the orbital quantum model and chemical bonds. It is

also possible to select the elements on the basis of their chemical and physical properties and to make a comparison of the data for several different elements by creating a graph.

EXPLORING BIOLOGY FOR WINDOWS

0000000

EXPLORING BIOLOGY deals with a large number of topics that cover experimental analysis, scientific methodology, the instruments of scientific enquiry, the features underlying life, including the molecules that make up the structure of sugars, lipids, proteins and nucleic acids. The cell and its components, glycolisis, Krebs' cycle, cellular respiration, fermentation, chlorophyll related photosynthesis, genetics, nucleic

nti di un sisten

Exploring Chemistry

acids, DNA and RNA, DNA duplication, proteic synthesis, cell reproduction, Mendel's laws, sexual reproduction, modern genetics, genetic diseases, Darwin's and Lamarck's theories of evolution, proof of evolution, evolutive mechanisms, the origin of life, the classification of life-forms, the binomial list, classification criteria. The kingdoms into which living beings are divided are also dealt with: the Viruses, the Monera, the Protista, the Fungi, the Plantae and the Animalia.

Minimum configuration: 100% MS-DOS compatible PC, CPU 80386 or higher, 4 Mb of RAM (8 Mb are recommended), hard disk with 6 Mb of available space, mouse, VGA graphic card or higher, Windows 3.1 or higher. Recommended: Windows compatible audio card, Windows compatible printer.

Available in English, German, Spanish and Italian - MS-DOS and WINDOWS are registered trademarks of Microsoft Corporation.



FINSON srl - Via Montepulciano, 15 - 20124 Milano (ITALY) Tel. +39-2-66987036 - Fax +39-2-66987027 - E-mail: finson@finson.it

FINSON (UK) Ltd. - Parallel House - 32 London Road - Guildford - Surrey GU1 2AB Tel. +44-1483-451856 - Fax +44-1483-452144 - E-mail: finson@finson.co.uk Log on: http://www.finson.com

Circle 170 on Inquiry Card (RESELLERS: 171).

EXPLORIN

collection for Secondary School students, designed specifically to help them learn in a simple and intuitive manner. It is not intended solely for students but also for anyone wanting to increase and broaden their knowledge of a specific subject. The user can learn all the information either by following the topics step by step or by navigating through the contents. Learning is pleasant and the results are guaranteed thanks to particularly sophisticated multi-media techniques, such as the use of graphics for a more effective understanding of the contents, hypertext links for moving from a given topic to other related ones and helpful functions for searching for the best-known terms.

The EXPLORING series is a multimedia

EXPLORING PHYSICS FOR WINDOWS

EXPLORING PHYSICS is split up into several learning un covering the main topics of physics: the measurement of physic magnitudes; units of measurement; the analysis of experimen data; from the analysis of data to physical laws; spec acceleration and force; equilibrium in stiff bodies and fluid energy, temperature and heat; and electricity and the relat phenomena.



EXPLORING MATHEMATICS FOR WINDOWS

EXPLORING MATHEMATICS covers a range of many different topics sets and their relationships, classes of equivalence, real and non-rea numbers, operations and properties, algebraic expressions, monomial and polynomials, logical operations, equations and disequations, system of equations and disequations and their performance, 1st and 2nd degree equations, radicals, parametric equations and biquadratic equations

Q.ty	TITLE	PRICE	TOTAL				
	Exploring Chemistry	\$ 39,99					
1010	Exploring Physics	\$ 39,99					
	Exploring Biology	\$ 39,99					
	Exploring Mathematics	\$ 39,99					
Posta	ge and packing		\$ 10				
1							
Name							
Address							
Town/Cit	ty						
Post Co	de	Tel.					
I encl	ose a cheque						
Pleas	e debit my credit card		ASTER CARD				
Card n°							
Card Expiry Date							
Card Ho	Ider Name (if different)						
			Bylo 12				

Programming

Java uses a sophisticated class-checking mechanism to ward off breaches in security. By Gary McGraw and Edward Felten

Java Security and Type Safety

ava's ability to download, integrate, and execute code from a remote computer is a double-edged sword. On the positive side, the use of Java enables a computer to obtain new capabilities with little user intervention. In addition, Java requires no installation of hard-totrack-down and dubiously secure plugin files. On the negative side, however, Java's intricate machinations leave a computer vulnernable to attack. A hostile Java applet could stealthily tamper with a host system's files or siphon off private data without the user's being aware of the damage until it's too late.


Core

Java's designers did their best to make such malicious activities impossible by implementing a security model. This security model performs a number of checks before allowing a downloaded applet to execute. (For additional information on Java security, see "Plugs for Java's Security Holes" on page 76.)

Java security relies on three prongs of defense: the Byte-Code Verifier, the Applet Class Loader, and the Security Manager. Together, these three prongs perform load and run-time checks to restrict file-system and network access, as well as restrict access to browser internals. Each of these prongs depends in some way on the others. Each part must do its job properly for the security model to function correctly.

The Security Triad

The figure "Java Security Triad" above shows how the three prongs of defense fit into the Java framework. The Byte-Code Verifier is the first prong of the Java security model. When a Java source program is compiled, it's converted to platform-independent Java byte code. The Verifier then checks that the untrusted outside code "plays by the rules" before it's allowed to run. The Verifier checks byte code at a number of different levels. The simplest test ensures that a .class file (i.e., a bytecode file) has the correct format. On a less basic level, the Verifier applies a built-in theorem prover to each method. The theorem prover helps ensure that byte code as a new class. The Class Loader determines when and how an applet can add classes to a running Java environment. Part of the Class Loader's job is to make sure that the applet doesn't install code that replaces important components of the Java run-time environment.



Java performs several safety checks before a downloaded applet can execute.

does not forge pointers, violate access restrictions, or access objects using incorrect type information. The verification process, in concert with the definition of the Java language, helps to establish a base set of security guarantees.

Java's second prong of security defense is the Applet Class Loader. Typically supplied by a browser vendor, it loads all applets and the classes that they reference. When an applet is loaded from the network, the Applet Class Loader receives the binary data and instantiates it In general, a running Java environment can have many active Class Loaders, each defining its own namespace. *Namespaces* allow Java classes to be separated into distinct kinds, according to where they originate. In other words, a namespace is a type-safe portion of memory with classes that are associated with a specific Class Loader.

The third prong of the Java security model is the Security Manager, which restricts the ways in which an applet can use visible interfaces. Thus, the Security Programming

Manager implements a good portion of the entire security model. It's a single module that performs run-time checks on dangerous methods, such as those for file or network access or those that define new Class Loaders.

Code in the Java library consults the Security Manager whenever a dangerous operation is about to be attempted. The Security Manager then has a chance to veto the operation by generating a Security Exception. Decisions made by the Security Manager take into account which Class Loader loaded the requesting class. Built-in classes are given more privilege than classes that have been loaded over the network (e.g., applets).

The three parts of the Java security model were created to enforce *type safety*, which means that a program can perform particular operations only on particular kinds of objects. Therefore, Java programs are prevented from accessing memory in inappropriate ways.

More specifically, every piece of memory is part of some Java object, and each object has some class. For example, a calendar management applet might use such classes as Date, Appointment, Alarm, and GroupCalendar. Each class defines a specific set of operations that are allowed to operate on objects of that class. In the calendar management example, the Alarm class might define a turn0n operation, but the Date class would not allow turn0n to occur.

Why Type Safety Matters

To understand why type safety matters, consider the following, slightly contrived, example. The calendar management applet mentioned above defines a class Alarm, which is represented in memory, as shown in the figure "Type Safety" above. Alarm defines an operation turn-0n, which sets the first field to true. The Java run-time library defines another class called Applet, whose memory layout is shown in the figure. Note that the first field of Applet is fileAccessAllowed, which says whether or not the applet is allowed to access files on the hard disk.

Now suppose that a program tries to apply the turn0n operation to an Applet object. If the turn0n operation is permitted, the program sets the first field of the object to true. Unfortunately, since the target object is really of type Applet, setting the first field to true allows the applet to access the file system. The applet is then allowed—incorrectly—to modify and even delete files.

How Java Enforces Type Safety


Java labels every object by associating a class tag with it. One simple way to enforce type safety would be to check an object's type tag before every operation on it to make sure that the object's class allows such an operation. This approach is called *dynamic type checking*.

Although this scheme works, it's inefficient. Programs end up running slowly because the system spends a lot of time checking class tags. To improve performance, Java uses static type checking, an effective static type checker that eliminates almost all the tag-checking operations from Java programs. The result is a program that's type-safe but that runs quite efficiently.

Type Confusion

There is only one problem with Java's static type-checking strategy: It's complicated. Although Java's designers obviously got the overall strategy right, a great many details have to be correct for type safety to be enforced. An error in any of these details leaves a tiny, albeit crucial, hole in Java's type-safety armor.

A clever cracker who finds such a hole can launch a *type-confusion attack*. This is done with a Java applet carefully de-



Java ensures that malicious programs can't gain access to system resources.

which is more complicated but more efficient than dynamic type checking. *Static type checking* is where the Java system looks at a program before it runs and carefully deduces the results of the tagchecking operations. If Java can figure out that a particular tag-checking operation will always succeed, then there's no reason to do it. The check can safely be removed, thus speeding up the program.

Java's designers carefully crafted the Java language and byte-code formats to facilitate static type checking. Each piece of byte code is a binary representation of an assembly-like language with op codes and operands.

But Java op codes always take type-specific arguments. There are no "generic" operands that take multiple types in the same operand position, as is the case with processor assembly languages.

This, and other properties of byte code, make static type checking easier to implement. The Byte-Code Verifier is signed to leverage a tiny type-enforcement hole into a complete system penetration. The attacker can set up a situation like the aforementioned Alarm/Applet example, in which the program has one type of object but the Java system thinks the object has some other type.

Because the Verifier normally prohibits such actions, type-confusion errors are usually the result of bugs in the Java implementation. It is hoped that such problems will disappear as the implementation is debugged and refined.

Gary McGraw, Ph.D., is a research scientist at Reliable Software Technologies Corp. (Sterling, VA). He can be reached at http://www .rstcorp.com/~gem. Edward Felten, Ph.D., is an assistant professor of computer science at Princeton University. He can be reached at http://www.cs.princeton.edu/~felten. Portions of this article are taken from the authors' book Java Security: Hostile Applets, Holes, and Antidotes (John Wiley and Sons, 1996). MP motherboard that accommodates up to four Pentium processors, or a • **PCI/ISA** passive backplane with up to 20 slots

Alarm board monitors status of fans, power supplies and chassis temp

Vacuum fluorescent/alphanumeric or LED display

> Redundant, hotswappable fans

Redundant N+I load-sharing, hot-swappable power supplies

Six-drive, hot-plug SCSI array for RAID level 0, 1, 5

> Three 5.25" disk drive bays and one 3.5" floppy

Customizable bezel with lock

To give you an idea of how open our new application server is, we really have to spill our guts.

Introducing the fully OEM-able SP5500 Application Server

When you're looking for a server platform to build upon, the last thing you want is to be boxed in. So you'll find Texas Micro's

new SP5500 Application Server a thing of beauty.

The SP5500 was designed to be redesigned. It gives you so many configuration options, in fact, you could go to your customers with a full line of mission-critical

servers in a matter of weeks.

So call us for details, and don't be afraid to tell us exactly what you

need. You'll be amazed at how we open



CALL FOR INFORMATION 31(0)365365595

PICTURE THIS: 6X CD-ROM, 11.3" DISPLAY AND ZOOMED VIDEO.

NOW PICTURE THIS: \$2499!



PENTIUM® PROCESSOR A 100MHz Pentium processor and 40MB of EDO memory can speed up any multimedia presentation. Plus, the 2.9v processor was designed specifically to maximize notebook battery life.

EXPANSION Satellite Pro's two PC Card slots unlock a world of expansion capabilities. And the optional NoteDock ~ I Enhanced Port Replicator offers additional PC Card slots as well as easy connection to your desktop setup.



FULL-MOTION VIDEO With Toshiba's Zoomed Video technology and a ZV PC Card, you get full-screen, full-motion video and MPEG support without sacrificing system performance.

PRINCESS CRUISES 🐲 PRINCESS TOURS



800 x 600 RESOLUTION Sure, the screen is huge. And it also has 800 x 600 resolution, which means that every inch of viewing area delivers crystal-clear definition and vibrant colors.



ADVANCED MULTIMEDIA With a 6X CD-ROM, microphone, speaker and stereo headset Satellite Pro offers the most advanced multimedia features you can get at this price.

INTRODUCING THE NEW SATELLITE PRO. When it comes

to multimedia features, the Satellite Pro offers the big picture at a small price. It all starts with a huge display and full-motion video to make your multimedia presentations look more like feature films. And it's easy to take your show on the road with a 100MHz Pentium processor, up to 40MB of memory and a massive hard drive. Add to that a 6X CD-ROM, integrated AC adapter and PC Card slots and you've got



more than you need to get the job done. So when you want some real portable power, pick up the Satellite Pro. No other notebook can give you so much for so little. For more information visit the Toshiba website at http://computers.toshiba.com, or for a dealer near you, call 1-800-457-7777.



The World's Best Selling Portable Computers.

(©1996 Toshiba America Information Systems, Inc. All prices, specifications and availability are subject to change. Thice is for 420CDS model, price of 420CDT model begins at \$3299. *The 420CDT and 420CDT are sold at selected resellers as the 425CDT and 425CDS with Windows* 95 and additional pre-installed software. ** The 425CDT comes with an 810 million byte (-772MB) hard drive. All products indicated by trademark symbols are trademarked and/or registered by their respective companies. Intel Inside and Pentium Processor Logos are trademarks of Intel Corporation

420CDT *

Satellite Pro

- 11.3' dia. color active-matrix **TFT display**
- · 1.3 billion byte (=1.26G8) hard drive 420CDS *
- · 11.3' dia. color dual-scan DSTN display · 810 million byte (=772MB) hard drive

BOTH MODELS

- · 100MHz (2.9v) Pentium® processor
- · 8MB of EDO DRAM expandable to 40MB · Modular 6X CD-ROM and 3.5' floppy
- drive, swappable in the SelectBay
- · MPEG support via ZV Port technology (requires optional PC Card) · HiQVideo" graphics controller

- · 16-bit Sound Blaster® Pro compatible audio system with microphone, speaker and stereo headset
- Two stacked PC Card slots (two Type II or one Type III)
- IrDA compliant
- · Lithium Ion battery
- Integrated AC adapter
- Optional NoteDock" | Enhanced Port Replicator
- · Windows® 95 or Windows® for Workgroups included
- · 3-year limited warranty · Toll-free technical support -
- 7 days a week, 24 hours a day

Circle 154 on Inquiry Card.

Lover Story

TODAY the WEB, TOMORROW the WORLD

Is Java a serious programming language? Yes. Will it become a Windows killer? Maybe. By Tom R. Halfhill

ou've heard the hype. You've groaned at the bad coffee puns. Now it's time for the crucial question: Is Java for real?

Straight answer: Java isn't just for building cute Web pages anymore. Java is establishing itself as a serious programming language capable of tackling the most sophisticated business applications. Never in the history of computing has a new language attracted so much support from toolmakers, software developers, and OS vendors in such a short time.

The larger question is, "How much further can Java go?" The answer, incredible as it may seem, is that Java could surpass Windows as the software platform with the world's largest installed base by the turn of the century.

This is possible even in light of five critical Java shortcomings—including an immature security model, slow performance, and a hodgepodge of unpolished development tools that exist today.


Nevertheless, the key events are already in motion for Java to overtake Windows and cause enormous changes in commercial and corporate software development. The bottom line:

All of us who have anything to do with software development ignore Java at our own peril.

See page 40 for exclusive Scott McNeały interview on Java's influence on computing.

More Than a Language


Java transcends being a language to being a software platform because of the Java virtual machine (VM), which simulates a computer in software. The Java VM can run on existing computers and OSes (e.g., Windows and the Mac OS), or it can run on hardware designed only for Java. Developers who use Java, whether they realize it or not, are supporting a new platform that exists independently of the underlying OS and hardware. *continued* Today, applications developers write for one platform-often Windows on x86-and port the program to another platform later.



The Java Difference

Multiple-platform application

Tomorrow, developers may need to write for only one platform–Java. End-users can run the code on any Java-enabled machine, no matter what operating system and CPU it uses.



Trutor, many commercial developererors their software truto on about 90 perrors able would be a then they either control to the generation to the minority platterior of the developer to the developer

to the Java VM someday commands a larger installed base than Windows, developers may write for Java first and last—because Java software is inherently cross-platform and can run on any system with a Java VM. In effect, Windows would become another minority platform (albeit the largest one) that may or may not justify the extra expense for special support. Java could trigger the biggest platform shift since Windows surpassed DOS—all without forcing you to change your hardware and OS.

The Java Language

Before Java can become a dominant platform, however, corporate and commercial software developers must embrace it as a language. As recently as last summer, many of us were asking if Java was powerful enough for serious software development. Today, that question is obsolete. Consider the following:

• In October, Sun estimated that more than 200,000 professional programmers were using Java.

• According to Sun, one-third of all the enterprise developers at companies with more than 5000 employees use Java.

• Last summer, 11 companies (including Cisco Systems, IBM, Kleiner Perkins Caufield & Byers, Netscape, and Oracle) pooled \$100 million to form the Java Fund, a unique venture-capital resource for new Java projects.

• IBM and more than 50 independent software developers announced the San Francisco Project, a plan to build new business applications with Java.

These developments help overcome Java's reputation as a lightweight language for creating decorative Web applets. Look beyond the bouncing heads that enliven Web sites, and you'll see that Java is an industrial-strength, object-oriented language that supports inheritance, encapsulation, polymorphism, multithreading, dynamic linking, and interfaces. It's in the same major league as C++.

Why is Java winning over professional developers, who are notoriously hard to

please? Java closely resembles C++, so experienced programmers probably have more to unlearn than to learn. Yet it offers significant advantages over C++. Java makes it easier to write code that's portable, reusable, and bug-free.

Cross-platform compatibility is a tremendous factor in Java's early success. Java compilers (available for Windows, the Mac OS, and Unix) convert Java source code into class files of byte code. The class files correspond to executable binary files generated by compilers for other languages. Unlike native binary files, however, Java byte code isn't specific to a particular microprocessor architecture. Its "native" architecture is the Java VM, which today exists only in software. (Soon, it will exist in hardware as well; see "Sun Gambles on Java Chips," November 1996 BYTE, page 79.)

As a result, Java class files are portable to any hardware platform that has a Java run-time environment. The environment consists of the Java VM, some standard class libraries, a byte-code verifier (for security), and a byte-code interpreter. The interpreter runs the class files on the VM without requiring programmers to rewrite or even recompile their source code.

This "write once, run anywhere" universality is so compelling that some companies are writing their Java development tools in Java so they'll run on any machine. Ignite Technologies' Layout Mill, a visual GUI builder, is one example.

"For the first time, developers can write applications using their Windows people, their Unix people, and their Mac people," says Bill Kelly, president of Ignite. "All of the programmers can work on the same project with the same tool on any platform. This allows developers to hire programmers based on the programmer's expertise with the type of application they want to write, not just the kind of machine they know how to use."

Because Java programs stay within the Java run-time environment, they normally don't interact directly with the native CPU or OS. The run-time environment handles memory management, including garbage collection, so programmers don't have to allocate memory or dispose of leftover objects. There's no need for pointer arithmetic, another major source of bugs in C++. Java has a clean, efficient model for error handling and encourages code reuse because it's objectoriented from the ground up. Java also

The Bitter Taste of Java

In the Java world, your code might be bug-free but still not work properly. This is especially true when you test it with a different run-time environment—even another run-time environment on the same computer.

That's because Sun and JavaSoft haven't ironed out all the wrinkles in Java, particularly in the Abstract Windowing Toolkit (AWT) classes that let Java programs use native GUI features. Also, the vendors who license a run-time environment from Sun are primarily responsible for adapting it to their products and to native platforms, and some vendors do a better job of this than others. JavaSoft says testing improvements will mean fewer variations in the future.

In the meantime, Java pioneers need patience. To get a taste of what early developers face, I wrote a Java version of a program I've already written in three other languages. My project was a data-entry applet for friends who enter my annual Academy Awards contest. Because the applet also provides data verification and back-end processing, it needs more than Hypertext Markup Language (HTML). I've written a Windows version with Borland Delphi (Pascal) and two Mac versions with Hyper-Card and FutureBASIC.

I developed my Java applet on both a Mac and a Windows PC. All the Java tools I triedincluding versions of Symantec Cafe, Microsoft Visual J++, and Metrowerks Code Warriorcaused problems. They frequently crashed, and their applet viewers either ran my program poorly or wouldn't run it at all. In fact, I had the least trouble when I abandoned those tools, wrote my code with ordinary text editors, compiled it with Sun's free command-line compiler, and tested it with Web browsers.

The accompanying screens show how various run-time environments interpret the same code in different ways. My class files were completely portable–Java lives up to that promise– but the results weren't always what I expected. Some run-time environments completely ignored methods and events in my code, while the identical code ran fine elsewhere.

If you're not comfortable with these kinds of problems, wait for better tools and run-time environments. From what I've seen, things will be a lot more stable in a few months.

substitutes interfaces for the complex multiple inheritance of C++.

According to John F. Andrews, president of CSX Technology, programmer productivity and cross-platform freedom were "key factors" in his railroad's decision to use Java for a massive shipmenttracking application. CSX thinks it's the largest enterprise application yet written

objects to native APIs (see the text box

Growing pains are inevitable with

something as spanking new as Java. JDK


1.1, scheduled for release early this year,

will fix many of these problems. New Java

VMs and development tools are in the

works, too. Java is evolving so rapidly it's

"The Bitter Taste of Java" above left).



time for us," says Andrews.

Java's much-vaunted portability isn't

flawless, however, Sun's JDK 1.0 doesn't

fully encapsulate the native APIs of under-

lying OSes, so Java pioneers must work

with a more limited vocabulary of GUI

widgets and features. Also, there are

numerous quirks in the way different Java

like the weather in some places—if you don't like it, wait an hour.

The Java Platform

Even if Java becomes nothing but a popular development language, Sun will have scored a big hit. However, Sun—and others—have grander things in mind. Could Java, as a platform, be a Windows killer?

Probably not. But it doesn't have to be. It's important to realize how Java can supersede Windows without killing Windows—or any other platform, for that matter. Java is a stealth platform that propagates entirely in software and coexists peacefully with the native OS.

Other platforms are tied to specific hardware. For every installed copy of Windows, there must be a Windows-compatible PC to run it on. Likewise for the Mac OS, OS/2, Unix, and so forth. There's a little overlap due to emulators, such as SoftWindows and PCs with dual-boot OSes. For the most part, however, the leading platforms add to their installed bases only when someone plunks down a few thousand dollars for a machine.

This is not the case with Java. It's a platform implemented in software that runs on practically any machine, and software spreads much faster than hardware. If you've installed a Java-compatible Web browser, such as Sun's HotJava, Netscape Navigator 3.0, or Microsoft Internet Explorer 3.0, the Java run-time environment is already on your computer. You can also download JDK for free off the Web to make your system a Java platform. Java development tools come with a VM, too. Java isn't self-replicating like a virus, but it's nearly as contagious.

Apple, IBM, Microsoft, Novell, Silicon Graphics, and Sun are paradoxically accelerating the process by integrating the Java run-time environment into their OSes. All of them say their OSes will be Java-enabled within a year. They recognize Java's popularity and potential, and that offering a superior Java run-time environment will give them a competitive advantage. It's good for users because each new Javaenabled application you install won't have to clutter your system with its own VM.

"We think it's critical to establish a good, stable, standard Java VM on the Mac platform," explains Mike Zivkovic, product manager for Apple's Mac OS Java run-time environment. "We are concentrating on stability, stability, stability. That's what software developers tell us

THIS SERVER IS A CUSTOM-FIT.



12

etix™ EL 1000N

- Dual Intel 200MHz Pentium Pro processors Intel 200MHz Pentium[®] Pro processor 256KB L2 cache, flash BIOS Dual Pentium Pro ZIF sockets Memory upgradable to 512MB 256KB L2 cache, flash BIOS Slots: 1 ISA, 3 PCI; 1 shared PCI/ISA Memory upgradable to 512MB Slots: 1 ISA, 3 PCI: 1 shared PCI/ISA Adaptec PCI 32-bit Ultra SCSI Fast-20 controller Adaptec[®] PCI 32-bit Ultra SCSI Fast-20 controller 12X SCSI-2 CD-ROM drive 12X SCSI-2 CD-ROM drive • 3.5" floppy drive • 3.5" floppy drive 64-bit 1MB ISA video PENTIUM PRO 64-bit 1MB ISA video 3Com 3C595 Fast EtherLink PCI 10/100 NIC (RJ-45) 3Com[®] 3C595 Fast EtherLink[®] PCI 10/100 NIC (RJ-45) Full-size tower with 10 drive bays · Full-size tower with 10 drive bays • 15" Micron 15FGx, .28dp (13.7" display) • 15" Micron 15FGx, .28dp (13.7" display) Microsoft Mouse, 104-key keyboard Microsoft[®] Mouse, 104-key keyboard
 Novell[®] NetWare[®] 4.X (5 user license) Novell NetWare 4.X (5 user license) NOS support (3 incident resolutions) NOS support (3 incident resolutions) • 5-year/3-year Micron Power warranty 💋 • 5-year/3-year Micron Power^{su} warranty 128MB ECC EDO RAM 64MB ECC EDO RAM 32MB ECC EDO RAM 64MB ECC EDO RAM • 9GB Fast SCSI-2 hard drive • 4GB Ultra SCSI hard drive 4GB Ultra SCSI hard drive 2GB Ultra SCSI hard drive **Business lease S218/month** Business lease \$182/month Business lease \$170/month Business lease \$153/month
 - With Sony 4/8GB DDS-2 SCSI DAT tape back-up drive.....add \$999
 - Vetix EL 1000 and 2000 models available with Microsoft® Windows NT® Server. Please call for current pricing.
- With Sony 4/8GB DDS-2 SCSI DAT tape back-up drive.....add S999

Vetix™ EL 2000N

"Vetix EL 1000 and 2000 models available with Microsoft Windows NT Server. Please call for current pricing.

We'll Tailor a Vetix[®] Server for Your Growing Business.

95-800-708-1755


How will the Vetix EL server fit your business?

Custom Software. Micron Electronics will ship your Vetix EL series server preinstalled with your choice of either Novell Net Ware or Microsoft Windows NT Server-saving you time and money.

Custom Hardware. The Vetix EL server offers a variety of hardware options factory-direct and backed by Micron Electronics, a company with decades of experience in the electronics industry. We'll customize your new Vetix EL server to fit your business.


Custom Service and Support. With your purchase of a Vetix EL server, you'll enjoy the right level of service and support tailored to fit your networking needs. With every system we offer direct 24-hour telephone support and three network operating system incident resolutions. On-site service options are also available from industry-leading computer service provider Digital Equipment Corporation. These options include system setup and four-hour response support-as much or as little as you need.

Custom Pricing. The Vetix EL server is the economical server solution. Call 1-800-723-2998 to speak with a sales representative, or visit our Web site to create and price your own sample system online. Microsoft NT Server available, please call for pricing.



ns may be changed w. applies only to Micror n 36-month lease. Inte y be changed without notice, prices do so only to Micron brand products and i nonth losse. Intel, Intel Inside and Pre arks of Microsoft Corporation. All othe All sales are subject to Mic hs of the Intel Corporation. Micron Electronics' current terms and condition. Microsoft, Windows, Windows HT and the Windows logo are rec INY TE-PCMG-9701





they want more than anything right now."

By the end of this year, there will be Java VMs for Windows 95, Windows NT, Windows 3.1, the Mac OS, most flavors of Unix, OS/2, Net Ware, and Apple's Pippin and Newton OSes. IBM is even porting Java to the AS/400 and MVS, which manage an estimated 70 percent of the world's corporate data. This is why it's not crazy to predict that by the turn of the century, there will be more copies of the Java VM in the world than any of the OSes that host it.

Note that Java will not replace any of those OSes. Indeed, the Java VM is a benign parasite that cannot run without a host OS. (Sun has a special Java OS, but it's for dedicated Java devices, not conventional PCs.) Far from being a Windows killer, Java actually needs Windows to spread itself on the massive installed base of PCs.

Things will get really interesting if that happens. Sheer numbers will make Java the world's most widespread software platform. Every Java VM will run every Java program that has ever been written or will be written, without porting or recompiling. How will this affect the software balance of power?

It could work to the advantage of minority platforms that currently don't attract as much software development as Windows. Today, developers justify Windowscentricity by explaining that it's simply good business to target the largest installed base. If Java becomes the largest installed base, and developers gradually shift their focus away from Windows, the minority platforms will get much more software. On the other hand, Java could also hurt the minority platforms by robbing them of the special development they receive now—the kind of support that makes them unique and justifies their existence.

This is not just a puzzle for sales-conscious commercial developers. Cost-conscious corporate developers must weigh the benefits of writing for a universal platform, too. David Gee, Java marketing manager of IBM's Internet Division, says Java will revolutionize the deployment of enterprise applications in heterogeneous environments. "It doesn't matter what the server is, it doesn't matter what the client is, it doesn't matter what the network is. That's huge."

Five Reasons to Snub Java

With an upside this big, there has to be a downside. Although it's possible Java will someday be the most populous platform,

JavaBeans: Cross-Platform Components

es, JavaBeans are another grating coffee pun. They're also prewritten software components that make it easier to build Java programs.

Beans are to Java what OCX/ActiveX objects are to OLE and Live Objects are to OpenDoc. Some Beans are visual components that you add to forms in visual-development tools; other Beans are faceless objects that do something in the background. A Bean could be a cartoon or a piece of business logic. You could build a simple Java applet by assembling a bunch of Beans without doing any programming, or you could wrap some Beans in thousands of lines of proprietary code to build a sophisticated enterprise application.

Because Beans are written in Java, they have two big advantages: They're cross-platform, and they're relatively easy to write. ActiveX objects and Live Objects are platform-specific binary files that are more difficult to write. (Beans are just specialized Java class files. In fact, all Abstract Windowing Toolkit [AWT] components are automatically Beans, because AWT in JDK 1.1 adopts the new JavaBeans event model. Anybody who has written a visual component that subclasses an AWT object has already written a Bean. Few have accidentally written an ActiveX control or a Live Object.)

ActiveX and OpenDoc supporters often refer to their objects as "cross-platform," but they're really multiplatform: Someone has to port every object to every platform. Some platforms get more attention when it comes time to allocate precious development resources.

Beans are based on existing Java objects, with four new features. JavaSoft defines a Bean as any Java object that implements at least one of these features.


Introspection/reflection lets a Bean expose its data structures to other programs and to programmers. For example, a development tool could have an object inspector that lets a programmer examine a Bean's methods, instance variables, properties, and interfaces.

A new event mechanism streamlines event handling and works with AWT components. (Java still supports the existing handleEvents() method for backward compatibility.) Because the new model uses less indirection and is more strongly typed, it's much more efficient, especially for high-frequency events like mouse movements.

Serialization/persistence lets Beans permanently remember changes to their properties. Currently, objects always revert to their default properties.

Interoperability lets Beans work anyplace where ActiveX objects or Live Objects can work. You could use a Bean with Visual Basic or in an OpenDoc container such as ClarisWorks. The bridging technology does practically all the work, so Bean authors have to write little or no code to get OLE and OpenDoc compatibility. JavaSoft already has some existing Java applets working with Visual Basic.

Beans will lead to better Java development tools and will open up a lively market for prefab components. They'll also speed up Java's evolution, because third parties can create Beans that fill some of the gaps in Java's capabilities.



You Don't Have To Use Brute Force To Make Sure Users Pay FREE For Their Software.

FLEXIm[®] The Elegant Solution

You don't have to use the brute force of a baseball bat – or dongles for that matter – to make sure only licensed, paying users have access to your software. There's a much more elegant and cost-effective solution: FLEX*Im* from GLOBE*trotter*.

The De Facto Standard

FLEX*Im* is bundled in over \$15 billion of installed UNIX" and Windows" software products, making it the *de facto* standard in license management. And in 1995 alone, FLEX*Im* was used to ship over \$3 billion in software licenses over the Internet. That makes it the *de facto* standard in electronic commerce for software, too.

Even Works With Dongles

If you still want to use dongles, FLEX*lm* significantly reduces the number you need at a customer site by allowing low-cost dongles to be used as "network dongles," and by sharing dongles across different products.

Your Customers Will Like It

In an independent survey, users preferred FLEX*lm* eighteen-to-one over other license managers. And all of us know customers really don't care for dongles. With FLEX*lm*, your customers benefit from:

- Floating licenses allowing licenses to be shared over a network, while fairly compensating the vendor with a higher price per license.
- Fully functional evaluation software while the vendor knows the software will stop after a specific date.
- Built-in license compliance customers don't need to buy expensive license metering utilities to verify they comply with vendor license terms.
- Installing software where it is most appropriate from a hardware or administration perspective, while protecting your software.


Windows, UNIX and Java

If your company develops products on multiple platforms, you should know FLEX*Im* runs on Windows, UNIX and Java.

For More Information

Call us at 408-370-2800, email us at info@globetrotter.com or visit our website at http://www.globetrotter.com. We'll be happy to arrange a demo and show you how to make sure all your users are licensed.

Circle 184 on Inquiry Card.



Key Features: With FLEXbn

you can:

- Limit software use to licensed users
- License software in new ways

to gain new markets and customers

- Leverage the Internet and CD-ROMs to increase sales while reducing selling and manufacturing expenses
- Reduce the cost of product evaluation
 programs
- Significantly reduce the use of expensive dongles

Ask about our white paper on Electronic Commerce For Software

GLOBEtrotter

Electronic Commerce For Software"

http://www.globetrotter.com Email: info@globetrotter.com Telephone: 408-370-2800 Fax: 408-370-2884

FLEXIm is a registered trademark and "Electronic Commerce For Software" is a trademark of GLOBE*trotter* Software. All other trademarks are the property of their respective owners.

it won't necessarily be the most popular platform for new software development. Despite Java's benefits, there will still be reasons why a developer might "go native" by writing for the foundation OS:

1. A native OS might offer features that

Java can't use without sacrificing crossplatform compatibility.

2. Interpreted Java byte code doesn't run as fast as compiled native code.

3. If a program must interact with legacy code or data, a more established tool or language might work better. (This is an especially important consideration for corporate developers.)

4. A developer may have superior tools for another language or may be more productive using a familiar tool or language.

Plugs for Java's Security Holes

he Java security model is not perfect. Devious developers can create Webembedded Java programs, known as hostile applets, that can make life miserable for Web users. The good news is that Java-Soft's revamped security model, which will evolve over the next year, may shore up Java's current security weaknesses.

Hostile applets divide into two groups: attack applets, which cause dangerous security breaches, and malicious applets, which are annoying rather than destructive. Although less harmful, malicious applets are insidious because you might load one on your machine simply by surfing to a Web page.

WHAT APPLETS SHOULDN'T DO

Java's run-time processing enforces severe limitations on what applet-related classes can do. Applets, for example, cannot read or write to the disk.

However, an attack applet still could corrupt data on your hard drive, reveal private data to third parties, infect your machine with a virus, or install a trapdoor to your machine. A cracker could attain his or her ultimate goal-complete control of your machine.

To date, we know of eight serious security problems in Java implementations, ranging from Domain Naming System (DNS) nameresolution problems to type confusion. One serious flaw, discovered last August, was in Microsoft's implementation of how Java checked whether a class was allowed to be a member of a particular package. An attack applet could change security parameters and ultimately gain full access to the victim's files and network. This flaw in Microsoft Internet

Explorer 3.0 Beta3 was fixed in Explorer 3.0.

These attacks are not hypothetical. Every attack has been implemented by the Safe Internet Programming team at Princeton University (led by one of the authors) to break into a test machine in the lab.

Our analysis demonstrated that attack applets require in-depth understanding of complicated Java and Internet issues to pull off. Nevertheless, it takes only one person to devise a novel attack applet; once loose, information about it would spread quickly throughout the cracker community.

Even the lesser malicious applet can disrupt your local system and invade your privacy. Malicious applets written by miscreants currently can forge mail from you to anyone saying anything, steal your machine cycles to perform their own work while your processes languish, and crash your local system by sucking up system resources. There are also malicious applets created simply to annoy: Play sound files forever, monitor your Web use, and display unwanted graphics.

NEW MODEL

To fight hostile applets, JavaSoft will redo Java's security model over the next year (see "Java Security and Type Safety" on page 63). The first enhancement will appear in JDK 1.1, due early this year. Signed applets would contain the creator's encrypted signature to help determine whether they can go beyond the "sandbox"-the secure browser partition where applets normally run. Trusted applets could read or write to local storage or access a uniform resource locator (URL) other than their own.

Signing is not very robust. It doesn't stop applets from inflicting damage; it just tells you whom to blame. And it's all or nothing: You either trust a signed applet outside the sandbox or you don't.

A better alternative allows finer control over a program. Later this year, you should be able to grant specific permissions to Java programs, choose a different security policy for each program, and even change policies on the fly. For example, you could keep applets in the sandbox unless they originate from a trusted site, or allow some applets to read from (but not write to) local storage devices.

Will these improvements plug all possible security holes in Java? Even JavaSoft's security architect, Li Gong, says it probably won't. "We can't guarantee the security model 100 percent," he says, "[it's] how that model is implemented when it comes to writing the code."

Gary McGraw and Edward Felten are authors of Java Security: Hostile Applets, Holes, and Antidotes (John Wiley & Sons. 1996). Tom R. Halfhill also contributed to this text box.

Security Site

For more information about Java security, visit the Princeton Safe Internet Programming team's Java Security FAQ at http://www.cs.princeton.edu/sip /java-faq.html and the authors' Web site at http://www.rstcorp.com /java-security.html.


Applets vs. Applications

	Read/write local storage	Access any URL	Call native code	Code signing
Applets (JDK 1.02)	No	No	No	No
Applets (JDK 1.1)	Optional*	Optional	Optional	Yes
Applets (future JDK)	Selectable**	Selectable**	Selectable**	Yes
Applications (JDK 1.02)	Yes	Yes	Yes	No
Applications (JDK 1.1)	Yes	Yes	Yes	No
Applications (future JDK)	Selectable**	Selectable**	Selectable**	Yes

Browsers can offer users the option of relaxing security restrictions based on whether or not an applet carries the authenticated signature of its creator, and whether the creator is trusted. **Applets and applications can offer users more versatile options based on signing, the code's point of origin, or the type of action the code is

attempting to do.

Philips Brilliance Monitors. They bring out the Da Vinci in you.



Sel TIMA

999.

Let's make things better.



Whatever you're creating on screen, Philips Brilliance monitors will bring out the best in you. Because the really clever thing about them is their pixel perfect display, offering you incredibly high resolution, colour accuracy, contrast and consistency right across the range. They are available in 15", 17" and 21" sizes, which means that whether you're a design professional, office or small business user, or a game freak we have the right kind of monitor for you. So why waste your talents on anything less? Look into a Philips Brilliance monitor today.

Circle 185 on Inquiry Card (RESELLERS: 186).





Philips Consumer Electronics Company One Philips Drive Post Office Box 14810 Knoxville,TN 37914-1810 (800) 835-3506 5. A developer may not want to change, even if it costs money and customers.

It's important that most of the reasons are technical, subject to rechnological projects – and technological roadblocks.

Take the first reason. To a great extent, you can measure Java's maturity by its ability to take advantage of platform-specific features. Today, Java is definitely immature. It can access native features in two ways. The most desirable way is to encapsulate the native service in a Java class file, because it preserves cross-platform compatibility (assuming other platforms offer a similar service). The other way is to access the native features by calling their native code directly; this sacrifices crossplatform compatibility.

For example, Java has a class called Button that displays a push button on-screen. Push buttons are common to all GUIs. When a Java program instantiates a Button object, Java creates an intermediate peer object that maps the button to a corresponding routine in the native OS's API.

On a Windows PC, Java calls the button routine in the Win16 or Win32 API. On a Mac, Java calls the button routine in the Toolbox. On a Unix system, Java might call the button routine in Motif. This abstraction gives you a Java button that looks like a native button on screen, even when you run the same class file on different systems.

Java's Abstract Windowing Toolkit (AWT) is a standard class library that encapsulates a large number of these basic GUI components. Additional libraries encapsulate other native services. But they don't include them all. There's no support in the current JDK (1.02) for drag-and-drop editing, the playback of QuickTime movies, and numerous other advanced services.

New class libraries will address many of these shortcomings. JDK 1.1 will include a more complete AWT, and JavaSoft is working on a slew of libraries to fill in the remaining gaps. Also coming this year are classes to support richer multimedia (including 3-D graphics and audio/video playback), more flexible security, on-line commerce, telephony, network management, enterprise interoperability, crossplatform components, and server-side Java processes (called *servlets*).

JavaSoft is releasing these libraries in stages, preceded by specs that introduce programmers to the new classes and methods. For instance, some of the enterprise classes are available now, letting Java

Who's Using Java

COMEL OFFICE FOR JAVA

Corel is developing the first suite of general-purpose business applications in Java, including a WordPerfect-based word processor, a Quattro Pro-based spreadsheet, and other components. To overcome early problems with Java, Corel developed its own foundation classes and a memory management mechanism that dynamically loads and unloads class files as needed.

ANYWARE (APPLIX)

The Anyware family of products uses Java to deliver business applications to networked desktops. The Anyware WebSheet can export the data in Microsoft Excel and Lotus 1-2-3 formats.

NETRESULTS (INNOTECH MULTIMEDIA)

NetResults is a suite of tools for Web sites and intranets. It includes a new multithreaded search engine that performs multiple concurrent searches across heterogeneous networks, with results in order of relevance.

ORBIXWEB 2. 0 (IONA TECHNOLOGIES)

OrbixWeb lets Java applets work with distributed Common Object Request Broker Architecture (CORBA) objects, opening an important gateway to remote client/server applications.

LAYOUT MILL (IGNITE TECHNOLOGIES)

Layout Mill is a new Java development tool written entirely in Java, so developers can run it on any platform and write for any platform. A GUI "switch" lets programmers preview their program's look on Windows PCs, Macs, and Unix/Motif systems just by clicking on a button.

programs access corporate databases through Java Database Connectivity (JDBC) interfaces. There are also gateways to Common Object Request Broker Architecture (CORBA) components and remote method invocations (RMIs).

Sun and JavaSoft aren't working on this alone. Java has broad industry support. Examples include Symantec's dbAnywhere, which provides the middleware and Open Database Connectivity (ODBC) drivers to connect Java programs to Oracle, Sybase SQL Server, Microsoft SQL Server, Microsoft Access, and numerous other databases. Centura Software (formerly Gupta) sells Centura Web Developer, which lets corporations build Java programs that simultaneously connect to multiple databases via IBM's Customer Information Control System (CICS), a transaction-processing monitor.

Corporate developers who need to make Java applications fit with legacy code are encountering fewer roadblocks. However, if a developer absolutely needs a native service that Java doesn't support, Java has a method modifier (native) that lets a Java application directly call a native executable file, such as a DLL or an OS API. This also delivers native performance.

Unfortunately, native methods have two major drawbacks. Java applets (programs that run in a Web browser) currently are not allowed to call native methods, for obvious security reasons. Sun is developing a new security model that will let users and administrators selectively change this restriction, as well as other security rules. More seriously, native methods undercut Java's cross-platform compatibility. A Java program that relies on native methods would need a similar method on every supported platform.

Sun's new component architecture, JavaBeans, will accelerate Java's encapsulation of native features by bringing more third-party developers into the fray. Beans are easier to write than Microsoft's ActiveX objects or Component Integration Laboratories' OpenDoc Live Objects, yet they can interact with those component architectures (see the text box "JavaBeans: Cross-Platform Components" on page 74).

Speed Limits

Developers who need maximum performance have a good reason for avoiding Java: They can write a compiled program in C or C++ that runs at least 10 times faster than an interpreted Java program. For many applications, this isn't important. Tools such as Visual Basic and Power-Builder are popular because they're fast enough. But when performance does matter, there's no denying that interpreted Java byte code is slow.

To some degree, this problem will solve itself as computers get faster. Of course, native code will run faster on those new computers, too, so this won't eliminate the performance gap. However, the gap does not have to close altogether for Java to suc-

There Is Only One Choice For Data Compression. PKZIP for Windows



New Features in PKZIP for Windows Version 2.50

- Ability to create .ZIP files that span multiple diskettes
- Create a Windows self-extractor
- Self-extractor can span multiple diskettes
- Long file name support for Windows 95 (16 and 32-bit) and Windows NT (32-bit)
- Integration with Windows 95 & NT Explorer
- Plus additional features

The growth of the Internet and the increased use of World Wide Web browsers are creating a greater need to compress and uncompress data files. Saving disk space and saving on-line phone charges are big benefits of compressing data files with PKZIP® for Windows. PKZIP for Windows compresses files an average of 50-70% with many large text and database files compressing well over 90%. PKZIP's simple point-and-click interface lets you easily compress one file or all files on an entire hard drive, and store them in the .ZIP file. PKWARE provides the best and fastest data compression technology on the market, try it and see!

PKZIP for Windows allows you to easily open files created with PKZIP for DOS Version 2.04g. PKZIP is also compatible with Windows 3.1 or higher, Windows 95 and Windows NT.

PKZIP for Windows \$49, PKZIP for DOS \$47 plus shipping and handling.

To order call (414) 354-8699 or visit our Web Site http://www.pkware.com



The Data Compression Experts 9025 N. Deerwood Drive / Brown Deer, WI 53223 USA FAX: 414-354-8559 BBS: 414-354-8670 Email: info@pkware.com





1992-1996 PC World World Class Award 1996 Government Computer News Best New Product Award at FOSE Finalist 1995 Computer Currents Readers Choice Award 1993 Shareware Industry Award 1992 Premiere Computing Magazine Award 1992 Dvorak/Zoom Award

Other PKWARE Products

Your Executables on a Diet



PKLITE[™] increases your valuable disk space by compressing DOS and Windows 16-bit executable (.COM, .EXE and .DLL) files by an average of 45%. The operation of PKLITE is transparent, all you will notice is more available disk space! Price \$46

Software developers, save disk space and media costs with smaller executables. You can distribute your software in a compressed form with PKLITE Professional.[™] PKLITE Professional gives you an extra option to compress files so that they cannot be expanded by PKLITE. This discourages reverse engineering of your programs. Price \$146

Put Compression Into YOUR Application

The PKWARE Data Compression Library[®] products allow you to incorporate data compression technology into your software applications. The application program controls all the input and output of data, allowing data to be compressed to or extracted from any device or area of memory.



The all-purpose Data **Compression Algorithm** compresses ASCII or binary data quickly. The routines can be used with most compatible language compilers. Separate DOS, DOS32, Windows, OS/2, Win32, UNIX and Macintosh versions are available! Call for pricing.

CHECK **BY 1-97**

Copyright 1996 PKWARE, Inc. All Rights Reserved. All trademarks or registered trademarks are property of their respective owners

Circle 148 on Inquiry Card.

ceed. Compiled C/C+ + code doesn't run as fast as expertly written code in assembly language, yet few developers are using assembly language these days for anything but optimizing critical routines. C/C+ + rules because it's more portable and it helps programmers work more productively—the same advantages that Java offers over C/C++.

Nevertheless, programmers and toolmakers are striving to improve Java's performance. Programmers can write inline code (see "Better Java Programming," September 1996 BYTE). Sun Microelectronics and International Meta Systems are designing microprocessors that will execute Java byte code directly.

Perhaps the most promising solution is just-in-time (JIT) compilers. Like Java interpreters, they convert byte code into native code on the fly, but they cache the converted code in memory while the program runs.

JIT compilers can be completely transparent to users. Java programs that run through a JIT compiler can achieve up to 50 percent of the speed of native code, and the technology is steadily improving. Netscape plans to bundle a JIT compiler with Navigator 4.0, and Microsoft, IBM, and Apple plan to integrate JIT compilers with their Java run-time environments.

Another option is static compilation. Silicon Graphics Inc. (SGI) technology translates byte code into Mips Rx000 native code, links the resulting binaries to the Java class files, and adds a second entry point to the Java method block. Java programs, running on SGI's specially modified VM, check the method block to see if there's a pointer to a translated method. If so, the program executes the translated method instead of the byte code version. Combined with inline coding, this allows Java to approach the performance of C++, according to David Henke, engineering manager of SGI's Web Products Division.

As with native methods, however, SGI's technology limits cross-platform compatibility—the translated code runs only on a Mips CPU. It offers two advantages. Developers can easily separate the translated code from the byte code to regain portability, and programmers can write an entire project in Java instead of writing native methods in another language.

There's no reason why SGI or someone else couldn't adapt this technology to other CPU architectures. Java applets will probably always exist as platform-neutral byte code, because they're embedded in Web pages that must run on any browser. However, stand-alone Java applications that need top performance will almost certainly rely on some kind of JIT or static compiler. The performance boost is significant, and it doesn't have to interfere with the cross-platform compatibility that is Java's greatest strength.

Higher Abstraction

In the long run, none of the technical problems that might deter today's developers are likely to pose an insurmountable obstacle for Java. As both a language and a platform, Java is evolving at an unprecedented pace. We can speculate on Java's course because it's consistent with historical trends in computing.

The most important trend is toward higher levels of software abstraction above the hardware. The more tightly that software is intertwined with hardware, the bigger the headaches for developers and users. Programmers get more performance by writing to the metal, but the code is hard to maintain and even harder to port. And code lives longer than anyone plans.

That's why the computer industry is spending billions of dollars rewriting ancient code that can't handle the year 2000. That's why the U.S. air-traffic-control system is still running on antiquated machinery from the 1960s. That's why the Social Security Administration is patching a program from the 1970s that has been underpaying retirees for two decades. Put bluntly, it's negligent for software developers to ignore the possibility that their code may live for 10 or 20 years.

Java carries software abstraction to the next level because it abstracts everything below the VM. It's designed for a world in which the OS and CPU are interchangeable parts that can be replaced without breaking applications. It's designed for an age of diversity in which PCs and other smart devices can use any CPU or OS that delivers the best performance, the lowest cost, the most efficient power consumption, the lightest weight, or any other parameter that becomes important. Java's success isn't inextricably tied to network computers, PDAs, and smart appliances, but Java is ideal for devices that expand today's narrow definition of a PC.

Unix and NT offer some hardware abstraction, but they're multiplatform, not cross-platform. Users still have to replace

Java Resources

Gamelan (http://www.gamelan.com/index.shtml)

This on-line directory can point you to thousands of Java applets and applications, Java development tools, and links to hundreds of other Java-related Web sites.

or recompile all their software if they switch CPUs, and not all software is available for all CPUs. Also, these OSes still chain you to an OS. Java can run on just about any OS or CPU.

Gambling on Java

So a developer's decision about adopting Java depends on three questions. First, can Java handle the job? It should be clear by now that Java is suitable for a wide range of applications and is gaining ground fast. Still, it can't do everything, and the tools need to get a lot better.

Second, does cross-platform compatibility matter? If you believe the computers of tomorrow will be basically the same as the computers of today, only with more megabytes and megahertz, Java isn't the best choice. Other languages and tools are more refined and deliver better performance on traditional hardware.

If, however, you'd like to write code that runs on any hardware, the final question is whether Java is the best cross-platform option. The answer depends on the maturity of Java, which changes almost daily. Certainly you can do a lot with Hypertext Markup Language (HTML), Java-Script, VB Script, Perl, and other cross-platform solutions, especially if Microsoft delivers on its promises for ActiveX.

But it's hard to bet wrong on Java. History shows that those who gamble correctly on an emerging platform win big, and those who gamble wrong end up with dead code. Even if Java fails to conquer the world as a platform, you'll still end up with code that runs on whatever platform rules the kingdom. For developers, the risks are minimal. For users, Java could bring a new freedom to change OSes and CPUs without breaking software—a freedom they've never had before.

Tom R. Halfhill is a BYTE senior editor based in San Mateo, California. You can reach him on the Internet at thalfhill@bix.com.



TAKE INFORMATION FROM THE MINDS OF THE FEW AND PUT IT INTO MINDS OF THE MASSES

CD-ROM changed the way you think about computers. And the AXIS Network CD-ROM Server is going to change the way you think about CD-ROM.

These breakthrough file server independent CD-ROM servers connect anywhere on your network.

Whether it's Ethernet or Token Ring all users can share information simultaneously. And each server can handle up to seven drives through the SCSI interface.

Axis multiprotocol CD-ROM servers are RISC based to make network integration troublefree. They allow Windows, OS/2, UNIX and Novell users to share CD disks by supporting both SMB over NetBEUI/NetBIOS and NFS over TCP/IP. And it's all done without any software drivers.

For further information, please visit our Web site or give us a call! Because when it comes to information, sharing the wealth can be a capital idea.



 Axis Communications AB

 Scheelevagen 16, 223 70 Lund, Sweden

 Phone: +46 46 19 18 00. Fax: +46 46 13 61 30

 info@axis.se
 http://www.axis.se/

State of the Art

Data Warehouse Building Blocks


Collecting information is the easy part. Knowing how to store it, access it, and analyze it makes all the difference. ike a physical warehouse built from bricks and mortar, a data warehouse begins with your choice of an overall architecture. This decision will influence the other essential components you select.

For example, if you need fast performance and the ability to analyze multidimensional data (i.e., sales for a given product by year, by region, by store), you might pair a central-server architecture...

Architecture alternatives

- Federated
- Tiered

2 ...with a "super-relational" DBMS that provides specialized indexing schemes to pre-join tables.




In the last 10 years, two factors have combined to help data warehouses proliferate. First, we've recognized the benefits of on-line analytical processing (OLAP) beyond the traditional areas of marketing and finance. Organizations now find that the insights buried in the masses of data they routinely collect on their customers, products, operations, and business activities contribute to cutting operating costs and increasing revenues, not to mention making it easier to arrive at strategic decisions.

Second, the growth of client/server computing has spawned server hardware and software that's more powerful and more sophisticated than ever. Today's servers now rival yesterday's mainframes and offer technologically superior memory architectures, high-speed processors, and massive storage capacities. At the same time, modern DBMSes provide more support for complex data structures and promote standardized middleware. From this hardware/software renaissance emerges the multiterabyte data warehouses we're now seeing in client/server environments.

How do you take advantage of these technology advances? In the following pages, we'll describe how to choose the right warehouse for your enterprise. "Warehouse Cornerstones" explains the pros and cons of centralized and multitiered warehouse architectures and gives advice on how to choose the right servers and DBMSes. "Better Clients, Better Decisions" will help you match the right analysis tool to the cross-section of people who will be using your data warehouse. And "Take Your Data to the Cleaners" discusses the choices you have among home-grown and commercial programs that filter out nagging inaccuracies and inconsistencies in your information.

A data warehouse consists of myriad pieces. If you choose them wisely, you could end up with a repository of invaluable data to inform your strategic decision making. In all likelihood, there is gold buried in the data dispersed across your enterprise. You only need to find it. – Jay-Louise Weldon and Alan Joch



Warehouse Cornerstones . . . 85

A successful data warehouse starts when you choose and integrate three key elements.

Better Clients, Better Decisions . . . 91

Without proper end-user tools for data access and analysis, a warehouse may be shuttered. By clicking on a category, you can expand the entry to see greater levels of detail.

Sales Year to date (\$millions)						
Electronics	Q1	Q2	Q3	Q4		
VCR	\$1.4					
Camcorder	\$0.6					
TV	\$2.0					
CD Player	\$1.2					

[Products	al a	Q2	Q3	Q4
M	Electronics	\$5.2			
1	Toys	\$1.9			
	Clothing	\$2.3			
1					

3 Next, you'll add on-line analytical processing (OLAP) tools that let end users pivot, drill down, and perform other "slicing and dicing" operations to analyze the data.

Business intelligence tool alternatives

- · Querying and reporting programs
- Executive information systems
- Data mining applications

Customer ID#	Name	ZIP	Sales
4462	RS Inc.	03458	\$4562
3458	Robert Smith Inc.	03458	\$6236
8520	Smith, Robert	03458	\$1250
Customer ID#	Name	ZIP	Sales
3458	Robert Smith Inc.	03458	\$12,048

Take Your Data to the Cleaners . . . 97

"Dirty" data is dangerous. Custom scripts and specialized cleansing tools provide safety nets.

4 Responsiveness and flexibility are useless if you're analyzing incorrect or misleading data. A high-end datacleansing program, with scripts that impose your understanding of your business onto the data, provides the finishing touch.

Data-cleansing alternatives

- Custom "scrubbing" scripts
- Data validation tools
- Cleaning, transformation, synchronization software

An efficient data warehouse

DEVELOPERS PROT E

HASP Packs More Into Less.

Based on a full-custom ASIC utilizing 2500-gate, 1.5-micron E2 technology, HASP packs the most advanced protection into the smallest key in the world,

NSTL Study Rates HASP No.1!



A recent test conducted by the National Software Testing Labs, the world's foremost independent lab, compared the flagship products of leading software protection vendors.* The result? HASP was rated the clear overall winner - and number one in all the major comparison categories.

NSTL TEST RESULTS, OCTOBER 1995[†]

Scoring Category	Aladdin HASP	Rainbow Sentinel
Security	9.3	6.3
Ease of Learning	9.1	7.1
Ease of Use	8.3	7.2
Versatility/Features	10	8.7
Compatibility	6.7	6.5
Speed of API Calls	0.9	1.2
Final Score	8.5	6.5

*For a full copy of the NSTL report, contact your local HASP distributor.

North America

R PROTECTS MORE

These days, more and more developers are choosing to protect their software against piracy. They're protecting more products, on more platforms, with better protection - and selling more as a result.

And more of these developers are protecting with HASP. Why? Because HASP offers more security, more reliability and more features than any other product on the market.

HASP supports the most advanced platforms, including all Windows 32/16-bit environments, OS/2, DOS, Mac, Power Mac, NEC, UNIX and LANs.

To learn more about how you can protect better - and sell more - call now to order your HASP Developer's Kit.

Grow With Aladdin!

The fastest growing company in the industry, with over 4 million keys sold to 20 thousand developers worldwide, Aladdin is setting the standard for software security today.



See Us At DCOMDEX

Booth # 57732

Fall '96



Aladdin Knowledge Systems Inc. Tel: (800) 223 4277, 212-564 5678, Fax: 212-564 3377, E-mail: hasp.sales@us.aks.com Int'l Office Aladdin Knowledge Systems Ltd. Tel: +972-3-636 2222, Fax: +972-3-537 5796, E-mail: hasp.sales@aks.com FAST Software Security AG Tel: +49 89 89 42 21-37, Fax: +49 89 89 42 21-40, E-mail: info@fast-ag.de Germany United Kingdom Aladdin Knowledge Systems UK Ltd. Tel: +44 1753-622266, Fax: +44 1753-622262, E-mail: sales@aldn.co.uk Aladdin Japan Co., Ltd. Tel: +81 426-60 7191, Fax: +81 426-60 7194, E-mail: sales@aladdin.co.jp Aladdin Japan Go., Ed. Tel: +81 420-00 /191, Fax: +81 420-00 /194, E-mail: sales@aladdin.co.jp Aladdin Software Security Benelux B.V. Tel: +31 24-641 9777, Fax: +31 24-645 1981, E-mail: 100526.1356@compuserve.com The Professional's Choice Benelux

 Aladdin Ruesia 0/5 9230588 # Australia Contab 03 99965685 # Chile Microtogica 02 7350041 # China Shanghai LFil 021 64377828 # Crech Allas 02 766085 # Denmark Berendsen 039 577316 # Egypt Zewindein 02 9604532 # Fenand ID Systems 0 8703520 # France 1 40859858 # Greece
 Micro Soft 5 2007472 # New Zealand Training 04 5666014 # Poland Systems 0 8703520 # France 1 40859858 # Greece
 Romania Ro Interactive 064 140283 # Singapore IIR 065 5666788 # South Africa D Le Roux 011 BER7/04 # Spain PC Hardware 03 4493193 # Switzerland Opag 061 716922 # Taiwan lico 02 5559676 # Turkey Mikrobeta 0312 4670635 # Tugoslawia Asys 021 623920 net MSR makers

State of the Art

Successful data warehouses start when you choose and successfully integrate three key elements. By Jay-Louise Weldon

Warehouse Cornerstones

ssembling the bricks and mortar of a conventional warehouse looks easy compared to integrating the server hardware and DBMSes that frame a data warehouse. On the hardware side, you must mix and match server platforms and configurations while deciding how to take advantage of almost-constant leaps in raw processing power. On the software side, the complexity and high cost of DBMSes force you to make tough decisions and inevitable trade-offs with regard to integration issues, support requirements, performance, efficiency, and reliability.

What if you choose incorrectly? Your data warehouse becomes an enterprisewide problem that is difficult to work around, expensive to fix, and hard to justify. To get your warehouse implementation off to a successful start, you need to focus on three key building blocks: the overall warehouse architecture, the server architectures, and DBMSes. Here are some guidelines for making the right choices for your enterprise.


The Blueprint

Data-warehouse development begins with the logical and physical structure of the warehouse database plus the services required to operate and maintain it. This choice drives the selection of the other two fundamental items: the server hardware and the DBMS.

The physical platform can be centralized in one location or distributed regionally, nationally, or internationally. One scheme for housing your company's data, which might be gathered from multiple internal and external sources, is to consolidate the database in one integrated data warehouse (see the figure "Warehouse Foundation" above). The consolidated approach helps to maximize your available processing power. A second approach, the federated architecture, distributes information by function, with financial data on a server at one site, marketing data at another location, and man-

Warehouse Foundation

In a centralized architecture, a single, integrated data warehouse reflects all aspects of the business. Separate subject databases are all interrelated and are physically stored on the same platform.



A centralized data-warehouse architecture provides efficiencies in both processing power and support costs.

ufacturing data at a third venue (see the figure "Two Alternatives to a Centralized Architecture" on page 86).

The third approach, a tiered architecture, houses highly summarized data on one user's workstation, with moredetailed summaries on a second server, and the most detailed information on a third. The first-tier workstation handles most requests for data, with successively fewer requests passing on to tiers 2 and 3 for resolution. Computers at the first tier can be optimized for heavy user loads and low data volume, while servers at the other tiers are more adept at processing heavy data volumes but lighter user loads.


As you're deciding on a centralized or distributed warehouse structure, you also need to consider the servers that will hold and deliver the data. The size of your implementation—and your enterprise's needs for scalability, availability, and systems management—all influence your choice of server architecture (see the figure "Server Architectures" on page 86).

Single-processor servers are the easi-

est to manage, but they offer limited processing power and scalability. In addition, a single server presents a single point of failure, limiting the guaranteed availability of the warehouse. You can expand single-server networks via distributed architectures that make use of middleware, such as Distributed Computing Environment (DCE) or Common Object Request Broker Architecture (CORBA), to distribute traffic across multiple servers. These architectures increase availability as well, since operations can be shifted to a backup server if one server fails, but systems management is more complex.

Symmetric multiprocessing (SMP) machines increase throughput by adding processors that share the server's internal memory and disk-storage devices. You can buy most SMP in minimal configurations (i.e., with two processors) and upgrade when necessary to handle growth in your processing needs. The scalability of an SMP machine reaches its limit at the maximum number of processors supported by the connection mechanisms

State of the Art Warehouse Cornerstones




(i.e., the backplane and the shared bus).


A massively parallel processing (MPP) machine connects an array of processors via a high-speed, high-bandwidth link. Each node is a server, complete with its own (possibly SMP) processor and internal memory. To optimize an MPP architecture, applications must be "parallelized" (i.e., designed to operate in separate, parallel pieces).

This architecture is ideal for searching large databases. However, the DBMS that you select must be one that offers a parallel version. And even then, substantial design and tuning are required to achieve optimum data distribution and to prevent hot spots or *data skew* (where a disproportionate amount of the processing is shifted to one processing node due to the partition of data under its control).

The difficulty of moving applications and DBMSes to clustered or truly parallel environments has led to newer architectures, such as nonuniform memory access (NUMA). NUMA creates a single, large SMP machine by connecting multiple SMP nodes into a single (though physically distributed) memory pool and a single instance of the OS. NUMA allows the SMP approach to achieve the performance benefits of large MPP machines (with 32 or more processors) while maintaining the simplicity and management advantages of a standard SMP environment. Most appealing of all, existing DBMSes and applications can be moved



MPP- No shared memory, no shared disk



A massively parallel processing (MPP) machine uses a high-speed, high-bandwidth link to connect an array of processors.


How DBMSes Compare					
Feature/Function	Relational	Super-Relational	Multidimensional (logical)	Multidimensional (physical)	Object-Relational
Normalized structures	V	~			V
Abstract data types					~
Parallelism	~		110		and the first second
Multidimensional structures		V	V	V	
Drill-down			~	V	V
Rotation	1		~	V	~
Data-dependent operations	1		The Constant of Constant		V

from single-processor or SMP platforms to NUMA with no modifications.

DBMS Decisions

Data warehouses (along with decisionsupport systems [DSSes] and client/server applications) were the first successes for the relational DBMS (RDBMS). While most operational systems were legacy applications mired in old data structures, warehouses and DSSes capitalized on RDBMS for their flexibility and ability to perform ad hoc queries.

RDBMSes are most flexible when they are used with a normalized data structure. In a normalized database, data structures are nonredundant and represent the basic entities and relationships described by the data (e.g., products, markets, and sales transactions). But a typical on-line analytical processing (OLAP) query that crosses several structures ("How many blue widgets did we sell in stores in the Midwest?") requires several join operations to put such data back together. The performance



join multiple SMP nodes into a single, distributed memory pool. of traditional RDBMSes is better for keybased queries ("Find customer account #1234") than for content-based queries ("Find all customers with income over \$50,000 who have bought an automobile in the last six months").

To support large-scale warehouses and improve responsiveness for OLAP applications, vendors have added new features to the traditional RDBMS. These so-called super-relational features include support for specialized database hardware, such as the Teradata database machine. Super-relational features also support extensions to storage formats and relational operations (offered by vendors such as RedBrick) and specialized indexing schemes, such as those used by Sybase IQ. These techniques can improve performance for content-based retrievals by prejoining tables using indexes or through the use of fully inverted index lists.

Most data-warehouse-access tools exploit the multidimensional nature of warehouse data. For example, marketing analysts need to look at sales volumes by product, by market, by time period, by promotions and advertising levels, and by combinations of these different aspects. Structuring data in a traditional relational database to facilitate queries and analyses along different dimensions (e.g., star or snowflake schemata) has become commonplace. These schemata might use multiple tables and pointers to simulate a multidimensional structure. Some DBMS products, such as Essbase and Gentium, implement storage techniques and operators that support multidimensional data structures.

While multidimensional databases (MDDBs) help you directly manipulate multidimensional data objects (e.g., the easy rotation of data to view along different dimensions, or drill-down operations that successively expose moredetailed levels of data), you must identify these dimensions when building the database structure. Thus, adding a new dimension, or changing the views desired, can be cumbersome and costly. Some MDDBs require a complete reload of the database when restructuring occurs.

New Dimensions

A limitation of both RDBMS and MDDB is a lack of support for nontraditional data types, such as images, documents, and video/audio clips. If you need these types of objects in your data warehouse, look to an object-relational DBMS, such as Informix's Illustra. Focused on coded data values, most database systems can accommodate these data types only with somewhat-awkward reference-based extensions, such as pointers to files containing the objects. Many RDBMSes store complex data as binary large objects (BLObs). In this format, the objects cannot be indexed, sorted, or searched by the server.

Object-relational DBMSes, on the other hand, store complex data as native objects and can support the extensive data structures found in an object-oriented environment. These database systems naturally accommodate not only special data types but also the processing methods that are unique to each (e.g., a COMPARE operation on a picture might return another picture with similar features).

But a disadvantage to the object-relational approach is that the encapsulation of data within special data types—a series of stock prices over time in each row of a stock table, for example—requires specialized operators for what were previously simple searches (e.g., "Find all stocks that showed a decline in price from April to May 1996").

DBMS selection is also tied to the server hardware you use. Some RDBMSes, such as DB2 Parallel, Informix XPS, and

For these environ Business requirements		Systems support	Choose Architecture	Server	DBMS
Scope: departmental Uses: data analysis	Small; single location	Minimal local; average central	Consolidated; turnkey package	Single-processor or SMP	MDDB
Scope: departmental Uses: analysis plus informational	Large; analysts at single location; informational users dispersed	Minimal local; average central	Tiered; detail at central; summary at local	Clustered SMP for central; SP or SMP for local	RDBMS for central; MDDB for local
Scope: enterprise Uses: analysis plus informational	Large; geographically dispersed	Strong central	Centralized	Clustered SMP	Object-relational Web support
Scope: departmental Uses: exploratory	Small; few sites	Strong central	Centralized	MPP	RDBMS with parallel support

Data-Warehouse Decision Matrix

Oracle Parallel, offer versions that support parallel operations. Parallel software splits queries, joins across multiple processors, and runs these operations simultaneously to improve performance.

Parallelism is required for the best performance on large MPP and clustered SMP servers. It's not yet an option with MDDBs or object-relational DBMSes.

The table "How DBMSes Compare" on page 87 summarizes the pros and cons of the different types of DBMSes for warehouse operations. The table "Data-Warehouse Decision Matrix" above contains some examples of how these decision criteria affect the choice of a server/datawarehouse architecture.

Piecing It Together

To select the right combination of server architecture and DBMS, you first need to understand your company's business requirements, its user population, and the skills of the support staff.

Data-warehouse implementations vary considerably in scope. Some are designed to support specific analysis needs for a single department or functional area of an organization, such as finance, sales, or marketing. Other implementations bring together data from across the entire enterprise to support a variety of user groups and functions. As a general rule, the broader the scope of the warehouse, the more power and functionality required of the server and DBMS.

Warehouse-usage patterns are also a factor. Prestructured queries and report views often satisfy informational users while exacting fewer demands on the DBMS and the processing power of the server. Complex analysis, which is typical of decision-support environments, requires more power and flexibility from all server components. Massive searches of large data warehouses favor parallelism in both DBMS and server.

Dynamic environments, with their ever-changing requirements, are served best by a simple, easily changeable data architecture (e.g., a highly normalized relational structure) rather than an intricate structure that requires rebuilding after every change (e.g., a multidimensional structure). The required data-refresh rate indicates how responsive the data warehouse must be to new and changing data. Large data volumes that are refreshed at frequent intervals favor a physically centralized architecture to support efficient data capture and minimize datatransport time.

A user profile should identify who your data warehouse's users are, where they're located, and how many you need to support. Information about how each group expects to use warehouse data will help you analyze the various usage styles.

Knowing the physical location of your users helps you determine how and to what extent you need to distribute warehouse data. A tiered architecture might use servers already in place on LANs. Or you may need a centralized approach to support mobile workers who tap into the warehouse from their laptops.

The total number of users and their connection patterns determine the size of your warehouse servers. Memory sizes and I/O throughput must support the anticipated number of concurrent users under normal conditions as well as at peak usage times at your organization.

Finally, you must factor in supportstaff sophistication. The IS resources that are available within your organization might limit the complexity or sophistication of your server architecture. Without skilled in-house staff or outside consultants, an architecture that requires server-platform parallelism (MPP or clustered SMP, for example) is difficult to create and maintain successfully.

Expansion Plans

As your warehouse matures and the data it contains becomes more accessible, employees outside the warehouse might also discover the value of its data. By linking your data warehouse to other systems both internal and external to the organization—you can share information with other business entities with little or no custom development. E-mail messages, Web servers, and intranet/Internet connections can deliver inventory levels to your suppliers or order status to your business partners.

As data warehouses continue to grow in sophistication and usability, the data accumulated within an enterprise will become more organized, more interconnected, more accessible, and more generally available to more employees. The result? Better business decisions, more business opportunities, and a more enlightened work force.

Jay-Louise Weldon (New York, NY) heads the Data Warehouse Practice within the U.S. Eastern region of MCI Systemhouse, a global-systems-integration firm. You can contact her at jweldon@shl.com.

STATISTICA (automatically configures itself for Windows 95 |long file nume), etc.] or 3.1) - A complete data analysis system with thousands of onercon customizable, presentation-quality graphs fully integrated with all proanduren = Comprehensive Windows support, OLE (client and server), DDE, wtomizable AutoTask toolbars, pop-up menus • Multiple data-, results-, and reph windows with data-graph links • The largest selection of statistics and craphs in a single system; comprehensive implementations of: Exploratory techimpues with advanced brushing; multi-way tables with banners (presentationmoduly reports); nonparametrics; distribution fitting; multiple regression; genera nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepthe discriminant analysis; log-linear analysis; confirmatory/exploratory factor unity is; cluster analysis; multidimensional scaling; canonical correlation; orm analysis/reliability; correspondence analysis; survival analysis; a large alection of time series modeling/forecasting techniques; structural equation modeling with Monte Carlo simulations; and much more . On-line Instronic Manual with comprehensive introductions to each procedure and examples - Hypertext-based Stats Advisor expert system - Workbooks with multiple AutoOpen documents (e.g., graphs, reports) = Extensive data nonagement facilities (fast spreadsheet of unlimited capacity with long formu-Drag-and-Drop, AntoFill, Anto-Recalculate, split-screen/variable-speed rolling, advanced Clipboard support, DDE links, hot links to graphs, relational ourge, data verification/cleaning) = Powerful STATISTICA BASIC language (proh-total development environment) with matrix operations, full graphics support, and interface to external programs (*DLLs*) - Batch command language and editable macros, flexible "turn-key" and automation options, custombe igned procedures can be added to floating Auto Task toolbars = All output in played in Scrollsheets" (dynamic, customizable, presentation-quality tibles with instant 2D, 3D, and multiple graphs) or word processor-style report editor (of unlimited capacity) that combines text and graphs Extremely large analysis designs (e.g., correlation matrices up to 12 000x32,000, unlimited ANOVA designs) - Megafile Manager with up to 12,000 variables (8 Mb) per record - Unlimited size of files; extended 1 quadruple") precision; unmatched speed = Exchanges data and graphs with other applications via DDE, OLE, or an extensive selection of file import/export tachties (incl. ODBC access to virtually all data bases and mainframe files) Hundreds of types of graphs, incl. categorized multiple 2D and 3D graphs, ucuary 2D/3D graphs, matrix plots, icons, and unique multivariate (e.g., (D) graphs = Facilities to custom-design new graph types and add them permattently to menus or toolbars . On-screen graph customization with alvanced drawing tools (e.g., scrolling and editing of complex objects in 32x real zoom mode), compound (nested) OLE documents, Multiple-Graph tutolayout Wizard, templates, special effects, icons, page layout control for lides and printonts; unniatched speed of graph redraw . Interactive rotanon, perspective and cross-sections of 3D displays - Large selection of tools for graphical exploration of data: extensive brushing tools with animation, fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets

Price \$995.

Quick STATISTICA (for Windows) = A subset of STATISTICA; comprehensive selection of basic statistics and the full analytic and presentation-quality raphics capabilities of STATISTICA = Price \$495.

STATISTICA Industrial System (requires *STATISTICA* or Quick *STATISTICA*) ■ The largest selection of industrial statistics in a single package; quality control charts (real-time data acquisition options), process capability unalysis, R&R, sampling plans, and an extremely comprehensive selection of experimental design (DOE) methods ■ Hexible tools to customize and automate all analyses and reports (incl. "turn-key" system options, and tools to add custom procedures) ■ Price **\$995**.

STATISTICA/Mac (for Macintosh) - Price \$695 (Quick - \$395).


Domestic sh/h \$12 per product; 30-day money back guarantee.

STATISTICA has received the highest rating in EVERY comparative review of statistics software in which it was featured, since its first release.



2300 E. 14th St. • Tulsa, OK 74104 • (918) 749-1119 Fax: (918) 749-2217 • WEB: http://www.statsoft.com e-mail: info@statsoft.com

StalSoft Ltd. (London, UK), ph: +44 1767/600166, fax: +44 1767/600144 StalSoft GmbH (Hamburg, Germany), ph: +49 40/4200347, fax: +49 40/4911310 StalSoft France (Paris, France), ph: -33 01-45-185-999, fax: +33 01-45-185-285 StalSoft Polska Sp.z o.o. (Krakow, Poland), ph: +48 12-391120, fax: +48 12-391121 StalSoft Halla (Padova, Italy), ph: -38 49-993-3227, fax: +38 49-993-2897



Available also in: Sweden: ph: 018-210035, fax: 018-210039; Finland: ph: 24-7334678, fax: 24-7333887; Belgium: ph: 010 611 628, fax 010 616 957; South Africa: ph: 12-660-2884; fax 12-660-2884; Japan (Macintosh): ph: 03-3770-7600, fax 03-3770-7784; Japan (Windows): ph: 03-3667-1110, fax: 03-3668-3110; Taiwan: ph: 2-698-2060, fax: 2-698-2061, The Netherlands: ph: (0) 50.5287310, fax: (0) 50 5277685; Ruisen: ph: (095) 126-9005, fax: (0) 50 227685; Ruisen: ph: (095) 126-9005, fax: (0) 50 5277685; Ruisen: ph: (095) 126-9005; Ruisen: ph: (095) 126-9005; Ruisen: ph: (095) 126-90

We've taken computer design out of the Stone-Age

KNS, the world's first TRUE keyboard computer

Primitive design chooses to house a tiny microprocessor inside a bulky case. With desk space being a rare commodity these days, why put up with such stone-age packaging? Cut the clutter with the Keyboard Network Station (KNS) from Advanced Interlink Corporation.

We're changing the shape of computing by packing technologically advanced components inside a keyboard! This logical evolution of the PC doesn't sacrifice performance for size. The KNS is a compact powerhouse that houses a 80486DX microprocessor*, up to 32 megabytes of RAM, super VGA adapter, 2.5" hard drive, built in 3.5" floppy drive, optional on-board Ethernet, two serial ports, one parallel port, standard 16 bit expansion slot, optional barcode reader and

external 5.25" floppy port. Its

impressive list of features and advanced engineering makes the KNS your Netware", missing link to performance computing.

On-board Ethernet connectors with a choice of thin coax or twisted-pair cables and a data transfer rate of 10Mbps makes the KNS a smart addition to any new or existing network. The KNS is fully tested and compatible with Novell Netware[®], Windows[®] and DOS[®] environments.

1º 1º 1/mil

To find out more about the KNS (Keyboard Network Station), give us a call and let us show you how we have taken computer design out of the stone-age.

Cyrix, AMD and Intel processors supported











We're Changing the Shape of Computing

IS181 SPRINGDALE STREET • HUNTINGTON BEACH, CA 92649 • PHONE (714) 894-1675 • FAX (714) 893-1546 ©1995 ADVANCED INTERLINK CORPORATION, Design and specifications subject to change without notice. Trademarks are the property of their respective companies.

State of the Art

Without the proper end-user tools for data access and analysis, your data warehouse may be shuttered. By Alan Simon

Better Clients, Better Decisions


ou know it's there. Buried in gigabytes of marketing data or point-of-sale transactions lies the key information about an important customer trend or a successful product launch. Now all you have to do is extract it in a way that informs the decision at hand.

You need a specialized tool that lets you capture the relevant data quickly and view it across many different data dimensions. The tool shouldn't stop at merely accessing data—it should also give you a way to meaningfully analyze the data; in effect, transforming raw data into useful business information.

Business intelligence tools sit on top of the data warehouse and provide this service. Because they're the main point of contact between your warehouse application and the people who use it, these tools also can be the difference between a warehouse's success or failure. Business intelligence tools have become the successor to decision support systems, but they have a broader scope: They not only support decision making but, in many cases, these tools support operational, mission-critical functions of the company, too. However, business intelligence products aren't foolproof: You get the most out of your data warehouse only as long as you match the right tool to the needs of each end user.

Beyond Queries

The simplest of these tools are basic querying and reporting products. They provide graphical front ends to SQL generators (or, more accurately, database access-call generators). Rather than requiring you to learn SQL or write a program to access database information, the querying tool lets you point-and-click menus and buttons to specify data elements, conditions, grouping criteria, and other attributes of an information request (see the figure "A View to Your Data" above). The query tool then generates a database call, extracts the relevant data,



OLAP tools let you drag relevant categories like "Stores" and "Products" to a blank grid to build custom views of your data.

performs additional calculation and data manipulation if necessary, and presents the results in a clear format.

You can store queries and report requests for subsequent submission, either as is or with modifications. Statistical processing is usually limited to averages, summations, standard deviations, and other basic analysis functions. Although the capabilities vary from one product to another, querying and reporting tools are most appropriate when you need an answer to the question "What happened?"—as in "How do last month's sales for products X, Y, and Z compare with the previous month's sales and the same month's sales last year?"

To make queries more accessible to nontechnical people, products like Seagate's Crystal Reports, Cognos' Impromptu, Borland's Reportsmith, IQ Software's Intelligent Query, Software AG's Esperant, and Andyne's GQL offer graphical interfaces for drag-and-drop selections. The more advanced of these products will steer you away from queries that have bad syntax or that return unintended results. Access to data has also improved with new versions of these products as vendors ship standard drivers such as ODBC and native 32-bit drivers to popular data sources. continued


State of the Art Better Clients, Better Decisions

In general, data warehouse managers who are going to use these types of products should be prepared to spend time resolving setup tasks like managing directories and libraries, installing connectivity software, establishing English-like names, and precalculating "virtual data fields." Once you create your SQL front end, you may need to develop a set of standard queries and reports, although some products offer libraries of prebuilt templates and predefined reports that you can quickly modify.

On-Line Analysis

Report generators fall short when end users need more than a single, static view of data that is not subject to further manipulation. For these users, on-line analytical processing (OLAP) tools provide "slice and dice" capabilities that go beyond answering "what happened?" to analyzing why the results are the way they are (see "Two Ways to Slice and Dice Data" at right). The first OLAP solutions were based on multidimensional databases (MDDBs). A structural cube (dubbed a hypercube or a multidimensional array) stored the data so you could manipulate it intuitively and clearly see the associations across multiple dimensions. Pioneering products such as Arbor Software's Essbase directly support the various views and dimensional manipulations required by OLAP.

But the MDDB approach has two limitations. First, new data-storage structures require proprietary databases. There are no truly open standards for accessing multidimensional data. Vendors such as Arbor saw this as an opportunity to create de facto standards by publishing MDDB APIs, encouraging third-party tools, and establishing strategic partnerships. Many third-party query tools and data-mining solutions directly



support Essbase, Oracle Express, and other popular MDDB formats. Commander OLAP, Comshare's client/server tool, sits on top of an Essbase multidimensional data store and supports dynamic access and manipulation of data.

The second limitation of MDDB concerns populating the data structure. Companies typically store enterprise data in relational databases, which means that someone has to extract, format, and load this data into the hypercube. This process can be complex and time-consuming but, again, vendors are searching for solutions. Data pumps and other tools automate the process by mapping relational fields into the multidimensional structure and populating the MDDB on-the-fly.

Some vendors are now evangelizing relational OLAP (ROLAP), which taps into

the data warehouse directly using standard SQL calls. The front-end tools let you submit multidimensional requests, but the ROLAP engine transforms the queries into SQL routines. You then receive cross-tabulated results as a multidimensional spreadsheet or in some other form that supports rotating, drilling down, and slicing.

Even with a data pump, developing and populating the MDDB structure can be challenging. ROLAP administrators must face the sometimes daunting task of developing the SQL routines to aggregate and index ROLAP data as well as to ensure correct translation of multidimensional requests into SQL command sets.

Advocates of ROLAP argue that it uses open standards (SQL) and that it makes atomic (detail-level) data more readily

Tool Type	Basic Question	Sample Output	Typical User
Querying and reporting	"What happened?"	Monthly sales reports; inventory histories	Needs historical data; may have limited technical prowess
On-line analytical processing (OLAP)	"What happened, and why?"	Monthly sales vs. competitors' price changes	Needs to go from static views of data to "slicing and dicing"; technically astute
Executive information system (EIS)	"What do I need to know now?"	Briefing books; command centers	Needs high-level or summarized information may not be technically astute
Data mining	"What's interesting?"; "What might happen?"	Predictive models	Needs to extract obscure data relationships and trends; technically astute

ROSS UPGRADES

MAKE YOUR SUN BRIGHTER.

ROSS TECHNOLOGY has a full line of products to upgrade your SPARCstation and keep it at the top of the performance curve: ROSS hyperSPARC CPU upgrades, hyperSTATION upgrade kits and SIMMs.

GUARANTEED SPARCSTATION COMPATIBLE. With ROSS upgrades, you get dazzling performance from your SPARCstations while protecting your software investment.

All ROSS upgrades are fully SunSoft supported and compatible with all the 10,000+ SPARC applications.

So the decision to upgrade is a no-brainer — your existing technology and application base become more productive for a *fraction* of the cost of additional workstations or moving to a new technology. Buy ROSS upgrades and get more done in less time — at significant savings.

SPARCSTATION 5 UPGRADE KIT

In just ten minutes, install a dual processor upgrade kit and see improvements of 78% to 470% for integer performance and 150% to 680% for floating point performance (dual 40 to twin 150). Dual upgrade kits start at under \$2,000. Option for single to quad processor configurations.

CPU UPGRADES

Add up to four processors, from 90 MHz to 180 MHz: List pricing starts at just \$2,354.

MEMORY UPGRADES

ROSS memory is guaranteed SPARC compatible and available in 32 and 64 megabyte modules. Call for pricing.



5316 Highway 290 W * Austin, TX 78735 * www.ross.com 1-800-ROSS-YES * 512-349-3108 (Global) * 512-349-3101 (Fax)

©1996 ROSS Technology Inc. All rights reserved. All SPARC trademarks are registered trademarks or trademarks of SPARC International, Inc. hyperSPARC and hyperSTATION are licensed exclusively to ROSS Technology. Inc. SPARCstation is licensed exclusively to Sun Microsystems, Inc. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc. All other product or service names mentioned herein are trademarks of their respective owners.

Circle 150 on Inquiry Card (RESELLERS: 151).

ing levels of information are revealed as

the analyst manipulates the data, an exec-

utive expects the overview up front. He

or she should not have to dig for answers.

Therefore, when the executive requests

more information from briefing-book

slides or command-center screens, the

display should be carefully constructed

to present primarily supplemental, ampli-

fying information. The executive should

be able to bypass every prompt for "more

information" without missing any criti-

Savvy executives may administer their

own briefing book and command center,

or administrators could maintain and

modify the EIS according to the execu-

tive's specifications. ElSes typically have

a programming or scripting capability

that will vary in complexity from one

product to another. Pioneers in the EIS

market include Comshare, makers of

Commander EIS, and Pilot Software,

developers of Pilot Command Center.

Data mining is a category of open-end-

ed analysis tools. Instead of asking them

questions, you hand these tools reams of

data and ask for something "interest-

ing" in return—a trend or a peculiar

grouping, for instance. The process of

data mining extracts hidden knowledge

or predictive information from the data

warehouse without requiring specific

advanced computing techniques-neural

networks, rule discovery, deviation detec-

Mining tools use some of the most

Digging for Data

questions or requests.

cal information.

accessible. On the other hand, advocates of MDDB argue that a native multidimensional structure achieves better performance and flexibility once you populate the data store. The good news is that both of these technologies are maturing rapidly, and either can provide a strong OLAP solution. Some product examples are Cognos' PowerPlay, Business Objects' software of the same name, Brio Technology's BrioQuery, and MicroStrategy's DSS Agent/DSS Server suite.

The administrative and development challenges of OLAP, while similar to those encountered with query and reporting tools, are generally more complex. Setting up the OLAP and the data access software requires a clear understanding of the corporation's data models and the analytical functions required by executives, managers, and other data analysts. Commercial development products can ease the pain, but OLAP is rarely a turnkey solution; the architecture must be tuned to support your data sources and requirements. But once you've set up an OLAP system, ongoing end-user support is minimal.

For the Busy Executive

The concept of the executive information system (EIS) is simple: Executives have neither the time nor, in many cases, the expertise to perform OLAP analysis of large volumes of data. The EIS presents simplified, highly consolidated, and mostly static views of the data.

There are two major categories of EIS environments: the briefing book and the command center. The briefing book is an electronic, on-line version of its paper counterpart that many executives use in staff meetings. Electronic slides present a concise picture of an organizational initiative or perhaps data to reveal the current status of a major project.

The command center is basically a collection of ports into a wide array of reports, newsgroup retrievals from the Internet, and other materials that provide insight into the organization. Commandcenter reports may be accessed daily, or more often if information changes frequently, or only when exceptions warrant. Some products generate alarms when specified exceptions occur.

When appropriate, each briefing-book slide or command-center screen should permit the executive to receive additional information if desired (and if available). Unlike the OLAP model, where increas-

Ine version of its at many executives . Electronic slides ure of an organizahaps data to reveal

than an application-driven, approach. IBM's Intelligent Miner for AIX supports sophisticated mining techniques as well as data preparation functions to

WHERE	TO FIND
Arbor Software	Software AG
Sunnyvale, CA	Reston, VA
(800) 858-1666	(800) 843-9534
(408) 727-5800	(703) 860-5050
fax: (408) 727-7140	fax: (703) 391-697
http://www	http://www
.arborsoft.com	.sagus.com
IBM	Red Brick Systems
Armonk, NY 10504	Los Gatos, CA
(800) 426-3333	(800) 777-2585
(914) 765-1900	(408) 399-3200
http://www.ibm.com	fax: (408) 399-3277
	http://www
	.redbrick.com

extract information from Oracle or Sybase databases and load it into DB2 for mining. With its Data Mine option for the Red Brick Warehouse 5.0 engine, Red Brick integrates data mining functionality and a warehousing architecture. Other examples of commercial data mining tools include Darwin from Thinking Machines, data visualization tools in SAS Institute's MDDB, SGI MineSet, and Focus 6 Analysis and Visualization suite from Information Builders.

The Right Fit

There are some obvious rules to follow when choosing analysis tools. Match tools to end-user needs, corporate technical expertise, and your existing data sources. If you selected a warehouse vendor that also offers integrated tools, you will probably save significant development time by choosing a compatible tool set. Otherwise, select a tool set that supports your data sources natively. Without such support, you should opt for a relational OLAP solution since it does provide a more open architecture.

After you've selected a tool set compatible with your data sources, determine how much analysis you really need. If you just need to know "how much" or "how many," a basic query and reporting tool should be sufficient. If you require more advanced analysis that explains the cause and effect of occurrences and trends, look to an OLAP solution. Sophisticated data mining tools require expertise in data analysis techniques and are needed for advanced forecasting, classification, and pattern discovery.

As with any technology, no single solution or set of solutions can make your company perform better. Your staff must understand the requirements of technology, develop custom solutions that meet those requirements, and effectively maintain and upgrade the systems. Business intelligence software is only a tool. You still need managers and executives who can grasp the knowledge derived and make insightful decisions. In other words, business intelligence software still requires basic business intelligence.

Alan Simon is the technology manager for data warehousing at CoreTech Consulting Group (King of Prussia, PA). He's author of Strategic Database Technology: Management for the Year 2000 (Morgan Kaufman, 1995). You can reach him at asimon@coretech-group.com.



Enjoy Pursuit Enjoy Computing

Designed for optimal

IITAC navigator, Discovery oftware bundle worth over US\$1,500 ront-centered IrDA transceiver/receiver Vindows® 95/MS keyboard & mouse 66-200MHz Intel® Pentium® processor p to 128MB RAM/1.6GB HDD nternet ready/28.8 voice modem peaker-phone/8x CD-ROM drive ID graphics & 3D Audio And much more ... Yours to ENJOY

Get MITAC's *Pursuit* and delve into endless enjoyment.

Meet **Discovery**, MITAC's navigator. Providing instant ease-of-use, this fun and eye-catching Windows[®] 95 -enhancer makes computing a lot casier and more fun for everyone.

Scan and edit text and graphics in a flash. Move huge data from your notebook, PDA, or digital camera to *Pursuit* at warp speed, easily. Or use *Pursuit* as your phone, fax, Internet/e-mail machine, and even as your stereo & video player.

Enhance your skills with super communication software. Entertain yourself with exciting games. Or pursue many other computing thrills at a speedy 166MHz Intel[®] Pentium[®] processor and awesome 3D graphics & sound.

Get a MITAC Pursuit today and enjoy.

communication,

productivity,

& pleasure.

Mitac 🈂

The Intel Inside Logo and Pentium are registered trademarks of Intel Corporation. Specifications are subject to change without notice or obligation.

MITAC INTERNATIONAL CORP. Lin Kuo Office -- Tet 886(3)3280000 Fax:886(3)3280928
 MITAC JAPAN CORP. Tet 81(3)5420-2822 Fax:81(3)5420-4586
 MITAC AUSTRALASIA PTY. LTD. Tet 61(3)9540-0555 Fax:61(3)9540-0588
 MITAC PACIFIC (H.K.) LTD. Tet (852) 2526 6782 Fax: (952)2861-3754
 BRUNEI-O.ASystem Computer Tet 673-2:244640
 INDONESIA -- P.T. Wahana Datanndo Sempuma Tet 62:21-3860300 Fax:62:21-6306828
 MALAYSIA-Alpha Data SDD BHD Tet 60:3-7546665 Fax:60-3754555
 PHILIPPINES- Integrated Computer Systems INC. Tet 632:722.4111
 Fax:632:721:2113
 THAILAND- IFEC Tet 662:559-2419 Fax:662:559-2418
 E-mail: market@smlpink.mc.com.tw
 (URL): http://mitac.mic.com.tw

Ideal For The Home & Office

Circle 725 on Inquiry Card (RESELLERS: 726).

First Desktop RAID for SPARC[™]



Features • High Availability • True RAID data integrity • Fast throughput-17mb/sec • Up to 25.2GB storage • SPARC/SUN pizza box form factor • Easy to use GUI

When you need your data safe, reliable, and ready, the Integrix RD10 delivers high performance with low cost per Mbyte.

Thanks to a dedicated 33MHz RISC processor and enhanced RAID technology, combined with dedicated I/O processors for each drive and host, the RD10 reaches throughput speeds in excess of 17Mbytes/sec. For high availability environments, dual fast/wide SCSI ports make your data available to two hosts simultaneously.

Five different hardware RAID levels, hot spare disks, and hot-swappable drives keep your data safe and secure Data automatically and transparently rebuilds on the spare drive eliminating downtime and data loss. Data integrity is assured for all mission-critical applications.

The RD10 Graphical User Interface eliminates the need to type obscure commands found buried in the back of a service manual. Historical performance software analyzes and fine tunes your RAID. Configuration and firmware upgrades can be handled automatically. RD10 status and context-sensitive online help are made instantly available. All with the click of a mouse button.

> RD10 RAID Storage Subsystem Compatible with Solaris and Windows NT

	Mbyles
rformance	Throw

(5400rpm F/W SCSI-2 HDD)	Mbytes/sec:	iOs/sec
Sequential Read (max)	16.8	1307
Sequential Write (max)	17.2	1247
Random Read (max)	9.9	620
Random Write (max)	13.0	357

RD10 RAID Subsystem Specifications

RAID Levels Supported Processor Cache Memory Channels

RD10 RAID

Throughput Pe

0, 1, 3, 5, 6, (D+1) 33MHz 32bit RISC 8Mbytes to 12/8Mbytes 2 host channelis 6 disk channelis 3.5", 1" high SCA-2 or 68-plin connector

Fast/wide Single Ended SCSI-2 interface

www.integrix.com

Corporate Headquarters 2001 Corporate Center Drive Newbury Park, California 91320 Tel: 800-300-8288 / 805-376-1000 Fax: 805-376-1001 Email: sales@integrix.com http: //www.integrix.com

integrix

Asia

Beijing, P.R.China Tel: 8610-253-5305 Fax: 8610-253-5306 Seoul, Korea Tel: 822-515-5303 Fax: 822-515-5302

I 1996 Integrix. Inc., Integrix and the Integrix logo are registered trademarks and UWS, IGS, SEC, RD, HA, SGX, TGX, SWS and SSC are trademarks of Integrix, Inc. All other trademarks mentioned are the property of their respective companies. Manufactured in USA, Internationally supported. Circle 231 on Inquiry Card.

State of the Art

"Dirty" data is dangerous. Custom scripts and specialized cleansing tools provide safety nets. By Mike Hurwicz

Take Your Data to the Cleaners

arbage in, garbage out: It's one of the oldest rules of programming. No matter how well a program is designed or how skillfully it's used, if you feed it bad information you're going to get incorrect or misleading results. Unfortunately, even data that's been used successfully in operational line-of-business applications might be garbage as far as your data-warehouse application is concerned.


"Dirty" data can result from an innocent slip of a data-entry clerk's fingers (e.g., "Snadra White Enterprises" instead of "Sandra White Enterprises") or from a number of other causes (see the figure "Nine Reasons to Distrust Your Data" at right). No matter what the cause, dirty data damages the credibility of an entire warehouse implementation.

Fortunately, data-cleansing tools can help. In some cases, you might be able to create an effective cleansing script yourself. Commercial tools, on the other hand, might be mandatory if your database is large or especially inaccurate and inconsistent. Deciding which tool to use is important, and not only for the sake of data integrity. If you choose the wrong approach, you could squander weeks of programming resources or hundreds of thousands of dollars in tool costs.

Data Cleaning

Cleaning up dirty data is a complex, multifaceted process that starts with an analysis of your corporate data to uncover inaccuracies, anomalies, and other problems. You then must transform the data to make sure it's accurate and consistently represented. Next comes the step of ensuring *referential integrity*, the ability of the data warehouse to correctly identify every instance of every business object, such as a product, a customer, or an employee. Next, you validate the data using the data-warehouse application to perform test queries.

After you're confident about the validity of your data, you need to produce



Data warehouses are often more vulnerable to inaccurate or inconsistent data than operational applications are.

metadata, a description of the data type, format, and business meaning of each field. Last comes the crucial step of documenting the whole process so you can more easily expand, modify, and repaithe data in the future. In practice, you might have to perform multiple steps as part of a single operation or when using a single tool. In particular, cleaning data and ensuring referential integrity are interdependent processes.

Commercial tools can help you with each of these steps. However, it's possible to write your ow programs to do the

State of the Art

1. The second second

100 minute of the fourth-gentransfer (4GL) associated with the Progress database, which runs on an 100 minute database, which runs on an 100 min

Users helped define the data-scrubbing requirements. "They know the data the best," says Tony Birrittier, data-warehouse project manager at CompuCom. "They inform us about what type of dirty data is out there and how to clean it."

Birrittier says the company didn't go with a commercial cleansing tool because most of its data is in the same basic form; thus, the company can easily reuse the routines it writes. The main drawback has been the amount of development time typically about a week—needed to create the routines. "We're having a difficult time keeping up with demand," Birrittier explains. "We've been looking at some [commercial] software packages, but we haven't found anything on the market that's a better fit here at CompuCom."

Some users have found that in-house data scrubbing takes too long to be practical. Ohio Casualty Insurance (Hamilton, OH) experimented for two years with in-house cleansing, using COBOL programs, before turning to a commercial tool, the Integrity Data Reengineering Tool from Vality Technology.

The Ohio Casualty data warehouse combines records associated with about 1 million personal insurance policies, including auto and homeowner's policies. As a test run, the company started out with 3500 of its employees' policies.

"It's a total nightmare to try to program for all situations that you might run across," says Susan Parsons, Ohio Casualty's data administrator. Even after spending a year developing generic extract/transform/load programs, it took another year, using COBOL programming and manual editing, to get the policy data usable for the warehouse.


Take Your Data to the Gleaners

The volue foregree Data Reenginrecting bool in Ip, attack the first set of entitioner data—about 15,000 policies at the company's Denver business center. Although Ohio Casualty personnel still needed to comb through anomalies that the Vality product discovered, no programming or manual editing of the data was required. The data was ready for the warehouse in about six weeks.

Intel (Hillsboro, OR) is an example of a company that has successfully done some in-house data cleaning, though against its will. Intel originally intended to outsource its data cleansing to a service bureau, for a customer-contact warehouse of approximately 1 million records ysis and cleansing. Since new data was coming in all the time, some of the Oracle cleansing routines were implemented as stored procedures so that they could automatically be run against new data.

Intel would still like to outsource the data-cleaning task. However, the company plans to keep it in-house until it finds an acceptable service bureau.

Many companies also turn to consultants for custom solutions. For instance, CrediCard (São Paulo, Brazil), a large credit-card issuer in South America, got data-scrubbing and enhancement tools as part of a data-warehouse implementation by Market Knowledge, a subsidiary of Equifax. CrediCard's marketing per-



The cleansing tools within warehouse management software, like Prism's, may be enough to solve anomalies in your database.

taken from five operational systems. The service bureau promised to identify relationships among various groups within customer companies. In addition, the bureau would provide industry information for customer organizations, such as number of employees, revenues, and growth, which would be valuable to Intel's sales and marketing people. Unfortunately, the service bureau did not do a perfect job of identifying relationships among customers because some contact people became associated with the wrong companies.

Intel took the tape it got back from the service bureau and then ran the data through the SAS statistical-analysis package, from the SAS Institute, to identify and correct problems with the relationships in the top 10 groupings (i.e., those with the most companies in a single relationship hierarchy). The company then used Oracle database tools to do further analsonnel use approximately 200 custom routines to perform cleansing operations, such as removal of bad or useless data, correction of bad values, and standardization of varying formats. In addition, they can enhance data by performing such operations as correcting monetary amounts for inflation and devaluation, creating a virtual age field based on a person's birth date, and appending census data to incoming records.

These custom routines (e.g., inflation correction) are particularly suited to Brazilian requirements. They are also designed for use by nontechnical marketing personnel. The data-scrubbing routines, which are programmed as SQL commands, took only about three person-weeks to create—a negligible portion of a 2½-year project. (Data-enhancement tools, which are more automated and more intelligent, represent about \$120,000 of the total \$840,000 job.)

continued



WE FINALLY MADE A WORKSTATION

ust like everyone else's.

We finally made a workstation just as practical, reliable, and affordable

as everyone else's. With one minor exception: it's better. Introducing O2[™]. The only workstation that can combine industryleading CPU and

O2 DESKTOP WORKSTATION \$7,495 MIPS R5000 180MHz processor 32-bit double-buffered graphics Hardware texture mapping Image processing engine Video compression engine Web-integrated user environment A4MB ECC SDRAM 2GB SCSI system disk 17" monitor, 1280 x1040 100BaseTX/10BaseT Ethernet CD-ROM

SiliconGraphics Computer Systems graphics performance with breakthrough video and imaging capabilities. Why? Because O² is the only workstation based on an innovative Unified Memory Architecture.

O² comes standard with the MIPS® R5000[™] chip, and is also available with the much more powerful MIPS® R10000[™] CPU. Best of all, O² is designed to be an extrovert. Every O² machine comes standard with a full set of web-authoring tools as well as a personal web server. So as soon as you plug it in, you can communicate your ideas to anyone, anywhere, on any computer. If you want the performance of a workstation combined with the power of the web, look for O². It isn't hard to find. For more information, visit our Web site or call 800.636.8184 Dept. LS0055.



See what's possible

© 1996 Silicon Graphics, Inc. All rights reserved. Silicon Graphics and the Silicon Graphics logo are registered trademarks, O1, and See what's possible are trademarks, of Silicon Graphics, Inc. MIPS and the MIPS RISC Certified Power logo are registered trademarks, and R10000 and R5000 are trademarks, of MIPS Technologies, Inc. Circle 234 on Inquiry Card.

www.sgi.com/O2

State of the Art

A set of the set of th

Light Cleaning

I won if you decide not to program datacleansing functions yourself or hire a consultant to do a custom job, you may not need to buy a tool specifically for the task: Your data-warehouse management software might do enough cleaning and validation for your purposes. Many datawarehouse projects rely on a product such as Warehouse Manager, from Prism Solutions, or Passport, from Carleton, for a range of data-warehouse management tasks, including extracting data from operational databases, preparing data for loading into a warehouse database, and managing metadata. These products, which cost from \$75,000 to more than \$200,000, depending on the size and complexity of the project, can also do cleaning, transformation, and validation.

For instance, Emory University (Atlanta) does all the data cleansing for its 6-GB warehouse with COBOL programs generated by the Prism Warehouse Manager. In addition to having typical problems, such as multiple date formats, data often contains uninitialized fields that hold arbitrary values. Two staff members spend as much as 4 hours a day working on data-cleansing tasks. Emory has considered using specialized data-cleansing tools, but the school is eliminating dirty data well enough now that it doesn't see enough additional value in other commercial products to justify the cost, according to Barbara Germon, manager of the data-resources group.

However, there's a good chance that the aforementioned tools from Prism and Carleton won't do all the cleaning you need. They might be able to deal with common anomalies that can be handled through simple lookup tables (e.g., recognizing that *Street* and *St.* represent the same information), but they might not deal successfully with more important and unpredictable irregularities. "It's worth doing some testing," says Wayne Eckerson, a senior consultant at the Patricia Seybold Group in Boston, Massachusetts, "but these tools are not designed to do 'heavy-lifting' types of cleaning." Jake Your Data to the Cleaners

Maren	DataWareHouse	Sync			-
Description	Synchronization (ior the East	Coast WareHou	sing Databases	
Code Directory	D:\codegen			Bro	wse
Application Type	Synchronization	±			
Schema Data		Global	Options	Database Connection	-
E Che			Read/Write	Nol Available	
DSS			Read/Write	Nat Available	
🛞 🖬 🧸 Glob			Disabled	Not Available	
E A Savi			Read/Write	Not Achieble	
E A ZipC			Read/Write	Not Available	
E 💑 food	Stores		Read	CustomerBase	
- i k	bod			CustomerBase	
- fo	od_inv			CustomerBase	
	od prices			CustomerBase	-

With Apertus's Enterprise/Integrator, you impose your firm's business rules on a database to wipe out anomalies in the data.

If the data that requires cleaning consists predominantly of names (including company names) and addresses, companies such as Harte-Hanks Communications and Innovative Systems provide not only software tools but periodically updated data files to help match variants of company names, detect ZIP codes that don't match the addresses provided, and deal with similar anomalies. These tools might be appropriate where, for instance, fields other than those for names and addresses are either known to be correct (e.g., contract dollar amounts that have been validated by accounting) or contain free-form information that will never be used as a key or index (e.g., salespeople's contact notes).

Name-and-address-oriented solutions can cost anywhere from \$30,000 to more than \$200,000, depending on the size of the data warehouse in question. In addition, an extract/transform/load (ETL) tool, such as Warehouse Manager or Passport, is also needed.

The Heavyweights

For extensive cleaning jobs, consider tools that are developed for that task. Two top contenders are Enterprise/Integrator, from Apertus Technologies, and Vality's Integrity Data Reengineering Tool.

Enterprise/Integrator takes a top-

down approach, in which you have to provide the rules for cleaning the data. This is a straightforward strategy, where you impose your understanding about your business on the data. For instance, do you wish to treat a string of Martha's Fried Chicken franchises as a single customer with multiple addresses? Or, for the purposes of the data warehouse, does it make sense to substitute a single central address for the different franchise addresses? Or would you like to treat the franchise locations as entirely different customers? This decision determines how you aggregate or consolidate these records and whether you treat differing addresses for Martha's Fried Chicken as anomalies.

Enterprise/Integrator offers not just data cleaning, but also extraction, transformation, data loading, replication, synchronization, and metadata management. It's fairly expensive (\$130,000 to \$250,000), but it can be a money-saver if it eliminates the need for other datawarehouse management tools.

The main disadvantage to Enterprise/ Integrator's top-down approach is that you have to know, or be able to deduce, the data-cleansing and business rules. Apertus provides samples to work from, which deal with many common anomalies and business structures. Still, creating rules is time-consuming, and you're

MUSIC P TRAC BER CAFE D THERE W 1 REVOLUTION

FHE AIR

INTRODUCING THE REVOLUTIONARY ISDN OMNI SERIES MODEMS.

really good price today? Really fast, easy to use and really easy to set up, the brand new Omni ISDN moderns give you more for your money, so you can go on line or have remote access at

ZYXEL Simil.not

800-255-4101

Tel (714) 693-0808 Fax (714) 693-8811



ZyXEL omni.net	ZyXEL Omni TA128	3ComImpact" IQ	BIISURFR Pro~
460.8Kbps Max Throughput	460.8Kbps Max Throughput	230.4Kbps Max Throughput	115.2Kbps Max Throughput
Hi/In™ L7S® (Stac®)	Hi/In LZS (Stac)	Stacker LZS	0
BACP	BACP	0	0
Auto Protocol Selection	Auto Protocol Selection	QuickSelect [™]	0
V 110 & X.75°	V 110 & X.75	0	Ø
CAPI 1.1a*	CAPI 1 Ja	0	0
14 LED Lights	13 LED Lights	8 LED Lights	6 LED Lights
2 Analog Ports	2 Analog Ports	1 Analog Port	2 Analog Ports
1 DTE Serial Port	2 DTE Serial Ports	I DTE Senal Port	1 DTE Serial Port
List Price \$299**	List Price \$399**	List Price \$499**	List Price \$495**

Circle 163 on Inquiry Card (RESELLERS: 164).

State of the Art Take Your Data to the Cleaners

sure to find some unexpected anomalies. These can be handled manually through an exception-handling system—but it's a time-consuming process.

Vality's Integrity Data Reengineering Tool takes a bottom-up approach. It analyzes the data character by character and automatically surfaces patterns and business rules. Integrity then provides a data "blueprint" to help standardize, condition, and consolidate the data. This approach tends to leave fewer exceptions to be handled manually, and the process tends to be less time-consuming. Like Enterprise/Integrator, Integrity can take into account business relationships that aren't obvious from the data, such as mergers and acquisitions that have taken place since the data was created. But with either tool, these rules must be imposed in a top-down fashion.

Integrity focuses exclusively on data cleansing, starting from flat files. It does not extract data from operational databases, load data into the warehouse database, replicate and synchronize data, or manage metadata. Therefore, in addition to typically costing \$250,000, Integrity



Here's what Computer Reseller News, the industry's bible, said about DTK's APRI-31 network workstation with the Intel Pentiums Pro processor: "H-P, DTK lead the Pentiums Pro pack"

"The APRI's all-SCSI peripherals, AMI BIOS, Intel 440FX chipset and proprietary motherboard combined to garner the highest overall score and to outpace the field in two of the five applications tests. It finished...a close second in the remaining three individual tests." "The DTK APRI-31M/P200 is a price/performance leader, and an excellent value..." — CRN, 9/2/96

Now, DTK's APRI-32 has DUAL Pentium. Pro processors!

The ultimate system for workstations and servers, it's DTK's new APRI-32, with dual Intel[®] Pentium[®] Pro 200MHz processors and an integrated Wide SCSI controller! The power of the new Windows[®] NT Workstation ver. 4.0 (shipped with the APRI-32) and DTK's new dual processor system make an ideal networking combination.



Your new APRI-32 can be custom-configured with up to 384MB of EDO DRAM and a 3D or 2D PCI graphics card. And, with the Seagate

Wide SCSI hard drive with 2,

PENTIUM PRO

4 or 9 gigabyte capacity (2GB is standard), the APRI-32 is an unbeatable work-station/server system.

All DTK systems are FCC-certified and UL-Listed. Technical support from our networksavvy specialists is free. DTK has combined the most advanced technology with sensible pricing. It doesn't take a Wall Street analyst to recognize that the APRI-32 is a wise choice!

APRI-32

- DUAL Intel 200MHz Pentium
 Pro processors w/256KB internal cache
- Up to 384MB EDO RAM on board
- 3COM Network Card
- AMI Flash BIOS
- 6X SCSI CD-ROM drive
- 2GB/4GB/9GB SCSI-2 or Wide SCSI Seagate Hard Drive
- PCI 64-bit Graphics Accelerator
- with 2MB or 4MB RAM
- 3.5-inch Floppy Disk Drive
- MS Mouse and MS Keyboard
- MS Windows NT Workstation v. 4.0
- 2-Yr. Ltd. Warranty (On Site Option)



Nationwide (800) 289-2385

The Intel Inside Logo and Pentium are registered trademarks and the Pentium Processor Logo and the Pentium Processor Pro Logo are trademarks of Intel Corporation. All other trademarks are the properties of their respective owners. ©1906 DTK Computer Inc.

Circle 138 on Inquiry Card (RESELLERS: 139). might also require a tool like Warehouse Manager or Passport. But the simple extraction/load utilities available with the database might be sufficient for you.

Facing the Threat

Dirty data is a serious threat to the success of a data-warehouse project. Depending on the extent of the problem, it simply might not be possible to address

WHERE TO FIND

Apertus Technologies, Inc. Eden Prairie, MN (800) 328-3998 (612) 828-0300 fax: (612) 828-0454 http://www.apertus.com

Carleton Corp. Burlington, MA (617) 272-4310 fax: (617) 272-2910

Harte-Hanks Communications, Inc. Billerica, MA (508) 663-9955 fax: (508) 667-7297 http://www.harte-hanks.com

Innovative Systems, Inc. Pittsburgh, PA (800) 622-6390 (412) 937-9300 fax: (412) 937-9309

Market Knowledge, Inc. Lombard, IL (630) 629-8200 http://www.mki.com

Prism Solutions, Inc. Sunnyvale, CA (800) 995-2928 (408) 752-1888 fax: (408) 752-1875 http://www.prismsolutions.com

SAS Institute, Inc. Cary, NC (919) 677-8000 fax: (919) 677-4444 http://www.sas.com

Vality Technology Boston, MA (617) 338-0300 fax: (617) 338-0338

it quickly, inexpensively, and well.

In-house programming takes time; serious tools are expensive. Warehouse project managers need to realistically assess the problem, and the in-house resources available to deal with it, and select the solution that fits the schedule and the budget of the project—or modify the schedule and the budget to fit the problem.

Mike Hurwicz is a freelance writer based in New York City. You can reach him by sending e-mail to mhurwicz@attmail.com.

A kid — in a candy store A trekkie — on board the Enterprise **You — at JavaSoft**

The hottest technology on the planet starts right here at JavaSoft. Where does it end up? Just about everywhere. We knew Java would be huge when we introduced it less than two years ago, but even we were astonished by how quickly the world embraced our vision. You knew we meant business when we said "The Network Is the Computer." You saw the beauty of pure object-oriented programming. You were captivated by the simplicity and power of the Java

Virtual Machine. And you've bewildered loved ones by raving about "write-once, use anywhere" applications. We understand, we've been there. Your enthusiasm for our technology matches its incredible potential, and that means you belong right here, working alongside the people who invented it. And now, with the introduction of JavaOS[™], JavaBeans[™] and HotJava[™] on thin-clients, enterprise network computing is about to undergo a radical transformation. And the visionary talents at JavaSoft are shaping the very heart of this transformation. You already love Java, isn't it time you created it yourself?

Seize the kind of opportunity you've been yearning for. We have a wide range of positions available, including Engineering, Systems Engineering, Technical Support, Marketing, and Sales. For complete listings and job descriptions, head straight to the following URL —

http://java.sun.com/aboutJavaSoft/jobs/

S

For consideration, please send your resume, INDICATING JOB CODE: ABY0197AB/GM, to: Sun Microsystems, Inc., 2550 Garcia Ave., M/S CUP01-304, Mountain View, CA 94043-1100; Fax: 408-343-1615 or email: jobs@java.sun.com Sun is proud to ensure equal talent always gets equal opportunity.

TM

© 1996 Sun Microsystems, Inc. Sun, Sun Microsystems, Java, JavaSoft, JavaOS, JavaBeans, HotJava and the Sun logo are registered trademarks of Sun Microsystems, Inc. in the United States and other countries. For other opportunities at Sun, please visit our Web site at

a



THE NETWORK IS THE COMPUTER

.ab Report

Big Screens for Big Jobs

t shouldn't take a case of eyestrain or even undue scrolling to justify a good monitor these days. With some highquality 17-inch displays now selling for around \$700, there's no reason why any computer professional can't enjoy morepanoramic views of spreadsheets and Web sites.

At prices hovering around \$2000, larger, 19- to 21-inch screens are still reserved for desktop-publishing, imaging, graphics, and CAD applications. But even with these higher-end monitors, prices average several hundred dollars lower than when we last looked at 21-inch displays (see "20 Big-Picture Monitors," January 1996 BYTE).

For this hands-on Lab Report, we tested 38 professional-quality monitors with nominal 17- to 21-inch screen diagonals. We ran the lot through NSTL's battery of screen-quality tests using side-by-side comparisons; evaluated ease of use and feature sets; and measured power consumption. The monitors fell into two size classes: 17-inch and 19- to 21-inch. For the 17-inch group, the average price is around \$850; for the 19- to 21-inch class, the average price is just under \$2000.

Picture Quality

We asked companies to send us monitors that were capable of achieving at least a 75-Hz refresh rate at 1280- by 1024-pixel resolution. (As it turned out, not all the models that we tested were able to do this.) The higher the refresh rate, the less likely you are to suffer from the eyestrain and headaches that perceived flicker can induce. While some people are more sensitive to flicker than others are, 75 Hz is high enough for most people.

Larger monitors should have higher refresh rates because more of the image appears in your flicker-sensitive peripheral vision. Cornerstone's Color 50/115 and ViewSonic's P815 can both support an 87-Hz vertical-refresh rate at 1600 by 1200 resolution—if you can find a graphics card that's able to drive that high a pixel rate. (We didn't test the monitors at this resolution.) These two monitors do this by pushing scanning frequencies to new



Best 21-inch: NSA/Hitachi SuperScan Elite 802

These two monitors provided the best combination of display quality, features, usability, and price in their respective size classes.

levels—up to a 115-kHz horizontal scan rate and a 250-MHz video bandwidth (see the Tech Focus on page 105). Both monitors support an amazing 1800 by 1440 screen resolution. But supporting these rates is electronically challenging, which accounts for the monitors' high prices (around \$2200).

Different monitors often have the same picture-tube manufacturer; approximately two-thirds of the tested models incorporate either Hitachi or Sony tubes, for example. But that doesn't mean that they provide the same image quality. The elec-

Hardware

A big, high-quality display can make a long day shorter. We test 38 monitors. By Dorothy Hudson, Jim Kane, and John McDonough

tronics that produce and control the image-painting electron beams have a big effect on picture quality, and there can be great differences between designs that use the same tube.

In addition, there are two basic tube types that affect image appearance, based on the type of shadow mask used to make each beam strike the correct color phosphor dots (red, green, or blue). The most common tube type uses a metal screen (a thermally stable Invar alloy) that's laced with dots that correspond to similarly arranged phosphor dots on the inside of the glass screen. Also common is Sony's Trinitron design (now licensed by other companies), which employs an aperture grille—a vertical array of wires stretched across the screen that shadows vertical lines of colored phosphor.

Some people prefer dot-shadow masks for their pixel uniformity, while others prefer aperture-grille designs for their high contrast. Overall, the aperture-grille tubes did well in our image-quality tests.

Electronics have also made monitors easier to use. Most models now have advanced controls with on-screen menus for adjusting the picture just the way you want it. You can often adjust such things as pincushioning, barrel distortion, and color matching. Some monitors even provide focus and convergence adjustment, important because large monitors slip out of their best adjustment setting over time.

Power and Configuration

Large monitors use lots of power—more than any other device on your desktop. We measured power-consumption values ranging from 79.8 to 128.5 W, in ac-

Best Overal

ear after year, monitor manufacturers refine display quality while shaving off dollars from the price you pay for that quality. Electronics that are more sophisticated and more integrated (which reduces the number of parts) account for both trends. Electronics have also increased ease of use by allowing on-screen adjustment control. While judging among the 38 monitors, we put a heavy weighting on display quality. You adjust a display only occasionally, but you look at it every day—usually for hours at a time.

The 17-inch monitors with the best picture quality in our tests were the Art Media TN-1885T and the Nokia Display Products Multigraph 447Xi. Four 21inch monitors shined the greatest in our image-quality tests: Cornerstone Imaging's Color 50/115, the NEC MultiSync P1150, NSA/Hitachi's SuperScan Elite 802, and the ViewSonic P815. Not surprisingly, these monitors had the highest refresh rates and exhibited the best corner and full-screen image sharpness, RGB convergence, and legibility in our benchmarks.

The Top 17-inch Monitors

We tested 24 17-inch monitors, ranging in price from \$649 (for the Max Group's MGC 1785) to \$1299 (for Eizo Nanao's Flexscan TX-C7S). Some of the highercost 17-inch monitors support 1600- by 1200-pixel resolutions, but unless you're

Test Specs

We tested each monitor's image quality and power consumption using a 200-MHz Dell Dimension XPS Pro200n with a Number Nine Imagine 128 Series II graphics card. When available, we used monitor-specific drivers, but otherwise we stuck with Windows 95 Plug and Play (VESA standard) settings. We scored image quality at 1024- by 768-pixel resolution for the 17-inch monitors and at 1280 by 1024 for the 19- to 21-inch displays.

Under DOS, we tested image quality using Displaymate Professional 4.2 from Sonera Technologies ((800) 932-6323; http://www.displaymate.com). Tests included color and gray-scale displays, blooming effects on color and black-andwhite text, moiré patterns at multiple resolutions, consecutive text and graphics switching, and geometric display of rectangles and circles.

Under Win 95, we ran NSTL test software to measure an image's sharpness, misconvergence, and legibility. We measured sharpness using 1- and 2-pixel-thick lines near the screen edges. We also displayed horizontal and vertical lines across the entire screen to judge a monitor's resolving capability. An optical gauge from Klein Optical Instruments ((503) 245–8166) allowed measurement of misconvergence. With three prisms, the instrument reconverges the red, green, and blue components of a white line displayed on the test monitor. We calculated the amount of misconvergence from the amount of correction required; the less misconvergence, the better.

In our legibility test, we displayed a document containing six TrueType fonts at sizes ranging from 4 to 14 points. We then judged the smallest point size at which each font remained both readable and legible from a normal distance.

Your monitor is the biggest power hog on your desktop. We rated each monitor's power use under Windows, measuring consumption in three states (active Windows, blank screen-saver, and low-power) with a digital power meter.

Weighted factors in our features score include dot pitch, range of scanning frequencies, number of display modes, controls, and Energy Star compliance. The usability score took into account such factors as documentation, technical support, ease of adjustment, and cable lengths. doing CAD or similar high-resolution work, you'll probably find the text more readable—and the refresh rate higher—at 1024 by 786 resolution.

Several 17-inch monitors rose above the pack (though not by much) when we crunched the numbers from our imagequality, power-management, features, and usability tests. The Art Media TN-1885T (\$1088) was rated highest among the 17-inch monitors, but several lowercost displays weren't far behind.

Next in the pecking order is Mitsubishi's Diamond Pro 17TX (\$849), which features a Mitsubishi-manufactured Diamondtron CRT with a 0.25-mm slotpitch-aperture grille mask. The Diamond Pro 17TX produces well-focused images, and it has a fairly high 135-MHz video bandwidth that can drive 1280 by 1024 pixels at a 75-Hz refresh rate.

Mitsubishi's monitor gets high features and usability ratings: Its on-screen display-control system provides extensive adjustments. It also comes with Mitsubishi's Diamond Match Color Calibration System. Mitsubishi's other entry the Diamond Scan 17HX (\$799)—is also a good buy that scored in our top five.

The Max Group's MGC 1785, one of the best 17-inch monitors, is also one of the lowest priced (\$649). The MGC 1785's bright, clear display is better than that of most of the 17-inch models we tested. It has a 0.26-mm-dot-pitch picture tube from Hitachi that delivers 1600 by 1200 resolution at 65 Hz, although we found the flicker-free 1024 by 768 mode more to our liking.

The MGC 1785 offers well-placed image-adjustment controls with an easy-toperuse on-screen menu. Two other lower-cost monitors also deserve mention as good choices for home systems: LG Electronics' Studioworks 78i (\$679) and KDS's VSX-7 (\$649).

Another hot 17-inch monitor is Nokia Display Products' Multigraph 447Xi (\$899). This monitor produced the second-best image quality among the 17inchers: It's sharply focused and flicker-free at an 85-Hz refresh rate with a

XiPro200: The Fastest in the PC-World!*







TRADUCTION DE

PENTIUM.PRO



Xi manufactures the **Fastest** 200MHz Workstations* with Single, Dual & 512KBC processor option!

Xi® P133/200 MTower SP	Xi Pro200 MTower SP	Xi Pro200/400 NTower DP
- Intel* Pentium Processor 133 to 200MHz	- 200MHz Intel Pentium Pro Processor	- Intel Pentium Pro Processor, 256K Int. SBC
- 16MB 60ns EDO, 256KB SBP Cache	- 256KB int, SBP Cache, Intel 440FX CS	- 32MB 60ns EDO expandable to 1024MB
- 1.7GB 9ns IDE4 HD, 32 wavetable sound	- 16MB 60ns EDO RAM exp. to 768MB	- Dual Pentium Pro SMP ZIF Socket 8
- 3D Accellerator 2 MB Video PCI MPEG	- 2.5GB 9ms IDE4 HD, 4 x ISA, 4 x PCI	- 2.01GB 9ms UltraWide SCSI-3 40MB/sec
- 4 CD bundle w/3D games, pad & PW spkrs	- 128-Bit MPEG STB 2.25MB MDRAM PCI	- 128-Bit MPEG STB 2.25MB MDRAM PC1
- 17° Optiquest .28dp 1280 x 1024NI	- 17" Opti/Viewsonic .26dp 1600 x 1280NI	- 17" Opti/Viewsonic .26dp 1600 x 1280NI
- 1.44 FD, 104K Kb, 2B Logitech mouse	- 1.44FD, 104K Kb, MS or Logitech Mouse	- 1.44FD, 104K Kb, MS or Logitech Mouse
- Xi 5Bays Mini Tower Case 200W UL PS	- Xi 7Bays Mid Tower Case 235W UL PS	- Xi 10Bays Full Tower Case 300W UL PS
- Microsoft* Windows* 95 CD, 8 x CD-ROM	- Microsoft Windows 95 CD, 8 x CD-ROM	- Microsoft Windows NT 4.0, 8 x CD-ROM
133/166/200: \$1749/\$1999/\$2199	\$2499 w/32MB RAM: \$2649	One CPU: \$3899 Two CPUs: \$4589
BESTSELLER SW MS Office 95 Pro w/Bookshelf: S call LIGHTSCAPE Visualization S call	MONITOR UPGRADES 17" Viewsonic 17PS .25dp \$ 145 21" Viewsonic P810 .25dp \$ 1099	VIDEO UPGRADES* Matrox Millennium 4/8MB \$ 187/\$ 559 Accel Pro 1000 4+4Gint Delta \$ 1639

All Systems Xi Certified for AutoCAD 13, 3D Studio MAX, PRO/E & LIGHTSCAPE. 100+ Options available in stock. Call for a Custom Quote. Business Lease from \$78/month.

21" Viewsonic P815 .25dp

S call



Vibrant Graphics Softengine 3.6x

CALL TOLL FREE: 1-800-432-0486

\$ 1349

http://www.xicomputer.com E-Mail: xi@xicomputer.com

ter.com

ELSA GLoria-M/L Glint Delta

\$1499/1899

Xi Pro200 MTOWER Nov. 1996

Budget Desktops

THREE YEARS WARRANTY: Parts & Labor on monitors & systems. Xi-ONSITE optional express free replacement parts shipping. 30 Day Money Back Guarantee. 24Hr. Life Time Toll-Free HW Tech Support.

Mail: Xi Computer Corporation, 980 Calle Negocio, San Clemente, CA 92673

"As per PC-World July 1996 (page 172 & 202) and CADalyst & Microstation Manager Magazines May 1996 Pentium PROs roundup reviews & PC-Computing Sept 1996. All prices and specifications effective Nov. 1st 1996 & subject to change without notice. Prices do not include triagent, For more information on X products & sorrivers can be vite to X computer X is not responsible for photo & typo errors. Money Bick does not include freight both ways & software Video upg from 128STB Monitor upg, from 12°, 260p X; the X Logo, Workstationer are registered trademarks & NTower are trademarks of X computer Corporation. Xii Mower & NTower & NT

MONITORS FEATURES

	Acer America Corp. AcerView	Apple Computer, Inc. AppleVision 1710	Apple Computer, Inc. Multiple Scan 20	Art Media TN- 1885T	Art Media TN- 2185T	Cornerstone Imaging, Inc. Color	Cornerstone Imaging, Inc. Color 50/115	CTX International, Inc. PR700	Daewoo Electronics CMC1704C
	78ie					21/81fp			
Price as tested (MSRP)	\$699	\$949	\$1999	\$1088	\$1888	\$2070	\$2265	\$999	\$699
Nominal size (inches, diagonal)	17 8.1	17 8.4	20 8.5	17 8.8	20 8.5	21 8.6	21 8.8	17 8.3	17 7.6
Overall rating Performance score (display quality)	8.3	8.4	8.8	9.2	8.6	9.0	9.4	8.5	7.7
Features score	7.4	8.0	7.3	8.2	8.4	7.1	7.1	8.0	7.4
Usability score	7.3	9.9	8.7	8.7	8.3	9.0	8.8	8.5	8.3
Power-economy score	5.1	6.2	6.3	4.1	6.8	7.5	6.5	4.3	5.2
CRT SPECIFICATIONS									
Viewable size (inches, diagonal)	15.7	16.1	19.1	16.0	19.1	19.9	19.9	16.0	16.1
Screen surface (A = antiglare; B = antistatic; C = antireflective)	B, C	A, B	A, B	A, B, C	A, B, C	A, B	A, B	A, B, C	A, B
Dot/grille pitch (mm)	0.26	0.26	0.26	0.25	0.25	0.27	0.27	0.26	0.26
Dot-mask type	Shadow mask					Shadow mask	Shadow mask	Aperture grille	
Max. noninterlaced horizontal × vertical resolution (pixels)	1600×1200	1600×1200	1600×1200	1600×1200	1600×1200	1600×1280	1800×1440	1600×1200	1600×1200
SYNC-INPUT SIGNALS									
Min./max. horizontal scanning frequency (kHz) Min./max. vertical scanning frequency (Hz)	30/86 50/120	30/80 40/120	29/82 50/150	30/85 48/150	30/85 48/150	31/101 50/160	31/115 50/160	30/85 50/120	24/86 50/150
VIDEO-INPUT SIGNAL									
Video bandwidth (MHz)	135	INP	INP	50-100	50-100	211	249	135	120
Separate RGB, 0.7-V p-p	~	V	~	~	~	V	V	V	V
Input connector (15-pin D-sub)	~	V	~	~	V			~	V
Input connectors (BNC-RGB, HD, VD)				×	/	1	~	~	~
DISPLAY MODE									
Number of factory-preset modes/ user-settable modes	11/21	10/5	9/4	10/15	15/15	7/26	7/26	15/15	16/20
640 × 480 Mac II mode (max. non- interlaced vertical-refresh rate, Hz)	66.7	67	67	60	60	N/A	N/A	120	66.7
832 × 624 Mac 16-inch mode (max. noninterlaced vertical-refresh rate, Hz)	75	75	75	75	75	N/A	N/A	120	76.8
1024 × 768 mode (max. noninterlaced vertical -refresh rate, Hz)	75	60	60	85	85	85	85	106	75
1152 × 870 Mac II two-page mode (max. noninterlaced vertical-refresh rate, Hz)	75	75	75	75	75	N/A	N/A	76	75
1280 × 1024 mode (max. noninterlaced vertical-refresh rate, Hz)	80	75	75	75	75	85	85	75	76
1600 × 1200 mode (max. noninterlaced vertical refresh rate, Hz)	68	60	60	60	60	81	87	68	60
CONTROLS									
Degauss	V			~	V	~	V	~	~
Focus				V	V				
Convergence		~	~	~	~			~	~
Signal level				V	~				~
Side convergence (pincushioning)	~	~	~	1	~	~	~	~	~
On-screen monitor settings Color matching	~	~		~	~	~	~	~	~
PHYSICAL CHARACTERISTICS	-	-		-	-		-	-	
Integrated speakers									
Power input (volts AC)	90-264	90-264	90-264	120-240	120-240	110-120/ 200-240	110-120/ 200-240	100-250	100-240
VESA DPMS-compliant	V	~	V	~	V	~	~	~	V
Height × width × depth (inches)	16.5×16.6×	19.7×15.9×	18.6×18.6×	17×16×	19×18×	18.7×19.2×	18.7×19.2×	17.2×16.5×	17.6×16.8×
× weight (lbs.)	16.7×40	17.7×50	19.8×67	17.8×44	19×65	21×72.6	21×72.6	17.5×46.3	17.7×44.5
FCC rating	В	В	A	B	В	A	A	В	В
TCO-compliant	~	~	~	V	1	~	~	~	
CUSTOMER SUPPORT	2/D1 D	1/D1 E	1/01 6	2/D1 D	2/D1 D	2/D1 D	2/DI D	2/01 D	2/DI D
Warranty length (years)/coverage Phone	3/P, L, R (408)	1/P, L, F (408)	1/P, L, F (408)	3/P, L, R (408)	3/P, L, R (408)	3/P, L, R (408)	3/P, L, R (408)	3/P, L, R (818)	3/P, L, R (201)
	432.6200	996-1010	996-1010	980-8988	980.8988	435-8900	435-8900	839.0500	460-2000
Toll-free phone	(800)	(800)	(800)	(800)	(800)	(800)	(800)	(800)	(800)
	379-2237	282.2732	282-2732	278-6334	278-6334	562-2552	562-2552	888-2012	323-9668
Web address	http://www .acer.com/	http://www .apple.com/	http://www .apple.com/	http://www .artmedia	http://www .artmedia	http://www .corimage	http://www .conmage	http://www .ctxintl.com/	http://www .daewoo-
Inquiry Number	1065	1066	1067	.com/ 1068	.com/ 1069	.com/ 1070	.com/ 1071	1072	display.com/ 1073
■ BYTE Best. V = yes; N/A = not a INP = information not	applicable;	Warranty: P = F = freight to rep	parts; L = labor;		***	* * Outstanding	★★★★ Ven ★ Poor		k★ Good

MONITORS FEATURES

	NEC Technologies MultiSync P1150	Nokia Display Products Multigraph 445Xi	Nokia Display Products Multigraph 447Xi	NSA/ Hitachi SuperScan Elite 611	NSA/ Hitachi SuperScan Elite 802	Panasonic Computer Peripheral Co. PanaSync S21	Panasonic Computer Peripheral Co. PanaSync/Pro P17	Princeton Graphics EO17
Price as tested (MSRP)	\$2079	\$1899	\$899	\$799	\$1899	\$1799	\$899	\$669
Nominal size (inches, diagonal)	21	21	17	17	20	21	17	17
Overall rating	8.9	8.4	8.6	8.0	9.0	8.7	8.1	7.6
Performance score (display quality)	9.4	8.7	9.0	8.2	9.6	8.9	8.2	7.9
Features score	8.4	7.6	7.6	7.6	7.6	7.6	7.6	7.5
Usability score	7.2	7.7	9.0	7.1	8.7	9.4	8.3	7.8
Power-economy score	9.2	7.0	7.6	4.4	7.2	5.8	4.9	5.1
CRT SPECIFICATIONS								
Viewable size (inches, diagonal)	19.6	19.7	15.7	16.0	20.0	18.7	14.8	16.2
Screen surface ($A = antiglare$; B = antistatic; C = antireflective)	A, B, C	A, B, C	A, B, C	A, B, C	A, B, C	A, B, C	A, B, C	A
Dot/grille pitch (mm)	0.28	0.26	0.25	0.26	0.26	0.25	0.25	0.26
Dot-mask type	Aperture grille	Shadow mask	Aperture grille	Shadow mask	Shadow mask	Shadow mask	Shadow mask	Shadow mas
Max. noninterlaced horizontal × vertical resolution (pixels)	1600×1200	1600×1200	1600×1200	1600×1200	1600×1280	1600×1280	1600×1280	1280×1024
SYNC-INPUT SIGNALS								
Min./max. horizontal scanning frequency (kHz)	31/94	30/102	31/92	31/92	31/100	30/95	30/86	30/70
Min./max. vertical scanning frequency (Hz)	55/160	50/150	50/150	50/120	50/160	50/160	50/160	50/120
VIDEO-INPUT SIGNAL Video bandwidth (MHz)	202	200	140	155	200	160	125	100
Separate RGB, 0.7-V p-p	V	200	~	V	200	V	135	100
nput connector (15-pin D-sub)	V	~	~	~	~	~	~	~
nput connectors (BNC-RGB, HD, VD)	V					V	~	~
DISPLAY MODE						-		-
Number of factory-preset modes/ user-settable modes	21/22	14/18	10/22	7/13	6/20	8/13	8/13	13/8
540 x 480 Mac II mode (max. non- nterlaced vertical-refresh rate, Hz)	160	N/A	N/A	N/A	160	160	160	67
332 x 624 Mac 16-inch mode (max. noninterlaced vertical-refresh rate, Hz)	141	N/A	75	N/A	144	141	129	75
1024 x 768 mode (max. noninterlaced vertical-refresh rate, Hz)	117	85	85	113	N/A	116	106	85
1152 x 870 Mac II two-page mode (max. noninterlaced vertical-refresh rate, Hz)	103	75	75	N/A	104	104	94	75
280 x 1024 mode (max. noninterlaced rertical-refresh rate, Hz)	88	85	65	85	114	89	81	66
l 600 x 1 200 mode (max. noninterlaced vertical-refresh rate, Hz)	75	75	N/A	73	75	72	65	N/A
CONTROLS								-
Degauss	~	V	~	~	v	~	V	~
ocus	~							
Convergence	~	V	~					
Signal level	V			~	V	V	V	
Side convergence (pincushioning)	V	~	~	~	~	~	~	V
On-screen monitor settings Color matching	~	~	~	~	-	~	~	V
PHYSICAL CHARACTERISTICS		•	~	~	~	~	~	~
ntegrated speakers								
Power input (volts AC)	110	110-240	110-220	120-240	120-240	100-240	100-240	110-240
ESA DPMS-compliant	V	~	V	~	×	V	~	V
leight × width × depth (inches) < weight (lbs.)	20.4 × 20.8 × 22.1 × 77.2	20.4 × 20.2 × 19.6 × 71	17.2×16.9× 18.8×48.5	16.9×16.1× 18.3×48.5	18.7×19.2× 21×73	19.8×19.1× 20.4×62.7	16.4×16.1× 17.5×38.5	16.7×16.2× 17.9×41
CC rating	В	В	В	В	В	В	В	В
CO-compliant	~	~	~	V	×	~	V	
USTOMER SUPPORT								
Varranty length (years)/coverage	3/P, L, R	3/P, L, R	3/P, L, R	3/P, L, R	3/P, L, R	3/P, L, R	3/P, L, R	3/P, L, R
hone	(508)	(415)	(415)	(617) 461-	(617) 461-	(201)	(201)	(714)
	264-8000	331-4244	331-4244	8300 x1305	8300 x1305	392-4812	392-4812	751-8405
oll-free phone	(800)	(800)	(800)	(800)	(800)	(800)	(800)	(800)
Veb address	632-4636	296-6542	296-6542	672-4685	672-4685	742-8086	742-8086	747-6249
างม สมบัติ55	http://www .nec.com/	http://www .nokia-americas .com/		http://NSA .Hitachi.com/	http://NSA .Hitachi.com/	http://www .panasonic	http://www .panasonic	http://www .prgr.com/
nquiry Number	1086	1090	.com/ 1091	1088	1089	.com/ 1092	.com/ 1093	1094

112 BYTE JANUARY 1997

continued on page 115

BYTE's Pan-European Postcard Deck Targets Influential European Technology Experts

he BYTE EURO-DECK offers a unique direct mail approach to increasing sales in the \$114 billion European computer market. Reach 50,000 BYTE subscribers for under 4¢ per reader!

Circulation of the BYTE Euro-DECX is targeted to computer experts in over 20 countries in Western Europe. Take full advantage of the benefits BYTE provides with this affordable, direct channel to Europe. For information on the next BYTE EURO-DECK, call Mark Stone at 603/924-2533, fax him at 603/924-2683 or use E-mail: 104124.1255@compuserve.com.



ROLES SHOPS

_ab Report

Software

Creating a Web page or site is an involved process. It's easier with the help of software like the packages we test here. By Tadesse W. Giorgis

8 Tools for Weaving Your Web Site

ree at last! The World Wide Web's hyperlinked pages have freed us from moving through documents page-bypage. We jump at will from one section or document to another without losing the navigational links. To be accessible, however, a Web page must first exist as a Hypertext Markup Language (HTML) file on a Web server. The need to create and manage these files has spawned an entire new service industry, and an explosion of software tools makes it possible for nearly anyone with an Internet connection to create their own Web pages.

For this report, NSTL looked at eight Web-authoring programs for Windows 95/NT that facilitate creating Web pages for users with minimal HTML programming expertise. We also looked at three conversion/production tools and one new entry (see the text box "Four More for the Web" on page 118). At the low end are simple HTML editors with some provision for testing pages, such as a built-in previewer. At the high end are multifunction programs with WYSIWYG and graphics editors, site management capabilities, and a full-featured browser.

Of these dozen packages, we think you should first consider Microsoft's FrontPage 97 with its Bonus Pack. This powerful Web authoring, publishing, and site management product was the most versatile overall and among the easiest to use. In particular, Web-site designers will find the Microsoft Image Composer addon extremely useful. FrontPage 97's site management and administration features make it highly attractive to companies planning a strong Internet presence or extensive intranet service.

However, if you want to build a site for personal use, or a small- to mediumsize site, consider AOLpress, which is freely downloadable from America Online. Its interface is well done and easy to use, and it offers competent Web authoring and site management capabilities for a good price.

Web Pages Are Different

Web-page authoring and editing call for both content and creativity. Design is important, and visual design for the Internet requires a different approach than for



Microsoft FrontPage 97

is a powerful Web authoring, publishing, and site management product. Its site management and administration features are attractive to companies planning a strong Internet presence or an extensive intranet. It's the best product for high-end Web production and site management applications.

print. The best packages provide professionally designed samples, templates, and style sheets, along with HTML guides, conversion tools, and reference resources to help you produce good-looking pages.

Depending on its content and complexity, a page may require programming to develop Java applets, ActiveX controls, Common Gateway Interface (CGI) scripts, server-side scripting, and database access. Another important point involves the validity of HTML tags, references, and uniform resource locators (URLs). Bad or broken links mean a page won't do what its author intends (see the Tech Focus "Are Those Tags and URLs OK?" on page 120).

Siting the Pages

You must transfer new pages to a Web server using an FTP utility. This protocol ensures that directory and file structures and names are correctly mapped over the TCP/IP network. At this point, you must also consider security and access-control issues. Some authoring tools, such as FrontPage 97, have built-in security features that a Web author must understand to use effectively.

Putting together and administering a site might seem alien to a Web-page author, but once you get beyond a few pages, it's important to consider them in context, not as stand-alone pages. The best Web-authoring tools come with built-in site-administration and databaseconnectivity tools.

What Kind of Tool Am I?

What makes one Web-authoring package superior to others? In our tests, users favored flexible and versatile products that let them create lively, engaging, interactive, and dynamic pages. Some of the editors we tested—AOLpress, Emissary Desktop, FrontPage 97, HoTMetaL Pro, and Web Factory Pro Image—provide a WYSIWYG interface or something similar. Others, such as Aardvark Pro and HTML Builder, simply assist the author by plugging in the desired HTML tags

WEB-PAGE AUTHORING TOOLS RATINGS

Serious tools for site management administration make this a vers		ram.		A A B Z I			
	PRICE	TECHNOLOGY	IMPLEMENTATION	EASE OF LEARNING	EASE OF USE	VALIDATION/ ERROR CHECKING	OVERAL
Microsoft FrontPage 97	\$149	****	****	****	****	***	****
FBS Aardvark Pro 2.2	\$59	*	*	**	**	*	*
AOL AOLpress 1.2	Free	***	***	****	***	**	***
Attachmate Emissary Desktop 2.0	\$99	**	****	****	****	**	****
Sausage Software HotDog Professional	\$100	**	***	***	***	**	**
SoftQuad HoTMetaL Pro 3.0	\$159	***	***	***	***	***	****
FLFSoft HTML Builder 1.1	\$29	*	**	***	***	*	*
TLC Web Factory Pro Image 1.1	\$229	**	***	***	***	***	*

loadable, it's the most cost-effective package here. However, it's slower than other packages. Also, it has no graphics-editing capability and was prone to lock up on unsupported tags.

Still, for small businesses and individuals who want to establish a presence on the Internet, AOLpress is an attractive prospect. We recommend it for small- to medium-size site applications.

Emissary Desktop

Attachmate's Emissary Desktop includes just about everything you'll need to create a Web page. It's also among the easiest to learn and use. Available in LAN and dialup versions, Emissary Desktop combines Internet mail and news, Web browsing, host access, file management, and task scheduling. It features WYSIWYG editing and an easy-to-use, customizable interface.

On the downside, its HTML editing and syntax checking are limited, and there's no graphics editing. Still, more than any other product tested, Emissary Desktop offers a complete Web-building package.

FrontPage 97

When Microsoft bought FrontPage 97 from Vermeer, it picked a winner. In our tests, FrontPage 97 was the clear front-runner, excelling in versatility, graphics editing, and site management. It outscored the others in ease of use and learning and versatility. It came in second in validation/ error checking.

FrontPage 97 is the most versatile of this group. It includes database access, Image Composer, Internet Explorer 3.0, the personal Web server, browser/previewer, spelling checker, thesaurus, and security and scripting support. FrontPage 97 corrects most syntax errors, such as unpaired tags, during file import, but not when you enter tags manually. The package needs an explicit HTML syntax-checking tool.

For the beginning Web author, Front-Page 97 isn't as straightforward as other WYSIWYG editors until you get used to its Explorer-dominated interface, which is less intuitive than it might be. Also, the menu structures were sometimes illogically different between modules.

HotDog Professional

Can you take seriously a program named HotDog Professional from a company called Sausage Software? Yes. This HTML editor has extensive tools and helper util-

Four More for the Web

SkiSoft's Web Publisher 1.1 accepts word processing, HTML, or FrameMaker documents that can contain images, tables, and OLE objects. It will automatically convert any image into GIF, build Netscape tables, create tables of contents with links to headings, interpret word-processing-style information, convert numbered and bulleted lists, and place signatures, mail-to uniform resource locators (URLs), and corporate in-line images in documents. Web Publisher will also convert multiple documents in a single pass.

Quadralay's WebWorks Publisher and Harlequin's WebMaker 2.2 take FrameMaker documents and convert them into HTML. These tools let you design and maintain, in a single master, a complete documentation base that can produce both high-quality print media and electronic hypermedia tailored to Web distribution, including on-line help systems. HTML output from FrameMaker documents retains all the generated cross-document and hypertext links, table of contents, and index navigation markers of the original.

Both WebWorks Publisher and Web-

Maker give you broad creative freedom to design layout styles. You can apply styles automatically with the click of a button. Both products take full advantage of FrameMaker's layout styles and let you define specialized layouts for Web publishing.

Fusion 1.0, from NetObjects, is an objectoriented authoring tool that integrates six components: SiteStructure, which creates a hierarchical map for designing and editing a site; PageDraw, a WYSIWYG page editor; SiteStyles Manager, a style-sheet editor; AutoSites, a library of dozens of professional designs; an asset manager, for referencing content objects and connecting to external databases; and a publishing engine, which gathers content and pages and converts them into complete Web sites.

Though our testers found Fusion a gem among authoring tools, it was very slow in staging and publishing Web pages before previewing. Designing the preview process a little more creatively would eliminate the problem. Fusion runs under Windows 95 and NT, and a Mac version should now be out. ities, including ActiveX support, though it has no graphics editor. The user interface is improved over earlier versions, with customizable floating toolbars, shortcut keys, a mini Web browser/previewer, autosaving, drag and drop, and easy insertion of image and sound files.

HotDog Professional uses multiple user-specified browsers to preview a document, enabling effective cross-browser compatibility checking. The product is fast and responsive, with features that appeal to both novice users and veteran Web masters. Of the three HTML editors, HotDog Professional is the clear choice.

HoTMetaL Pro

HoTMetaL Pro is now a full-featured, powerful, and versatile program. It offers both HTML and WYSIWYG editing, an excellent graphics editor, and the best HTML checking, making it handy for Web masters who must test pages created by others. It excels at document conversion.

In HoTMetaL Pro, you don't see straight ASCII. Instead, Web-page elements are surrounded by semigraphical HTML tags, which you can hide.

We found HoTMetaL Pro occasionally unstable. What's more, its publishing capa-

TECH FOCUS TESTING

Are Those Tags and URLs OK?

The strength of Web pages as a communications medium is their use of hyperlinks. What makes Web documents less than useless are broken or incorrect links. To avoid this, a variety of tools can help validate Hypertext Markup Language (HTML) documents by checking them for syntax errors and integrity of links. Most HTML editors include such functions, and tools are available on the Web to check documents against the latest HTML specifications (try http://www.webtechs.com/html-val-sve and http://www2.imagiware.com /RxHTML). For a tool that checks for links to nonexistent resources, such as pages that have moved, try http://wsk.eit.com/ wsk/dist/ doc/admin/webtest/verify_links.html.

It's important to test Web pages with several Web browsers to see that they look the way the Web author/designer intended and that all hyperlinks are valid. It can also be important to test with browsers on various platforms to eliminate any incompatibilities. For example, one early version of the BYTE Site (http://www.byte.com) looked fine on most browsers except for some Netseape versions on the Mac, where the colors became distorted and muddy.

bility is limited, and as an advanced Webauthoring program, it should have some site management capabilities.

HTML Builder

This simple, inexpensive, and efficient HTML editor is greatly improved over its earlier version. It's easy to set up and use, but functionality is limited.

The program opens with a lean inter-

PRODUCT INFORMATION

Aardvark Pro 2.2 \$59 Functional Business Systems Fairview Park, South Australia, Australia fax: +61 8 8251 5648 http://www.tmgnet.com /aardvark/ Circle 1050 on Inquiry Card.

AOLpress 1.2 Free via download America Online, Inc. Vienna, VA (800) 879-6882 fax: (703) 918-1106 http://www.aolpress.com Circle 1051 on Inquiry Card.

Emissary Desktop 2.0 \$49 (dial-up), \$99 (LAN) Attachmate, Inc. Bellevue, WA (800) 426-6283 (206) 644-4010 fax: (206) 747-9924 http://www.attachmate.com Circle 1052 on Inquiry Card.

FrontPage 97 \$149 Microsoft Corp. Redmond, WA (206) 882-8080 fax: (206) 936-7329 http://www.microsoft.com Circle 1053 on Inquiry Card. Fusion 1.0 \$495 NetObjects, Ine. RedWood City, CA (415) 482-3200 fax: (415) 562-0288 http://www.netobjects.com/ Circle 1054 on Inquiry Card.

HotDog Professional \$99.95 Sausage Software, Inc. Doncaster, Victoria, Australia fax: +61 39 855 9800 http://www.sausage.com Circle 1055 on Inquiry Card.

HoTMetaL Pro 3.0 \$159 SoftQuad, Inc. Toronto, Ontario, Canada (800) 387-2777 (416) 544-9000 fax: (416) 544-0300 http://www.sq.com Circle 1056 on Inquiry Card.

HTML Builder 1.1 \$29 FLFSoft, Inc. Oak Creek, WI (414) 764–8666 http://www.cxeepe.com/~flfsoft Circle 1057 on Inquiry Card. Web Factory Pro Image 1.1 \$229 Thunder & Lightning Co. San Diego, CA (619) 643-5550 fax: (619) 643-5553 http://www.tleo.com Circle 1058 on Inquiry Card.

WebMaker 2.2 \$99 Harlequin, Inc. Cambridge, MA (617) 374-2400 fax: (617) 252-6505 web@harlequin.com http://webserver.harlequin.com/ Circle 1059 on Inquiry Card.

Web Publisher 1.1...\$495 SkiSoft Publishing Lexington, MA (617) 863-1876 fax: (617) 861-0086 http://www.skisoft.com/ Circle 1060 on Inquiry Card.

WebWorks Publisher \$895 Quadralay Corp. Austin, TX (512) 719-3399 fax: (512) 719-3606 http://www.quadralay.com/ Circle 1061 on Inquiry Card. face that expands after you create a new file or load an existing one. You can enable or disable toolbar elements for styles, headings, links, special characters, and HTML 3.2 extensions. The starting template provides the basic HTML tags.

Web Factory Pro Image

A mixed bag, Web Factory Pro Image is easy to set up and use, with a flexible interface, and efficient and capable HTML syntax checking and validation. It opens paired HTML and preview windows for each Web page. You can edit in either window, and the corresponding action is reflected in the nonediting window whenever you make a change. But the product is unreasonably expensive, especially in view of its limited scope, and it doesn't even include a full browser.

Tadesse W. Giorgis has tested network OSes, management products, and peripherals at NSTL for over five years. You can contact him at tadesse@nstl.com.

Evaluations in this report represent the judgment of BYTE editors, based in part on extensive tests conducted by NSTL, Inc., as documented in a recent issue of its monthly Software Digest. To purchase a copy of that report, with NSTL's own evaluations and data, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428; (610) 941-9600; fax (610) 941-9950; on the Internet, editors@nstl.com. For a subscription, call (800) 257-9402. BYTE magazine and NSTL are both operating units of The McGraw-Hill Companies.

G

Z

ш

Y

m

A

5

()

Z

0

m

()

ш

ш

5

Ρ

N

G

Get practical

E C

international conferences under one roof.

PA EXPO97 provides a major forum for information exchange, and includes keynotes, invited speakers, technical sessions, a multi-track conference, introductory & advanced tutorials, round table discussions, and a full industrial exhibition.

PADD97

The Practical Application of Knowledge Discovery and Data Mining

Vast amounts of data are being collected by organisations worldwide. PADD97 will show how KD & DM techniques are used to extract and transform hidden information into valuable knowledge through the discovery of relationships and patterns. PADD97 will demonstrate how this information can then be used for a wealth of business opportunities. Keynote speakers & presenters so far include: Usama Fayyad, Microsoft **Research & Evangelos**

Simoudis, IBM ; Ken Totton & Huw Roberts, BT; Luc DeRaedt, University of Leuven and Stephen Muggleton, Oxford University.

PAAM97

AY

The Practical Application of Intelligent Agents and Multi-Agent Technology

Multi-Agent technology is providing increasing benefit to business and industry. PAAM97 will deal with a number of key

number of key issues. How can agent technology solve problems faced today? What are the benefits, rewards, and return on investment? What developments are in the pipeline for tomorrow? What are the opportunities, and the pitfalls for software agents?

Keynote speakers & presenters so far include: Patti Maes, MIT; Jeff Bradshaw, Boeing; Benjamin Grosof, IBM; Donald Steiner, Siemens; Toru Ishida, Kyoto University.

The Practical Application of Prolog

PAP97

PRACTICAL

Application

PRI

PAP is the world's leading showcase for Prolog applications and systems. Now in its fifth year the conference continues to grow, and to demonstrate the benefits of this important technology. These include increased productivity, reduced maintenance, and flexible solutions which can easily adapt to changing business needs.

Keynote speakers & presenters so far include: Peter Reintjes, NetSpeak; Phil Vasey, LPA, Manuel Hermenegildo, Polytechnic University of Madrid; John Fox, ICRF and Oskar Bartenstein, IF Computer.

The Practical Application of Constraint Technology

WWW: http://www.demon.co.uk/ar/TPAC

PROLOG

Management Group

COMPULOGNET

APPLICATION COMPANY

Tel: +44 (0) 1253 358081

Fax: +44 (0) 1253 353811

PACT 97

E-mail:info@pap.com

FOR MORE

INFORMATION

THE PRACTICAL

PACT is the premier forum for constraint applications and systems. Now in its third year the conference builds on the success of PACT96, and will focus on the industrial exploitation of Constraint G

C

D

D

I

2

D

U

C

8

1

П

2

C

C

Eİ.

Programming, and explore the real world benefits for business, and future trends for this important technology.

Keynote speakers & presenters so far include: Helmut Simonis, Cosytec; Henri Beringer, ILOG, and Claude Lepape, Bouygues.

FAULT DIAGNOSIS

CONFIGURATION

Search Again

can be a useful adjunct to conventional methods, but it's not necessarily an appropriate replacement for them.

Advanced Indexing

If your site is even moderately complex, you probably won't want to just point an indexer at the Web server's root and let it rip. You'll likely have distinct subtrees that you want to index. Within those subtrees, you'll want to include some classes of files but not others. Some indexers (e.g., the Microsoft product) can't exclude files at all. If you want to restrict search results, you'll have to parse and filter them on the fly. That's doable, but it's complex and computationally expensive. If there are subdirectories and files you don't want people to find, it's best to leave them out of your index.

The firs, engine I implemented on the BYTE Site, freeWAIS, has only a weak exclusion mechanism. You can exclude wildcarded filenames but not wild-carded paths. Because I need to do the latter, my indexing scripts for freeWAIS are too verbose. They enumerate long lists of subtrees for inclusion, rather than short lists of subtrees to include along with short lists of patterns to exclude.

SWISH is more agile. I can use the rule PATHNAME CONTAINS IMG to exclude the dozens of directories in which I store the HTML wrappers for BYTE Site images. These wrappers, which would otherwise be included in the index, contain hardly any useful text and are best left out.

If you're somebody who needs additional flexibility, EWS's exclusion mechanism is even more agile. Unlike SWISH, EWS lets you describe excluded items not only with wild cards, but with full-blown regular expressions. Why would you need to do that?

Consider the BYTE Site's conferencing application I discussed in last month's column, "Dual-Mode Conferencing." It generates multiple versions of each message

TOOLWATCH

Internet Music Kit (\$49) Wildcat Canyon Software http://www.wildcat.com/

Embed MIDI files on your Web pages for streaming playback using a Netscape plug-in or an ActiveX control. to support both frame-based and frameless viewing. However, you probably don't want to see two copies of each message in the search results list, so I decided to exclude the frame-based set. When I indexed the conferences with SWISH, I found that I couldn't differentiate between the two classes of files using simple wild cards. Fortunately, EWS's regular-expression capability solves this sort of problem neatly and quickly.

Best-Kept Secret

The odds are that if you've tried EWS on the BYTE Site or another of the sites where it runs, you've missed its best feature: query by example, or QBE (see the figure "Sophisticated Searches" on page 123). To try it for yourself, go to the BYTE Site and use EWS to search for Cyberdog. As you would expect, a list of clearly Web-related titles comes back.

What you might not expect, though, is that if you have used the default concept search setting, most of these articles won't include the word *Cyberdog*. They will, however, contain sets of terms (e.g., *browser*, *HTTP*, and *OpenDoc*) that correlate statistically with the few articles that mention Cyberdog. If you're interested in how OpenDoc relates to Cyberdog, or if you hadn't even known that it did, you will appreciate EWS automatically making that connection for you. That's what EWS means by the notion of concept search and it's not even the best feature that users often don't get.

Here's the best feature: Click on the red or black icon that introduces one of the documents in the Cyberdog result set whose title includes the term *OpenDoc*. This action says: "Find similar articles." The new result set will contain many more OpenDoc-related titles. If the example didn't contain Cyberdog, the new result set will have taken you on a quite different tack from the original query.

This refocusing mechanism can be incredibly useful when you're doing research. You naturally want to follow a branching path through conceptual space. After scanning a few of the articles in the OpenDoc result set, you might want to focus specifically on comparisons between OpenDoc and OLE.

If you click on the icon that goes with the likeliest candidate, EWS will return a third result set in which the OLE theme is more prominent. Every article on every search-results page is itself an implicit

BOOKNOTE

CORBA

A Guide to the Common Object Request Broker Architecture (\$45) by Ron Ben-Natan Computing McGraw-Hill http://www.mcgraw-hill.com/



A useful guide to interface definition language, object services, and object database management.

query—a single-click accessor of a set of related articles.

Once you discover this principle, it transforms how you explore a document collection. You don't have to worry about forming exactly the right search expression. Just seed the process with words that get you conceptually near what you're looking for and let QBE automatically feed statistical profiles back into the searcher as you click your way through a series of refinements.

It's brilliant, it's effective, and it's trivial to operate, yet many users never discover QBE even though every search page says "Click on the red or black icons to search for similar articles." I know this because I hacked the Perl wrapper to log search terms. (I always do this because analyzing what people search for tells me a lot about what kinds of information we ought to be providing.) Fewer than 5 percent of the first several thousand EWS queries I logged were of the QBE flavor, and many of these were my own tests. Moreover, an informal poll of BYTE staffers showed that while many had encountered EWS in their travels on the Web, none of them had discovered QBE.

"It's a problem," agrees Graham Spencer, chief technology officer for Excite. "In academic information retrieval, the average search expression is 12 to 15 terms long; on the Web, it's 1.5 terms." EWS constructs those 15-term expressions for you automatically when you use QBE. That users often don't realize this is partly a failure of user-interface design—the icons could be bigger, the instructions more prominent. But it's also a failure of expectations. Web surfers accustomed to more conventional search technology just don't expect EWS to do what it does.

Microsoft Index Server

As nifty as EWS is, it lacks four desirable features: a high-performance architecture, phrase and proximity search, field indexing and searching, and automatic indexing on demand. MSIS, though weak in some areas, offers these four features. To try it, you have to join a fairly exclusive club. MSIS doesn't just require NT and IIS; it demands NT 4.0 and IIS 2.0.

You're not prepared to obsolete a stable NT 3.51 production server just for this purpose? Neither was I, so I ran MSIS on a development server, pointed it at an HTML collection on the production server, and tweaked the result URLs to refer to actual files on the production server instead of nonexistent ones on the test machine.

Both EWS and MSIS are running this way—as true distributed services off-loaded from the primary production server, linked to the site by means of URLs. It's easy to create this kind of distributed search capability with MSIS, because it automatically finds and offers to index any virtual directories mounted on IIS. If the MSIS/IIS machine and the document server live in the same NT domain, MSIS can index the remote document server.

There's one catch, though. IIS needs a user name and password to mount the virtual directory. After I supplied these credentials, browsers talking to IIS could read documents in and below that directory. But MSIS couldn't index them. Even though it runs as an ISAPI extension to IIS, it has its own notion of access credentials. I had to configure the IIS mount not just with a user name and password, but more specifically with a domain name\user name and password. Then it worked.

Implementing MSIS

For querying, MSIS uses the Internet Database Connector model again. In this scheme, an HTML form refers to a queryconfiguration (IDQ) file that names the index to search, enumerates which fields to return, and describes how to order those fields. The IDQ file also names an HTML template (HTX) file that will format the query results. To redirect the result URLs to the production server, I replaced occurrences of <%server_name%> in the HTX file with www.byte.com.

As with the Internet Database Connector, you can use other predefined variables

Indexing and Search Tools

Benefit

In general, the tools make it easier to create first-time indexes of your site.

Problem

The tools can become a hindrance when you go from prototyping to production.

Advice

Don't expect to find an ultimate do-everything tool. Focus instead on tagging your data to organize search results in useful ways.

Products tested at the BYTE Site WebGlimpse

Verity's TopicSearch InMagic's DB/Text WebServer Digital Equipment's Alta Vista Private Extensions Excite for Web Servers Microsoft Index Server

with a simple IF... THEN syntax to reformulate the result set (e.g., to chunk a long list of result URLs into a linked series of HTML pages). The HTX language is not powerful enough, however, to achieve the standard BYTE Site presentation of search results. I use Perl to capture document titles emitted by SWISH, parse out an issuedate field (e.g., February 1996), and sort in reverse chronological order.

Several areas of the BYTE Site cry out for field indexing. In the Virtual Press Room, you should be able to do a field (rather than full-text) search for company and product names. In the conferences, similarly, you should be able to search author and subject fields. If you use meta tags to create fields in your HTML document headers, MSIS automatically uses them to create field indexes. For example, a VPR document header looks like this:

```
<html><head>
<meta name="company" content=
"SunSoft">
<meta name="product" content=
"Java Workshop">
```

When I indexed the VPR collection, MSIS constructed company and product indexes. To use them, I had to add this incantation to my IDQ file:

MetaCompany(DBTYPE

_STR) = d1b5d3f0-c0b3-11cf-9a92-00a0c908dbf1 company MetaProduct(DBTYPE $_STR) = d1b5d3f0-c0b3-11cf-9a92-00a0c908dbf1 product$

Then, I could issue the query

@MetaCompany SunSoft

to find all SunSoft press releases. What a great idea! Field indexing adds a new dimension to the full-text indexing so common on the Web. It's rarely done for two reasons: Indexers often don't support it, and document collections often don't provide fielded content. Leveraging meta tags as MSIS does is the right way to advance the cause of field indexing. Other engines, including Netscape's Catalog Server and the high-end version of Verity's Topic-Search, can also exploit meta tags.

Unfortunately, MSIS in its current form (version 1.1) can't read or manipulate the contents of these user-defined fields. So while you can search for SunSoft press releases, you can't write an HTX file that sorts the results by product name. And you can't even use the HTX file to print the values of the company and product fields.

The Ultimate Engine?

Basic though SWISH is, I continue to get a lot of mileage out of it. In my view, there's no perfect search engine. If you haven't indexed your site yet, don't get too hung up on choosing the ultimate do-everything tool. Focus instead on tagging your data in ways that let you organize search results in useful ways. Meta tags are a great way to instrument your content so that results returned from any search engine can be sorted by date or category. Once that's done, you can easily replace a basic search tool with a fancier one.

Jon Udell (judell@bix.com) is BYTE's executive editor for new media.

WHERE TO FIND

WebGlimpse (http://donkey.cs.arizona.edu /webglimpse/)

Verity's TopicSearch (http://www.verity.com/)

InMagic's DB/Text WebServer (http://www.inmagic.com/)

Digital's AltaVista Private Extensions (http://altavista.software.digital.com/)

Excite for Web Servers (http://www.excite.com/)

Microsoft Index Server (http://www.microsoft.com/internet/)

Editors' Choice Awards

Apple PowerMac 9500MP

The first PowerMac to finally bring multiprocessing to high-end applications. Apple Computer, Cupertino, CA; (408) 996-1010; http://www.apple.com.

Apple PowerBook 1400

Multimedia on the road doesn't get much better than this, thanks to the 1400's large display, CD-ROM drive, and easy expansion capabilities. Apple Computer, Cupertino, CA; (408) 996-1010; http://www .apple.com.

BeBox

Inexpensive hardware plus a multithreaded operating system provide a great platform for multimedia development. Be, Inc., Menlo Park, CA; (415) 462-4141; http://www.be.com.

Compaq Armada 4130T

Highly configurable Pentium notebook means we can finally build the portable we want to satisfy our individual needs. Compaq Computer, Houston, TX; (713) 514-0484; http://www.compaq.com.

Compaq ProLiant 5000

Best performance, best diagnostics among the first quad 200-MHz Pentium Pro systems we tested. Compaq Computer,



BYTE Hall of Fame

When BYTE announced its first editors' awards in 1989, the Internet community consisted mainly of scientists and educators, the World Wide Web was still three years from launching, and high-end desktop CPUs ran at a blazing 25-MHz. Today, our 1997 BYTE Awards winners reflect a new world of hardware, software, and communications. Houston, TX; (713) 514-0484; http:// www.compaq.com.

Digital Equipment FX!32

Brings fast Win32 emulation to NT-based Alpha machines. Digital Equipment Corp., Maynard, MA; (508) 493-5111; http://www.pc.digital.com.

Digital Equipment Corp. AltaVista Search Intranet Private Extension

Personal version of AltaVista engine for searching your PC or network files. Digital Equipment Corp., Maynard, MA; (508) 493-5111; http://www.pc.digital.com.

Digital Equipment Corp. and Advanced RISC Machines StrongArm processor

An innovative processor that gives PDAs the horsepower they need for handwriting recognition and other essential tasks. Digital Equipment, Maynard, MA; (508) 493-5111; http://www.pc.digital.com.

Digital Harbor WAV

A \$49 word processor for PowerMacs uses OpenDoc components to let you create sophisticated publications with embedded images, diagrams, and charts. Digital Harbor, Lindon, UT; (801) 796-8213; http://www.dharbor.com.

IBM OpenDoc toolkit for Windows

A key piece in the puzzle to let independent applets interact across LANs and WANs. IBM, Armonk, NY; (914) 765-1900; http://www.ibm.com.

IBM ThinkPad 760 CD

A pioneer with a 12.1-inch color displays includes a fast Pentium processor, quadspeed CD-ROM drive, and MPEG-2 video playback. IBM, Armonk, NY; (914) 765-

The links between 1989 and today exist in the products below, all past BYTE Awards winners that introduced innovations to change the face of computing.

Adobe Acrobat

A lingua franca for electronic documents with easy text searching and hypertext links.

Adobe Photoshop

The leader in image editing for Macs and Windows PCs.

Apple System 7

The Mac OS was synonymous with GUIs, and System 7 continued the tradition with ease of use, true plug-and-play, and color matching.

Apple PowerBook Series

These notebooks define the standard for ergonomic mobile computing.

Apple PowerMac

Apple's well-planned and successful leap from CISC to

1900; http://www.ibm.com.

IBM ThinkPad 560

This easy-to-carry 4.1-pound package packs a riveting 12.1-inch color display.



IBM, Armonk, NY; (914) 765-1900; http://www.ibm.com.

IBM OS/2 Warp 4.0

Combines an impressive mix of voice recognition, Java, and network management capabilities. IBM, Armonk, NY; (914) 765-1900; http://www.ibm.com.

Quarterdeck WebCompass

A metasearch tool for scouring multiple indices. Quarterdeck, Marina del Rey, CA; (310) 309-3700; http://www.quarterdeck .com.

Lotus Notes 4.0

New visual programming tools and Internet connections make this groupware leader a Web powerhouse. Lotus Development, Cambridge, MA; (617) 577-8500; http://www.lotus.com.

Lotus Domino

Helps Notes developers create dynamic Web sites. Lotus Development, Cambridge, MA; (617) 577-8500; http:// www.lotus.com.

> RISC. The new Macs ran existing 680x0-based applications with PowerPC performance, and Apple sold more than a million systems in the first year.

Apple QuickTime

The technology that helped turn audio and video into common data types.

Digital Equipment Alpha A 64-bit RISC processor that

A 64-bit RISC processor that made its debut at 200 MHz

Editors' Choice Awards

MarketScape WebCD 1.0

The easy way to create a Web site image on a CD-ROM for data dissemination and presentations. MarketScape, Colorado Springs, CO; (719) 593-9890; http://www .marketscape.com.

Microsoft's File and Print Services for NetWare

Makes NT servers work like NetWare 3.12 file and print servers. Microsoft, Redmond, WA; (206) 882-8080; http://www .microsoft.com.

Microsoft Internet Explorer 3.0

The first Microsoft browser with envelope-pushing technology. Microsoft, Redmond, WA; (206) 882-8080; http://www .microsoft.com.

Microsoft Office 97

Shared code, suite-wide Visual Basic for Applications, and a new collaborative



information manager keep this suite ahead of the pack. Microsoft, Redmond, WA; (206) 882-8080; http://www.microsoft.com.

when the then-standard 486 topped out at 60 MHz. The Alpha continues to reign as a CPU performance leader.

Hewlett-Packard LaserJet Si series

The speed and sharp print quality of this behemoth laser printer almost single-handedly created the market for workgroup printers.

IBM RS/6000 IBM's RISC workstation

Microsoft SQL Server 6.5

Faster than version 6.0 with better administration tools than its closest competitors in our last roundup. Microsoft, Redmond, WA; (206) 882-8080; http://www.microsoft.com.

NEC Versa 6030H

One fast notebook, and one of the easiest to use. NEC Technologies, Itasca, II.; (630) 775-7900.

Netscape Navigator 3.0

One browser feature short of the kitchen sink. Netscape Communications, Mountain View, CA; (415) 254-1900; http:// home.netscape.com.

Next WebObjects Pro

Powerful cross-platform middleware for Web applications.Next Software, Redwood City, CA; (415) 366-0900; http:// www.next.com.

Novell NetWare 4.11

The "Green River" upgrade delivers IntraNetWare. Novell, Orem, UT; (801) 222-6000; http://www.novell.com.

Power Computing PowerTower 180

When this first PowerMac clone shipped, it included a faster 604 CPU than any Macs Apple was selling at the time. We consider it a multimedia author's dream machine. Power Computing, Round Rock, TX; (512) 388-6868; http://www .powercc.com.

Powersoft Optima++

RAD for Windows 95 and NT that's a dragand-drop dream for developers of client/server applications. Powersoft, Concord, MA; (508) 287-1500; http:// www.powersoft.com.

introduced many to superscalar architecture at a competitive price.

IBM ThinkPad series

With its distinctive eraserhead pointing device, this family of notebooks provides the bellwether for performance and dazzling displays in mobile devices.

Intel 486

The processor that introduced an integrated FPU, on-chip

cache, and pipelining to the x86 family.

Intel Pentium

This continuation of the x86 lineage doubled the performance of its predecessor and helped Intel fight off attacks from RISC competitors.

Lotus Notes 3.0

Thanks to its unique replicated message system, Notes became the standard for blending e-mail, conferenc-

Ross SPARCplug

Small SPARC workstation that fits in two half-height drive bays of a host PC and



communicates with the host via X Window over fast Ethernet. Ross Technology, Austin, TX; (512) 349-3108; http://www .ross.com.

Toshiba Satellite Pro 410CDT

A fast, full-featured portable with a pinpoint sharp color active-matrix screen. Toshiba International, Houston, TX; (713) 466-0277; http://www.toshiba.com.

Vinca StandbyServer 32

An adapter card for inexpensively (\$2599) mirroring NetWare servers. Vinca, Orem, UT; (801) 223-3100; http://www.vinca .com.

Awards of Merit

Acer AcerNote Nuevo

Notebook with innovative power-saving technology. Acer, San Jose, CA; (408) 432-6200; http://www.acer.com. continued

ing, and client/server database technology for groupware.

Microsoft Office

A business suite at its best with Word, Excel, Access and now tools for fast publishing of files on the Web.

Microsoft OLE Custom Controls

The Windows component model opened up componentware to a huge market of third-party developers.

Apple Newton OS 2.0

Existing problems have been fixed, and this PDA OS offers better connectivity compared to earlier iterations. Apple Computer, Cupertino, CA; (408) 996-1010; http://www.apple.com.

Asymetrix ToolBook II Instructor 5.0

The leader in multimedia authoring tools.

(1) m	the location of the location o	the second s
the for	Yere Page Otgoet Last Draw Louis :	Julius Hole
(ala)	LI I - I - I - I - I AIGN	IT - LATE I VILLET
PI	A Incert Auto-Sce	pt - Button "Flay Song"
100	Auto Scopt Fdo C VINSTRUCTVIDD ato	(m a) C
	Action	To Handle
UNIO I	Calogary	L vont
29	[AB]	ButtanCleà C
A0 10	- Carine and	
	Action (Play class	Putter Dankler Chr.h
	Play clip and hold	BottonDown Bottonficantes a
196	Play clip in a stage and wait	BullanStillown
	Play clip in stage with post honoloss *	Buttanilp Character vi
2~		IConstant and
10	Fig fin "when I goon up"	TI
6 71	Clipfiel clip "when I goos up"	
	StageDig Stage "PuttingStage" of Page	"Tulleng"
_		
		and the second second second
	Ploys a video or availation city at a slape of	Append (
ALC: NO	Pla	v Song
4		and the second s
1111		1 2742.700 0

Asymetrix, Bellevue, WA; (206) 462-0501; http://www.asymetrix.com.

Borland C++ 5.0 Suite

Major revision of a classic, with bundled products that take developers from project inception to deployment. Borland International, Scotts Valley, CA; (408) 431-1000; http://www.borland.com.

Canon inks

Photorealistic inks for ink-jet printers improves reproduction of photographs. Canon Computer Systems, Costa Mesa, CA; (714) 438-3000; http://www.ccsi .canon.com.

Cheyenne's ArcServe 6.0

Excels at file-level backup and restoration tasks. Cheyenne Software, Roslyn Heights, NY; (516) 484-5110; http://www .cheyenne.com.

Microsoft Visual Basic

Visual programming for GUI and Windows development reached a broad audience when VB arrived.

Microsoft Windows 3.x

Overcoming earlier missteps, Windows 3.0 started a flood of applications and the desktop environment most users live in today.

Microsoft Windows NT Windows with preemptive

Connectix VideoPhone 1.1

An easy-to-use and inexpensive package for basic videoconferencing. Connectix, San Mateo, CA; (415) 571-5100; http:// www.connectix.com.

Emultec Simulator

Without programming, this innovative product lets you create sophisticated simulations for computer-based training or product demonstrations. Emulex, Costa Mesa, CA; (714) 662-5600; http://www .emulex.com.

Hewlett-Packard Vectra XU 6/150

Best of the first dual-CPU 150-MHz Pentium Pro PCs we tested. Hewlett-Packard, Palo Alto, CA; (415) 857-1501; http://www .hp.com.

Hewlett-Packard Deskjet 1600CM

Network-ready color ink-jet printer with stunning output. Hewlett-Packard, Palo Alto, CA; (415) 857-1501; http://www .hp.com.

Innovative Software's OEW for Java

Object Engineering Workbench provides a visual programming environment for Java. Innovative Software Development, Englewood, CO; (303) 220-1500.

Macromedia FreeHand Graphics Studio 7

Four cross-platform graphics programs that provide everything from illustration and page design to 3-D modeling. Macromedia, San Francisco, CA; (415) 252-2000; http://www.macromedia.com.

Microsoft Exchange Server

E-mail on steroids. Microsoft, Redmond, WA; (206) 882-8080; http://www.microsoft.com.

multitasking, multiprocessing, and reliability for servers and power-hungry workstations.

Navigator has defined sophis-

ticated Internet browsers with

multithreading capabilities

and multiple active panes that

enable efficient display of

PCI fulfills the local-bus

Netscape Navigator

complex information.

PCI Special Interest

Group PCI 2.0

design needs of Pentium- and RISC-based systems.

PCMCIA (PC Card) 2.0


This specification first defined how pocket-size cards would support modems, printers, and other general I/O devices.

Sun Microsystems Java

An interpreted programming language that is the newest best hope to fulfill the promise of delivered-on-demand software that runs on streamlined,

Microsoft FrontPage

Easy-to-use development tool for lesscomplex Websites. Microsoft, Redmond,



WA; (206) 882-8080; http://www.microsoft.com.

Netscape LiveWire

For content-rich development of complex Web-sites, Live Wire is especially effective when you team it with server-side JavaScript. Netscape Communications, Mountain View, CA; (415) 254-1900; http://home.netscape.com.

Novell GroupWise 5

Significantly improved document management capabilities added to messaging, calendaring, and scheduling tools. Novell, Orem, UT; (801) 222-6000; http:// www.novell.com.

Star Division's StarOffice 3.1

An office suite that is one of the first to integrate Web features. Star Division, Edina, MN; (612) 943-1565; http:// www.stardiv.de.

Verilog's ObjectGeode

Object-oriented CASE for the real world. Verilog, Bagnuex, France; +3316657070.

distributed systems.

Sun SparcStation 1

SparcStation and workstation became synonymous for many people when Sun introduced this new standard for price and performance.

Unix System V

There's still no single standard for Unix, but System V version 4 came close by unifying Xenix, SunOS, 4.3 BSD, and System V. but the note processor on the Apple Newton, for example, has almost as much in common with Microsoft Word as does Pocket Word.

The Web browser is surprisingly useful, although it has few buttons and has to run on such a small screen. Its usefulness is a testament to the brilliance behind Hypertext Markup Language (HTML) and its all-encompassing approach to fitting any local screen. Of course, you can tune your pages to the small display by minimizing the graphics and avoiding any shades or colors that will be lost as they're converted to four levels of gray.

The HPC design sets a new display standard for palmtops. The 480- by 240-pixel

More Better HPCs

fyou don't like the three HPCs we review here, you can soon go to Philips or Hewlett-Packard. Both companies promise units with more functionality in critical areas than current HPCs.

HP's unit will offer a 640- by 240-pixel display. The wider screen will be particularly welcome for reading e-mail without horizontal scrolling. Whether or not there are size and power trade-offs remains to be seen. HP also promises more bundled software than current hand-helds provide.

Philips' Velo machine will have a "standard" 480 by 240 screen, though with backlighting. The neat part about Velo is the two-chip RISC CPU, developed by Philips, that offers all the hardware functions required by an HPC, including a multiply/accumulate unit to assist the MIPS R3900 core in providing a very power-efficient 19.2-Kbps fax modem, which is built into the little machine.

The Velo supports two Intel Miniature Card modules that can be used to add either RAM or Flash RAM. Unlike PC Card memory, this RAM acts as system memory, so you can upgrade to as much as 36 MB. If you want to use PC Cards, a slap-on base provides a single slot. The Velo docking module will provide one-step battery recharging and data synching. Like HP, Philips will offer more software than currently comes with other HPCs, including Pocket Quicken, a database application, and extensions to the Windows CE e-mail functionality. The Velo with 2 MB of RAM is \$599; the 4-MB model is \$699, higher than other HPCs now on the market.

screens are larger than most pocket organizers and look significantly better than most, though with four gray levels and little or no backlighting, they don't compare to the bright color displays of notebook computers. But then, an HPC must be able to run for several days on two AA batteries. The CE specification mandates some means of adjusting screen contrast, either with the keyboard or with a wheel, which is preferable.

Typing on tiny keys with two fingers is tough, but I also found that the typical HPC clamshell case just isn't as comfortable to use as either Apple's Newton or US Robotics' Palm Pilot. My left thumb often grew tired from holding the HPC after only a few minutes of my right-finger typing. As ridiculed as the Newton was, I found myself wishing for its handwriting-recognition abilities.

I also found it awkward to switch back and forth between the keyboard and the stylus. My best solution was to hold the clamshell in my left hand and the stylus between my right index finger and thumb while typing with my right middle finger. I would welcome something like the new Graffiti software distributed with the Newton and the Palm Pilot.

Size might also be a concern. Although they fit snugly in a suit jacket pocket, HPCs are large and heavy enough to create a significant bulge. It's not like carrying around a sleek cell phone.

With plenty of pocket organizers priced between \$100 and \$250, you might think twice about the cost of HPCs. The screens of pocket machines are significantly smaller, and these devices don't pretend to run Windows 95, but they take names, numbers, and notes and also synchronize data with a PC.

Compaq's PC Companion Advantages:

+ Backlit screen

- + Screen-contrast adjustment wheel
- + Hidden power switch
- DISADVANTAGES:
- Stylus easily lost

Though the three reviewed HPCs are nearly interchangeable, Compaq's PC Companion comes out on top in aesthetics. The PC Companion's best feature is its backlit screen, which extends the range of conditions under which the display remains usable. The PC Companion's contrast-adjustment wheel also helps you get the most out of four dim shades of gray. The price for backlighting is increased power consumption, so use it only when you have to.

The PC Companion is Compaq's version of Casio's HPC. It's based on Hitachi's SH3 processor. The PC Companion takes one PC Card device. The cradle provides power charging, but you need to hook up the separate serial cable for data synching. Unfortunately, the unit's external stylus holster leaves the stylus partially exposed. If you lose it, your \$500-plus HPC becomes significantly less useful. *continued*

TECH FOCUS PROGRAMMING

Developing for Windows CE

Microsoft has designed the Windows CE API as a subset of the Windows 32-bit API (approximately 25 percent of it). All the basic calls are familiar. If a programmer wants to put up a window or manipulate the screen, then the data structures and procedure calls will be exactly the same. Of course there are challenges. The screen of the target device is much smaller, and the behavior of the windows is somewhat limited. Developers must pay attention to the little amount of available RAM and current lack of color displays.

Windows CE is currently on several hardware platforms, including Mips (NEC's VR 4101 and the R3900 core in Philips' chip set) and Hitachi's SH3. Like NT, Windows CE is isolated by a hardware abstraction layer (HAL), which keeps low-level programming to a minimum. Manufacturers don't have to spend time writing device drivers and glue code. Programmers are writing CE code on NT desktop systems using simulation of the CE environment.

At this time, however, developing for CE is an option available only to a select group. You can't yet simply purchase a compiler and an SDK and write your own applications. Contrast this with the US Robotics Palm Pilot. You can build programs for that hand-held machine using Metrowerks' CodeWarrior 10, which comes with development tools for the Pilot and for devices based on General Magie's Magic Cap (see our CodeWarrior review on page 47).

The LG HPC

- ADVANTAGES:
- + Built-in modem option
- + Secure slot for stylus
- + Built-in charger
- DISADVANTAGES:
- Lacks convenience of docking module

The best part about the LG unit is its optional built-in modem. Somehow, the folks at LG Electronics found just enough room to add a modem with a standard jack on the side of the machine. This frees up the PC Card slot for other things. Of course, running a modem uses lots of power and should be done with care and a rechargeable battery pack, although the built-in device should be more power-conserving than a PC Card modem.

The LG is also alone in storing its stylus securely inside the clamshell. You can activate the touchscreen with your fingertip, but you have to do so very precisely. Windows CE does have many keyboard shortcuts, but you don't want to try to edit text without a stylus.

I found the LG HPC's screen comparable to the NEC MobilePro's but of course not as readable as the backlit Compaq PC Companion's. Though the LG HPC has no docking module option, it does have a built-in charger. You plug in the AC adapter if you're using rechargeable batteries and attach the serial cable for synching with your desktop PC.

Hitachi has an HPC based on the LG model. It's comparable to the products we reviewed. Prices start at \$499 for a unit with 2 MB of RAM.

The NEC MobilePro

- ADVANTAGES:
- + Semi-protected stylus
- + One-step docking cradle
- + Nice alarm light
- DISADVANTAGES:
- Exterior power switch

The most visible difference between NEC's MobilePro and the other two HPCs is its external power switch; it's outside the clamshell. The switch is lighted so it can also act as a visual alarm. While there may be something stylish about merging these two features, it creates a potential problem in that you can turn on the unit

AA LIIV	windows CL HPC reatures		
	Compaq PC Companion C140	LG Electronics LG HPC GP40M	NEC MobilePro 400
Processor	Hitachi SH3	Hitachi SH3	NEC VR 4101
Screen resolution (pixels)	480x240	480x240	480x240
Backlit screen	~		
Display gray levels	4	4	4
Dimensions (inches)	6.8x3.6x1	6.5x3.8x1.1	6.9x3.7x1
Weight (pounds)	0.89	0.77	0.85
Typical battery life (AA) (manufacturer's estimate)	up to 20 hours	15 hours	30 hours
Batteries	two disposable AA (rechargeable optional)	two disposable AA (rechargeable optional)	two disposable AA (rechargeable NiMH optional)
PC Card slots	one Type 2	one Type 2	one Type 2
RAM	4 MB	4 MB	4 MB
ROM	4 MB	4 MB	8 MB
Fax modem built in		V	
IrDA port (115 Kbps)	V	V	V
Serial port for synchronization	V	V	V
Cradle for recharging	V	cable only	V
Estimated street price (as tested)	\$600	\$650	\$650
✔ = yes			

Windows (FHDC Features

accidentally. This risk is minimized by the fact that Windows CE is smart enough to turn off during periods of idleness.

The MobilePro has twice as much ROM as the other two units, though the benefit isn't yet apparent. Providing neither modem nor backlighting, NEC also has the most optimistic claims about battery life.

The stylus to the NEC is easy to get to and somewhat protected when the lid is closed. The lip partially covers the stylus and keeps it from sliding out. If this design were a bit more protective, it would be the best compromise between security and accessibility.

The MobilePro comes with a cradle. Unlike the Compaq or Casio docking cradles, the NEC cradle allows one-step docking. Plugging the MobilePro into its cradle connects both the AC adapter and the serial connection.

Noted with Pleasure

The HPC moniker is more appropriate than most in the world of computer hype. With Windows CE, these machines are just like PCs that you can hold in your hand. The Apple Newton, the Sony MagicLink, and the US Robotics Palm Pilot still come bundled with the attitude that they've been beamed in from *Star Trek* land. HPCs are

PRODUCT INFORMATION

Compaq PC Companion \$600 (2 MB of RAM) Compaq Computer Houston, TX (800) 345-1518 http://www.compaq .com/ Circle 1109 on Inquiry Card.

LG HPC \$650 (4 MB of RAM, fax modem) LG Electronics Englewood Cliffs, NJ (201) 816-2000 http://www.lgc.co.kr/ Circle 1110 on Inquiry Card.

NEC MobilePro \$649 (estimated street price) (4 MB of RAM, cradle) NEC Computer Systems Mountain View, CA (800) 632–4636 (508) 264–8000 http://www.nec.com/ Circle 1111 on Inquiry Card.

more humble. They have a screen, a keyboard, and a stylus that acts like a mouse, and their sole job is to act like Windows 95. The screens may be small and gray, the keyboard tiny, and the stylus a pain to juggle, but the package is worth considering if you have to take your computer on the road. Even 7-pound notebooks can feel heavy when you walk through an airport with other huggage.

Peter Wayner is a BYTE consulting editor. You can reach him at pcw@access.digex.net or view his home page at http://www.access.digex.net/~pcw/pcwpage.html.

TECH FOCUS

What's an Intranet OS?

What's the difference between a network OS (NOS) and an intranet OS? Novell clearly raises that question by selling two products: Its traditional NetWare and the new IntranetWare, a superset of NetWare.

Novell's answer is that NetWare incorporates five key services (file, print, directory, security, and management), to which Intranet-Ware adds three more (messaging, Web publishing, and wide-area connectivity) that give a network access to the Internet, the Web, and local Hypertext Markup Language (HTML) pages. That defines the difference.

Thus, the IntranetWare package includes NetWare 4.11 but moves beyond it with Internet Access Server—which is a bundling of Novell's IPX/SPX-to-IP gateway, the Multiprotocol Router (MPR), an ftp server, and Netscape's Navigator 2.01 browser. The IPX/IP gateway server allows IPX clients to access the Web without loading a TCP/IP stack on each workstation. Administrators can use NetWare Administrator to configure Internet access on both a port (Web, ftp, or telnet) and IP-address basis.

MPR addresses the emerging need for increased bandwidth, providing software-based wide-area routing with WAN extensions, including ISDN, leased lines, frame relay, and ATM links. All ftp services can be configured for anonymous access, and the Netscape Navigator license can be applied to a more up-to-date version of the browser.

Both packages contain NetWare/IP 2.2 (with DHCP support), Net-Ware Web Server 2.51, and NetBasic for the Internet. Configuring NetWare/IP requires some knowledge of the Domain Naming System (DNS) and the Domain SAP/RIP Service (DSS), but NetWare automatically migrates the settings on subsequent installations. INTRANET

NetWare Web Server leverages NetWare Directory Service (NDS), giving administrators control over Web-browser access to documents based on IP address, NDS authentication, or file-based directory-access rights. You can publish static documents for intranet or Internet access or write BASIC or Perl scripts to dynamically serve HTML pages in response to browser requests. Two forms of Common Gateway Interface (CGI) are supported—a remote version (called RCGI), which can run on multiple platforms, and a local version (called LCGI), which must be coded as a NetWare loadable module (NLM) for faster execution. Java applets and JavaScript round out the programming toolkit.

Standardizing on the Visual Basic-like NetBasic scripting tool makes it easier for developers to use NetWare; Novell's Net2000 APIs expose NDS to access by ActiveX controls, PowerBuilder, Delphi, and other popular tools. The included NetBasic scripting interpreter can extend Web-browser access from read-only to allowing more robust interactive capabilities.

NetWare 4.11 and IntranetWare are available for the same price, so it makes little sense to buy the lesser product. Once you've installed IP services in whatever combination best serves your enterprise, you can make on-line documentation available on the intranet via Novell's proprietary DynaText hypertext reader. The Internet Access Server software documentation is provided in HTML format, while the MPR and NetWare 4.11 text exists only in DynaText format.


Whichever product you choose, Novell has come a great distance in adopting the requirements of both the Web and 32-bit Windows. NetWare/IP and the IPX/IP gateway ease the transition to TCP/IP, while the enhanced Client32 tools seamlessly integrate NetWare services into Windows 95's Network Neighborhood and other system utilities.

server to automatically shut down and restart, or you can manually halt the corrupted process and allow more time for cleaning up other tasks. Net Ware is still vulnerable to poorly written NLMs, but abend auto-recovery preserves more clues for isolating the problem.

File and print services are improved in the new release. You can direct Net Ware's file services to automatically compress files (selecting by file, directory, or volume), which can cut your disk requirements in half. You can also direct Net Ware to automatically move certain data to less expensive storage devices (which is known as built-in hierarchical storage management). The new NPRINTER Manager allows the sharing of printers attached to Win 95 workstations.

To Upgrade or Not?

NetWare is still a high-performance vehicle that requires an on-staff mechanic. Even with improved auto-detection and configuration, this suite of tools does not match Windows NT's user-friendly look and feel. NetWare veterans will appreciate



Select which type of card you would like:

• Birthday card: A basic birthday card.

NetWare 4.11 includes the NetWare Web Server and support for NetBasic.

the many administrative enhancements, but more work needs to be done to make the intranet/Internet tools an integral part of the environment.

Novell is positioning NetWare 4.11 as the solution for the significant percentage of its installed base that has no interest in Internet connectivity. Web Server is included, however, to whet the appetite of those who recognize the need to wed an intranet with the Internet. With IntranetWare, Novell remains a major player in the network game.

NetWare shops will have no trouble with either version. The bundled applications alone represent a value of thousands of dollars; Web Server, for example, was previously priced at \$1595.

But Microsoft, fresh from opening up Netscape's lock on the browser market, can be expected to continue adding value to NT Server. NetWare's Achilles' heel remains its lack of off-the-shelf application support, and Novell seems to be betting the farm that future Java applications will overtake Windows. However, Microsoft's ability to blend its dominant desktop product line with its server tools creates a momentum that may prove to be impossible to blunt.

Steve Gillmor, who works at Southern Digital, Inc. (Charleston, SC), has extensive experience with networks and groupware. You can reach him at sgillmor@aol.com. NSTL is the official product testing lab for Data Communications

TESTwith NSTL

You need to know how to keep the Information flowing safely, costeffectively, and quickly. NSTL can help you break the networking bottlenecks.

NSTL gives you the answers you need to assure potential customers of your product's performance. We'll work with you to design a cost-effective testing program to give you the answers to your customers' network performance questions.

Contact us early in your product development lifecycle to learn how NSTL can help you avoid costly and embarrassing mistakes.

Call 1-610-941-9600 to request a brochure or a proposal detailing the scope, pricing, and scheduling of confidential network

http://www.nstl.com NSTL

Illustion of The McGraw-Hill Companies

itself." We then went on a hike up my favorite hill, where I realized I wasn't seeing 10 percent of what he saw even though we were looking at the same scene.

As for tools, anyone with a Pentium system and a reasonable graphics board has most of what's required. You should learn to use a drawing pad; Wacom makes agood one for a reasonable price. For software, Caligari's trueSpace is a good beginner's program. By the time you run up against its limits, you'll know whether this is something you really want to do. For that matter, everyone has a pencil and some paper, which is not only a good way to start, but a medium you'll have to learn to work with.

The computer graphics field changes like dreams; you can now do things with desktop systems that two years ago you couldn't do with any equipment in the world. That's going to continue; and as David is fond of pointing out, it's all new. There's no 2000 years of traditional ways of doing things to weigh you down.

I've often said you don't need formal instruction to become a writer: you need

to write a lot and finish what you write. Apparently, it's also that way with art. Sure, training helps, but mostly you just need to do a lot of it. I'm sure the schools

Manager and assign that drive a letter. My Zip drive wanted to be drive E, displacing the CD-ROM drive that resided there. Using Device Manager to assign E to the

If I boot up with a cartridge in the system, it's a horrible mess.

need reforming, but meanwhile, there are a lot of wonderful programs out there, like Broderbund's Kid Pix Studio, to give young people an early start.

recently said rather flippantly that "SCSI has a mind of its own." Several readers have taken me to task for that. Perhaps they're right. What I should have said is there are a number of SCSI BIOSes out there, and they can behave rather differently, so one person's experience may not apply to another's problems.

Case in point: my trials with installing Syquest EZ135 and Iomega SCSI Zip cartridge drives and the consequent shifting of drive-letter assignments. On Cyrus, the Cyrix 6x86-P166 system, once you install the drive, you can go into Win 95's Device CD-ROM drive does no good whatever.

However, once you install the Zip drive, you can go into Device Manager and reserve F for the Zip drive (even though the CD-ROM drive has that letter); reboot the system; and Bob's your uncle. The Zip drive will be F whether there's a cartridge in the drive on boot-up or not.

Alas, it doesn't work that way with Pentafluge, which is my older Pentium P-60 system. I can assign the Zip drive to be G (there's a Maxoptix T3-1300 optical drive at E, and the CD-ROM drive is F), and if I boot up with no cartridge in the Zip drive, all's well; but if I boot up with a cartridge in the system, it's a horrible mess. Drives are displaced, and the Device Manager becomes very confused. I am definitely better off not assigning the drive let-

Distinct NFS 95 [®] Easiest way to Share Files, Programs and Printers	Distinct IntelliTerm Integrated Terminal Emulator for DEC and IBM [®] Systems
Image: State	
Highlights:	Highlights:
Integrates seamlessly into Windows 95 Common Data and Dat	TN3270 Emulation–Models 2,3,4 and 5 (for IBM Mainframes)
Mounts NFS drives from Explorer or Network Neighborhood	• 31796 Vector Graphics & 3279S36
Supports file and record locking Free Evaluation Copy	• TN5250 (24x80, 27x132) (for AS/400) -{Evaluation Copy
Allows central authentication with a single server running PCNFSD for all NFS connectivity	VT52, VT100, VT220, VT320 & VT420 emulation (for DEC and UNIX Systems)
Prints to NFS or LPD print servers	Customizable keyboard layouts,
Allows login to all systems with a single login name and password or different login names for each system	poppads and session profiles • VBA™ Advanced Scripting Language
Allows single-operation logout of all systems 408.366.8933	DDE, HLLAPI, EHLLAPI, WinHLLAPI and Visual Basic [™] 408.366.8933 WWW: http://www.distinct.com
Fine tunes performance parameters for each server you access Example and the formation of the server you access Example and the server you access (When the tag of the late is specified of the performant of the red formation of the server you access)	Available for Windows 3.11, Windows Fax: 408.366.0153 E-mail: bytemag@distinct.com Fastfacts: 408.366.2101

Circle 172 on Inquiry Card (RESELLERS: 173).

Circle 174 on Inquiry Card (RESELLERS: 175).

Subscription Problems?

If you have a problem with your BYTE subscription. let us know! For best service, provide a brief description of the problem and a copy of a recent magazine mailing label account number along with your name, address, BYTE subscription is currently being sent. If you have a change of both your old and new addresses. If the problem involves a payment, be sure to include copies of your cancelled check (both sides) or your credit card statement. Please include a "business hours" phone number if possible. Send to:

BYTE

BYTE Magazine Subscriber Service PO Box 555, Hightstown, NJ 08520

Fax: 609-426-7087 Phone: (9 a.m. to 8 p.m. Eastern Time, Mon. – Fri.) 800-232-2983 (U.S.), or 609-426-7676

VDuction of The McGraw Hill Companies

Replacing your hard drive is no fun. It was a bit easier for me, because Cyrix preconfigured the drive by installing Win 95 complete with the Plus package before they sent it to me. Once I'd cooled off the original drive, I was able to peel off nearly all the software onto networked drives. The whole operation took less than a day, boot up Win 95 at all. If you're going to do it, make a backup copy of SYSTEM.DAT. Also, be sure you have a DOS boot disk and a program like Norton Commander that will see hidden system files so that you can boot up in DOS and restore SYSTEM.DAT from a copy.

Next, go to Norton Utilities and Disk

If you have never used Disk Editor, this is not the time to learn it.

including all the retry errors until I figured out that I'd overheated the CD-ROM drive.

Alas, whoever configured the new drive for me told it that the system belonged to Jerry Pournel of BYTE Mazgne; which meant that when I installed Microsoft Office, it insisted on labeling all my documents that way.

Clearly, something had to be done. Unfortunately, neither Win 95 Help nor any of my numerous books on Win 95 had much information on how to change user names. Even Lenny Bailes's BYTE Guide to Optimizing Windows, which tells how to get the Microsoft Windows 95 Easter egg, had little information on it.

I used Gopher to search all my files for the string "Mazgne," and found it in a First Aid safety file. That file can be edited, but editing it does no good at all. Clearly, the string was stored in hexadecimal format, not ASCII.

The books say that a program called REGEDIT.EXE comes with Win 95; it's in the Windows directory. There's not much information about using it, and all the books warn you to be extremely careful. I tried it a couple of times, but I wasn't sure what I was doing, so I never saved any changes I made. However, it became clear that what I wanted was in a hexadecimal file called SYSTEM.DAT.

Eventually, I made two backup copies of SYSTEM.DAT and attacked that file with the Norton Disk Editor. It turned out to be easy enough to find the hexadecimal equivalent of the word *Mazgne*. A bit of study showed how the user and company names are stored, including what is used to terminate the string: it's an 01 followed by blanks (00). Hooked up the hexadecimal equivalents of the English letters I wanted, used Disk Editor to fix my name and spell *Magazine* properly, terminated the strings with 01, and all's well.

Fair warning: you edit SYSTEM.DAT at your own risk. It would be very easy to muck up your machine so that you can't Editor. If you have never used Disk Editor, this is *not* the time to learn it. Learn how to use it on game files or other stuff you don't mind losing.

Disk Editor will drop you into DOS mode. Now do OBJECTFILE and browse in the Windows or Windows.000 directory until you find the file SYSTEM.DAT. Let Disk Editor bring that in. Search for the string you noted earlier. It will find it. Note that the end of the string has 01 followed by blanks (00). If you change the length of your string, you *must* terminate it with that 01. Now make your changes by writing in the hexadecimal-number equivalents of the letters you want to insert.

If you have a mouse working (you may not, depending on the AUTOEXEC.BAT and CONFIG.SYS files used to bring up DOS internally), you can go over to the little ASCII interpretation that Disk Editor puts out to the side and make changes there by typing in ASCII letters; be *sure* you are putting them exactly where you think you are, and that this is where they are supposed to be. It's easy to make mistakes here.

Do it right. You can make the user Elmer P. Fudd and the company The Acme Corp., or whatever you like. When you have everything exactly the way you want it, with 01 as the last character in each string, exit Disk Editor with the save option.

Windows will come up. It will see that the date of the SYSTEM.DAT file has changed and will be unhappy. It will offer you the choice of proceeding even though it doesn't like to. Do that, and when it comes up properly, Bob's your uncle.

If all doesn't go well, boot up in DOS, copy the saved file back to SYSTEM.DAT, and start over. Good luck.

Some months are just a series of disasters. Fortunately, many disasters are instructive.

The other day, Niven came over to work on our new book. He usually works with an elderly Cheetah 486 upgraded with about the SupraExpress's performance. It is fast, locks on through lots of line noise, and just plain works. Recommended.

As to why the Cheetah was screaming at us, when I plugged things back in, I managed to plug the 21-inch Hitachi monitor into the wrong uninterruptible power supply (UPS). That didn't *quite* overload the UPS, but when we brought up Word, with a big expanse of white screen, that required just enough more power that it triggered the UPS's overload warning. Closing Word or reducing the white-screen size would reduce the power requirements just enough. Silly, but maddening if you're in a hurry and don't think things through.

The Cyrix system comes with a Matrox MGA Millennium, which is a very good video board indeed. However, after we dropped Cyrus on his head and weren't getting any video, we changed boards. That didn't turn out to be the problem the Matrox board works just fine—but it did give us the opportunity to test the new Orchid Fahrenheit Video 3D board.

That sucker screams. It does 2-D and 3-D

PRODUCT INFORMATIO

The Age of Rifles \$54.95 Strategic Simulations, Inc. Sunnyvale, CA (800) 245-4525 (408) 737-6800 fax: (408) 737-6814 http://www.ssionline.com Circle 1042 on Inquiry Card.

CPU-Cool 1.9 \$22 CPU-Cool 2.3, \$25 PC Power & Cooling, Inc. Carlsbad, CA (800) 722-6555 (619) 931-5700 fax: (619) 931-6988 http://www.pcpowcrcooling.com Circle 1043 on Inquiry Card.

Fahrenheit Video 3D with 2 MB of memory, \$209 Micronics Computers, Inc./ Orchid Technology Fremont, CA (800) 577-0977 (510) 651-2300 fax: (510) 651-3666

t Raidtec's Fibre Channel RAID products

http://www.orchid.com Circle 1044 on Inquiry Card.

SupraExpress 336 Sp with ASVD Modem internal, \$129; external, \$149 Diamond Multimedia Systems, Inc. Vancouver, WA (800) 727-8772 (360) 604-1400 fax: (360) 604-1401 http://www.diamondmm.com Circle 1045 on Inquiry Card. movies really fast and really pretty. You can't believe how smoothly Duke Nukem, Doom, and Quake scroll.

Most of my work with computers involves words and text, and, except for games like Doom, I honestly can't tell the difference between the Matrox, Diamond, and Orchid boards. They all show 2-D graphics in good resolution with steady pictures and high contrast. That doesn't mean there aren't any differences, or that they won't be noticed by people doing graphics work. Fve arranged for David Em to test our graphics boards on the Doubleshot 133. David does really complex graphic art and works these systems as hard as anyone can.

The shareware of the month is Visual DialogScript. This is a scripting language, the successor to WinScript. You can use it to create all kinds of Windows dialog boxes and controls, some very elaborate. It comes with both text and icon editors. An example of Visual DialogScript in use: a program applet that lets you browse through files and change their time and

Raidtec RAID High-Performance SCSI RAID Systems

Discover the best RAID price/performance in the industry. Raidtec is the affordable, open, SCSI-to-SCSI hardware RAID solution for complete data protection. Ideal for mission critical applications, document imaging & multimedia.

It's time to re-visit the ultimate in high-availability storage. Contact Raidtec today at (770) 664-6066. Fast, Wide, Ultra SCSI

- Programmable RAID Level selection: 0, 1, 10, 3/5
- On-the-fly hardware parity generation eliminates read, modify, write-back performance overhead
- Single ended or differential
- Downloadable flash firmware
- Rackable, stackable

- Remote alarms, configuration & monitoring
- Environmental sensor ports
- Hot replaceable drive bays, fans & power supplies
- New EAM & Service Channel
- Single SCSI ID
- Solid state-of-the-art load sharing power subsystem
- · LCD control panel status display

THE STANDARD IN ADVANCED MASS STORAGE SYSTEMS

Raidtec USA 105 Hembree Park Dr. • Suite C Roswell, GA 30076, USA Tel.: (770) 664-6066 FAX: (770) 664-6166 http://www.raidtec.com Raidtec EUROPE Glen Mervyn House • Glanmire Cork, Ireland Tel.: (353) 21-821454 FAX: (353) 21-821654 IT'S AMAZING HOW MANY COMPUTING EXPERTS PRACTICALLY LIVE AT THIS ADDRESS.

HTTP://WWW.BYTE.COM

With so many web sites popping up today, it's hard to know which ones Net the best results. Especially if you're an advertiser looking to reach key Information Technology prospects.

Fortunately, the answer is close at hand. It's called The BYTE Site, and more computing influencers worldwide call it "home" than just about any address on the Web.

The BYTE Site is the online version of BYTE magazine, the worldwide technical authority for computing experts. That means it's chockfull of insights and information about the IT market from products to applications to trends. On The BYTE Site, visitors can instantly access every BYTE article published since 1993 through the BYTE Archive. Read all about the newest products and technologies in our Virtual Press Room. Share viewpoints with BYTE editors worldwide by on-site Email. Even download industry standard CPU test suites from our BYTEMarks benchmark service.

With features like these, its no wonder The BYTE Site logged nearly 150,000 visits this

past January alone, and posted an overall repeat visit rate of 41%. Not surprisingly, it's become equally popular among advertisers. That's because



The Byte Site offers such interactive marketing options as hot-linked AD-Action buttons to showcase product information, catalog listings and data sheets. Plus our Virtual Press Room where users can access the latest press releases from your company.

To learn more about The BYTE Site, call John Griffin, **VP/Publisher** at 603.924.2663. Or find him on The BYTE Site at http://www.byte.com. You'll discover reaching computing influencers worldwide is easy once you know where they live.



A Division of The McGraw-Hill Companies

THE GLOBAL AUTHORITY FOR COMPUTING TECHNOLOGY.

Diagnose any PC's problems fast with



Loop-back Plugs— 9-pin serial, 25-pin serial and 25-pin parallel plugs, used for external I/O port testing.

- Get the best, most accurate full-system diagnostics package for all your problem PCs.
- Low-Level Formats all hard drives including IDEs. Allows relocation of Track 0.
- Works with any PC regardless of 0/S: DOS, Windows 95 & NT, 0/S2, Unix, Novell, etc.



Fully O/S independent diagnostic software...

Call for upgrade pricing & complete new features list!

Call for Your 6.15 Upgrade

2 Micro-Scope

PC diagnostic tools

and 5.25" disks to work with any PC.

floppy disks containing the best

on the market. Comes with both 3.5"

MicRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp ACCURACY are a few of the advantages that arise from this system independence. Jerry Pournelle awarded MICRO-SCOPE & POST-PROBE the User's Choice Award in the May 1994 issue of Byte Magazine, saying: "You name it, this tests it. If you maintain PCs you'll love it."

◆ LOW-LEVEL FORMAT—Performs low-level format on all hard drives including IDE drives. ◆ TRUE HARDWARE DIAGNOSTICS—Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy drives, video cards, etc. ◆ RELOCATES TRACK 0 on hard drives that support relocation. ◆ IRQ CHECK—Talks directly to hardware and shows I/O address and IRQ of devices that respond. ◆ O/S INDEPENDENT—Does not rely on O/S for diagnostics. Talks to PC at hardware level. All tests are full function regardless of O/S (i.e. Windows, Novell, UNIX, O/S2). ◆ IRQ DISPLAY—Show bits enabled in IRQ chip for finding cards that are software driven (Network, Sound Card, etc.). ◆ MEMORY DISPLAY—Displays any physical bit of memory under 1 MB. Very useful for determining memory conflicts and available memory space. ◆ AND MUCH MORE...We don't have enough space here for everything this software can do!

> Govt. Orders: NSN-7030-01-421-6459 Call Now for Special Pricing

1-800-864-8008



Complete Micro-Scope Manual— easy to follow testing procedures and detailed error code descriptions. See the features list at left to view some of the incredible wealth of testing capabilities this program contains.

e with Windows NI, 05/2, DOS



Ni ro-Scope C

Micro-Scope 6.

- : 2200

Micro-Scope 6

SHED

COMPAQ

PC Companion
C120 2mb ram, 4mb rom, touch display \$call
C120+ 2mb ram,4mb rom, modern \$call
C140 4mb ram, 4mb rom, touch display Scall
Armada Notebooks

Armada 1120 P/100, 8/810MB, DSTN \$1475
Armada 1120T P/100, 8/810, Active Scall
Armada 4110D P/100, 8/180, CD, DSTN \$call
Armada 4120 P/120, 8/1GB, Active \$call
Armada 4130T P/133, 8/1GB, Active \$call

LTE Notebooks

LTE 5300 P/133	16/1.3GB, Active \$3699
LTE 5300 P/133	16/1.3GB, Active \$4189
	16/2GB, Active \$5280
LTE 5400 P/150	16/2GB, Active \$call

Deskpro 2000 Desktop

2000 P/100 8/1.2GB	\$1099
2000 P/133 16/1.2GB	\$1599
2000 P6/200 16/2.5GB+CI	\$2550
2000 P6/200 16/2.5GB+CI) (MT) \$2758

Deskpro 6000 Desktop

6000 6/200 32/2GB, CDS Scall 6000 6/200 32/2GB, PDS. Scall

Professional Workstation 5000

Pentuim Pro 200MHz

32 or 64MB DIMMS, 2d or 3d Graphics, Integrated Ultra Wide SCSI controller, 2 or 4GB wide SCSI Drives, Inlegrated 10/100 Network card

\$call for prices & delivery

Compag Servers

Prosignia 500 Pentium 150MHz Proliant 1500 Petium 150/166MHz Proliant 2500II Pentium Pro 200MHz Proliant 2500N Pentium Pro 200MHz Prolian1 2500R Pentium Pro 200MHz Proliant 5000 6/200 Pentium Pro 200MHz Proliant 5000 6/166 Pentium Pro 200MHz Proliant 5000R 6/166/200 Pentium Pro

> ** call us for Compaq Network/ Web/NT/Unox, Hard drive Upgrade, Other Parts Solutions."

IBM

Thin	kpad	560	Models	
TP 560	P/120	8MB/81	IOM8\$call	
TP 560	P/133		08GB\$call	
TP 560	P100		11.3 DS \$call	
Thin	cpad		Models	
26251E9	365XD	P/133	8MB/1.35GB, CD \$3480	
26252E9	365X	P/133	8MB/1.08GB	
2525389	365X	P/120	8M8/810MB T \$2542	
26254E9	365XD	P/120	8MB/810MB, CD \$2730	
2625E3	365XD	P/100	8MB/810M8, CD \$2355	
26256E7	365X	P/100	8/810 10.4 \$1973	
26257E7	365X	P/100	8M8/810M8 \$2348	
2625DEF	365XD	P/120	8MB/1.06GB, CD\$2964	
2625EEF	365XD	P/120	8MB/1.00GB, CD\$2589	
Thinkpad 760 Notebooks				
Thinkpad 760ED				
Pentium 133/150MHz processor				
16MB RAM 1.3/2GB disk				
28.8 fax modem duplex phone.				

CD ROM drive, 1.44 MB floppy drive **call for other Thinkpad 760 Models**

IBM Desktton & Minitower

IBM PC 340	Pentium
IBM PC 340	133/150/
IBM PC 360	166 MHz
IBM PC 750	Pentium Pro

**Choice of CD ROM, Sound

http://ww	W.computerl	ane.c
	Graphic Tablets & Art Pads	

TOSHIBA NOTEBOOKS

TIIOCS	P/100	8/810MB Dual Scan Scall			
T200CDS	P/100	8/810MB+CD, Dual Scan .Scall			
T420CDS	P/120	16/1.3G88+CD, Dual Scan Scall			
T420CDT	P/120	16/1.3GB+CD, Active Scall			
Tecra 510CDS	P/133	16/1.3GB, CD,DSTN \$call			
Tecra 510CDT		16/1.3GB CD. Active Scall			
Protege 600CD	P/150N	AHz, 16/1.3GB,TFT Scall			
Tecra 720CDT	P/133	16/1.3GB, Active, CD \$call			
Tecra 720CDT	P/150	16/2GB, Active, CD			
**We	e also	o carry Toshiba			
Refur	bishe	ed & Discounted			
Models In Stock,					
call us for prices"					
Desktop Systems					
Infi	inis	a Models			
7200 P	entiu	Im Peo 200 Mhz			
7160 Pentium 166Mhz					
7130 Pentium 133Mhz					
1.6GB/2.0GB/3.1GB hard disk 8x CD ROM					
Drive, 3D sound card,28.8 fax modem.					
dialtal anaunalan mashing With the mas					

digital answering machines, Television/FM catpure card, remote control DVD ready, 15" or 17" SVGA Monitor with multimedia ready, front mounted microphone, integrated speakers \$ stock

call us for prices *for complete discription, http://www.computerlane,com*

Hewlett Packard Printers

And in case of the local division of the loc	
DESKJET 1600C	\$1279
DESKJET1600CM	\$1859
DESKJET 340C	\$289
DESKJET 400	\$199
DESKJET 680C	\$289
DESKJET 820CXL	\$479
LASERJET 4MV	\$2690
LASERJET 4V	\$1840
LASERJET 5	\$1249
LASERJET 5L-FS	\$459
LASERJET 5M	\$1689
LASERJET 5MP	Scall
LASERJET 5N	Scall
LASERJET 5SI	\$2665
LASERJET 5SIMX	\$3750
And and a second se	

HP Desktop & Minitower Systems		
Vectra 510 & 515	Pentium	
Vectra VA Series	133/166	
Vectra XM4 Series	180MHz	
Vectra XA Series	& Pro	

Vectra UX Series	200MHz
HP S	ervers
Netserver Lc Netserver Lh & Lh2 Netserver Ls & Ls2 Netserver Lx, Lx2 Netserver LXe	Pentium 133/166MHz Pentium Pro 200MHz

"Call us for Price and Configuration**

Summa Graphics Summasketch III 12x12 2BTN STYL \$239 Summasketch III PRO 12x18 4BTN Summagrid IV 24x36 W/16 Button Microgrid Ultra 24x36 16BTN Microgrid Ultra 36x48 16BTN

. \$460

\$1098

\$2099

\$2498 Microgrid Ultra 44x60 16BTN . \$2898 WACOM

Artpadil 4x5 Ultrapen PC	• •	- \$144
Artpadll 4x5 Dabbler PC w/Ultra		 . \$166
Artz II 12x12 w/Ultra Pen PC/MAC		 . \$425
Artz II 12x18 w/Ultra Pen PC/MAC		 . \$640
Artz II 18x25 w/Ultra Pen PC or MAC.	į.,	\$1790

Adaptec SCSI Cards

Total connect AVA-1515 kit \$81
AHA-2940 hos1 adapter kit\$132
PCI Master AHA-2940 kit \$223
Slim SCSI APA-1460 \$151

Recordable & Optical Hard Drives

Recordable

Pinnacle	RCD 5040	(internal)	\$824
Pinnacle	RCD 5040	(external)	\$729
Creative I	Lab Buster	CDR-4210	\$599

Optical Hard Drive

Pinnacle Vertex 2.6GB (internal)	\$1345
Pinnacle Vertex 2.6GB (external)	
Panasonic 650 rewritable optical	. \$499

NOVELL

Red OR White OR Upgrade				
Netware	3.1/4.1	5/10 user	\$call	
Netware	3.1/4.1	10/25 user	Scall	
Netware	3.1/4.1	50/100 user	\$call	
Netware	3.1/4.1	250 user	Scall	

Intranetware SPECIAL **Upgrade Prices** 5/10 user Intranet upgrade \$340/599 25/50 user Intranel upgrade \$1015/1335 100/250 user Intranel upgrade \$1875/3335

\$750/1402

\$2480/3340

Intranetware Prices

5/10 user Intranet 10/25 user Intranet

Hard Drives Special

Quantum Ultra SCSI-3 2,1GB \$402 Seagate ST31621a 1 6GB IDF \$223 Seagate ST15230N 4.29GB SCSI-2 \$987 Seagate ST41080N 9GB last SCSI-2 \$1965 Seagate ST32550N 2.14GB last SCSI-2 \$734

Computerlane Inc.



NETWORK ADAPTERS & HUBS

com

_						
3com	pci	combo				\$137
3com	stacker	I series 12	port	10base-	τ	\$505
3com	stacker I	I series 24	port	10base-	Γ	\$864
3com	3c905-T	X fast ether	rlink x	i pci		\$137
3com	3c905-T	X 5-pack .				\$804
Intel E	xpress T	X switching) hub			.\$call
Intel 1	00base-1	X stackabl	e hub			.Scall

"We carry all kinds of hubs, routers, network cards. switches** *Call for

updated prices**

PCMCIA PRODUCTS

Xicom pc ce2 10b1 credit card adapter\$136
Xicom pc ce2 10bc credit card adapter\$171
Xicom pc com-28bt modem+10-base-T\$296
Megahertz 28.8 credit card modem\$232
Megahertz Ethernet XJACK XJ108C
Megahertz Ethernet XJACK XJ108T\$106
Megahertz Ethernet XJACK XJ108T/020 \$2150
"Call for updated prices"


MODEMS

	Hayes Accura 336 (external)\$139
	Hayes Accura 336 (internal)\$120
	Hayes Accura 336 (external) \$239
	Hayes Accura 336 (internal)\$224
1	US Robotics 33.6k (internal) UPGRADE \$148 US Robotics 33.6k (external)
	US Robotics 33.6k (external) UFUNAUE \$167
	US Robotics 33.6k Win Modern . 5600 \$109
d	**also carry zoom,
1	Motorola, Practical
1	
I	Call for updated prices**
1	
	147 & 7ID DDIVES
	JAZ & ZIP DRIVES
	JAZ 1GB Ext. SCSI PC/MAC Exil
	JAZ 1GB Ext. SCSI PC/MAC Exil
	JAZ 1GB Ext. SCSI PC/MAC Exil
	JA2 1GB Ext. SCSI PC/MAC Exil
	JAZ 1GB Ext. SCSI PC/MAC Exil \$459 JAZ MAC 1GB 5-Pak Cart \$419 JAZ MAC 1GB Single Cart \$104 JAZ PC 1GB 5-Pak Cart \$419 JAZ PC 1GB 5-pak Cart \$419 JAZ PC 1GB 5-nak Cart \$419
	JAZ 1GB Ext. SCSI PC/MAC Exil. \$459 JAZ MAC 1GB 5-Pak Cart. \$419 JAZ MAC 1GB Single Cart. \$104 JAZ PC 1GB 5-Pak Cart. \$419 JAZ PC 1GB Single Cart. \$104 JAZ PC 1GB Single Cart. \$104 ZIP C 1GB Single Cart. \$104 ZIP C 1GB Single Cart. \$104 ZIP PC 100MB Parallel Port \$call
	JAZ 1GB Ext. SCSI PC/MAC Exil \$459 JAZ MAC 1GB 5-Pak Cart \$419 JAZ MAC 1GB Single Cart \$104 JAZ PC 1GB 5-Pak Cart \$419 JAZ PC 1GB 5-pak Cart \$419 JAZ PC 1GB 5-nak Cart \$419
	JAZ 1GB Ext. SCSI PC/MAC Exil. \$459 JAZ MAC 1GB 5-Pak Cart. \$419 JAZ MAC 1GB Single Cart. \$104 JAZ PC 1GB 5-Pak Cart. \$419 JAZ PC 1GB Single Cart. \$104 JAZ PC 1GB Single Cart. \$104 ZIP C 1GB Single Cart. \$104 ZIP C 1GB Single Cart. \$104 ZIP PC 100MB Parallel Port \$call
	JAZ 1GB Ext. SCSI PC/MAC Exil
	JAZ 1GB Ext. SCSI PC/MAC Exil. \$459 JAZ MAC 1GB 5-Pak Cart. \$419 JAZ MAC 1GB Single Cart. \$104 JAZ PC 1GB 5-Pak Cart. \$419 JAZ PC 1GB Single Cart. \$104 JAZ PC 1GB Single Cart. \$104 ZIP C 1GB Single Cart. \$104 ZIP C 1GB Single Cart. \$104 ZIP PC 100MB Parallel Port \$call

UEALS Save up to 70% on Microscoft Products Atn: Students/Teachers/ **Education Institutes** WIN NT 4.0 in stock MS Office Pro WIN 97

Authorized Service & Parts Center for IBM, COMPAQ, TOSHIBA. HEWLETT PACKARD ***We carry all parts in stock***

Ma



Take the quickest route to healthcare **Information Systems solutions**

n today's dynamic healthcare climate, decisionmakers can't afford to get lost while searching for the right Information Systems solution.

MDB Information Services-an alliance with Datapro Information Services Group and MDB Information Network-delivers the break you've been looking for. We're the only worldwide, comprehensive provider of immediate, actionable data for purchasing Administrative Systems, Clinical Support Systems, Client Server Technology, and Network Integration.

MDB Information Network members annually save more than two to three times their membership cost to MDB Information Services by relying on MDB's up-to-the-minute acquisition and analysis of information on hundreds of Information Systems products and services.

Plus Added Value

MDB Information Services also delivers:

- Information technology briefings/strategic planning
- Custom RFP electronic templates to speed response
- · Cost-benefit analysis of systems and technologies
- Success Matrix to measure process improvement
- Access to Consultation Center and on-line services

Call 1-800-687-0001



INFORMATION SE

An alliance with Datapro Information Services Group, Andersen Consulting, and MDB Information Networ

Administrative Systems

General Financials to Utilization Management, Ancillaries including Home Health and Long-term Care.

Clinical Support Systems

ER, Laboratory, Pharmacy, Radiology, Physician Management Systems, Clinical Pathways, and more.

Client Server Technology

From Workstations to Telemanagement, Scheduling to Network Management.

Network Integration

Network Operating Systems to **Community Health Information** and beyond.



MDB Information Services 5910 N. Central Expressway Suite 1800 Dallas Texas 75206 mdbinfonet.com

WE WILL TRY TO MATCH	OR BEAT ANY ADVERTISED PRICE, CAL	L FOR LATEST PRICING!
WE ACCEPT PO'S	MEMORY	SECURITY WILL CALL WINDOW NOW OPENI NO SUBCHARGE FOR MC, VISA AE & DISCOVER
HOT BOX SPECIALS	IBM PS/1, PS/2 MEMORY MODULES	BATTERIES
HOT BOX SPECIALS	Aprivo 300,500 Serres. 40keg/00keg/14Meg/32Meg 34/50/119/219 Aprixo 200 Serres (pairs) 40keg/00keg/14Meg/32Meg 34/50/119/219	* * CALL FOR NOTEBOOK AND LAPTOP BATTERIES * *
Compaq contura 400, 4meg	Aptica & Senas (puint) dilegitilegi 16/Ang 32Meg 34/59/119/219 Aptica C Senas (ED), punta dilegitilegi 16/Ang 32Meg 39/59/1452-01	Compaq, IBM, Toshiba, Epson, AST, TI and More!! Accellete 730-789 — \$129
4 x 8-80	Aptical M Simits Adep BMog 16Mog 32Mog 3459 119219 PC 330 Modes 65/1 45/16 4Mog 0Mog 16Mog 32Mog 3459 119219 PC 330 Modes 65/7 (EDC, pains) 4Mog 0Mog 14Mog 22Mog 3959 146298	Compag Contura 3/25, 4/25 - \$119.00
4 x 8-70	PC 340 (EDC, pars) 4Meg/Meg/14Meg 3959144249 PC 350 Medrs 65814585 4Meg/Meg/14Meg 3459119:219	Compaq Contura Aero — \$109.00 Compaq Contura 410, 420, 430 — \$109.00 Epson ActionAtte 800, 866C, 880C — \$134.00
Thinkpad 750, 720, 700, 360, 355 4Meg	PC 350 Model 6586 (part) 4Meg 9Meg 14Meg 32Meg 34:59119219 PC 350 Model 6587 (E00, part) 4Meg 7Meg 14Meg 32Meg 3993144219 PC 350 4Med 14Meg 32Meg 446912929	NEC Versa E, V — \$119.00 NEC Versa E, V — \$119.00
1 x 1-80, 18 pin chip	PC 730 Moders 6675-6876 (pars) 4Meg MMeg MMeg 20Meg 49491739259 PC 730 Moder 6877 (d20, pars) 4Meg Meg MMeg 30Meg 3059144219 PC 729 Moder 6475 (d25, d26) (pars) 4Meg 30Meg 4Meg 32Meg 49491739259	Toshiba 618 and 400 — Call Toshiba 1900, 1910, 1950, 1960 — \$119.00
1 x 9-80	PC 750 Model 6887 (EDD, paint) #Meg 8Meg 16Meg 22Meg 39:59144219 PC Server 310 (paint) #Meg 3Meg 16Meg 32Meg 496/0130259	Teshiba 2400, 4700, 4800, 4900 — \$119.00 Teshiba 2100 Series — \$121.00
NEC Versa, 4Meg49 ^{ee}	PiS 1. 30 Pis Simms Ellips Ellips PiS 1, 72 Pis Simms ellips elli	TOSHIBA LAPTOP MEMORY
Panasonic 6500, 1Meg Module14 [®] Winbook XP, 8Meg	P 5 2, 555, 6551 604rg 69 P 5 2, 53, 515, 56 57 844rg 604rg 9579 P 2, 53, 517, 56 57 844rg 604rg 9579	MODEL AMT UP/GRADED MANU PART / PRICE Teccs 500 P059 88/eg/38/eg/28/eg/28/eg/38/eg/38/eg/28/eg/28/eg/2
Epson 650C, 4Meg	PIS 2 Server. 95. 195. 295. (ICC, pars) 4Mag/32Mag 59/79/15/249 Call for All Rate 6000 Memory	Texts 700 (SDRAM) 6Meg 35Meg 32Meg 119258/829 Texts 710, 720 6Meg 35Meg 32Meg 32Meg 119258/829
TS38 Models - ALL - 4Meg	IBM NOTEBOOK & LAPTOP MEMORY	Tpopsisili 220058/T1000 1896 DMmp PC PA2000U 64:00 D2888 2150 2155 2110 40keg/04Ae/gr24 Ae/g 66:00:900/029 D2888 21600 21600 21600 21600 21600 21600
1Meg, 64Pin, AST SIMMS99	Trimped 340 345 355 360 C. CE dMop16Avg 16Avg 85309189 Trimped 365 CS CD E ED 4560916Abg 75209	Hose C 14000, 14000, 14000, C 11990, 11950/(L 3 vr.) BM/vg PC-PA2013U 79,00 14500, C 14000, 14000, C 11990, 11950 (L 3 vr.) BM/vg/22Marg PC-PA2014U 159/271 15400C 17200, 12000 0400 (WMbo 15MM/vg/2Marg PC-PA2014U 159/271
CACHE MEMORY CACHE MODULES	Timb and 305x 36500 Blags Makey 32Neg 100100.530 Think and 500, 510C5 Allway Stakey 14Meg 29:109:219 Think and 500 Blags Makey 14Meg 29:109:219	1340, 165, 116, 115 BMog 36Mog 32Mog 119 129 129 319 1460, 405, 416, 415, 428, 425 BMog 36Mog 32Mog 119 129 129 129 129 129 129 129 129 129
12HS 15HS 20HS 25HS 25KK (160 pin) Pipeline Burst Cache Medule 0x00 - 6:0 6:0 550 550 522 d0 0x00 - 0:0 4:0 4:0 540 \$22:00	Trimpod R0, 720, 750, CL575X 6Meg/Dates 16Meg/32Meg 695105189329 Trimpod R0, 720, 720, 720, 720, 720, 720, 720, 72	Teencs, eencar, 1989, 185 Edv & Billiog 756Mag 875Mag 875989319 1600, 610 CT to: Billiog 756Mag 325Mag 8197883319
22%x5 (3.2%) - 14.00 9.50 - 512% (168 pits) Pipeline Burst Cache Medule 646x1 - 11.00 9.00 7.00 532 68	Tempod 755C, CE, CD, CS, Miley Miley 16Meg 37Meg, 49 199179-339 Tempod 765C, CD, L, TB, Miley 3Meg 3Meg 37Meg, 99179-339	NOTEBOOK, LAPTOP MEMORY
645.4 11.00 500 2500 2500 250K (160 pin) Asymc Cache Mediole 645.6 550 (10) 100 (0.30) 256K (160 pin) Asymc Cache Mediole 645.6 500 700 600 compatible with BM Aptiva	COMPAQ MEMORY MODULES	MODEL ABEL UPGRADED MANU PARL # PRICE ACLIVIUM PALL 750-00 PALMON PALL PRICE PRICE ACLIVIUM PALL 750-7100-7100-00 PALMON PALL PRICE PRICE
Umilia – 25:50 26:00 26:00 595.00 20-05:00 12:00 11:00 9:00 256K (150pm) Cavet Module Call for SU2 Version 52:9:00	Destano 486/25 328, 548, 256 256 256 256 256 256 256 256 256 256	Biologian 7952 7952 Ref. Orthologian 7962 7974 Sciel Trans 7962 Ref. Sciel Trans 7974 7974 Sciel Trans 7962 Ref. Sciel Trans 7974 7974 Sciel Trans 7962 Ref. Sciel Trans 7974 7974 Active Ref. 7963 Sciel Trans Sciel Trans 7974 7974 Active Ref. 7963 Sciel Trans Sciel Trans 7974 7974 7974 Active Ref. 7964 Sciel Trans Sciel Trans 7974
Individual D-RAM Chips INTEL Math Chips	Deskpro 3/231 321 42545 664 2Meg/MArg 9Meg 39.66.89 Deskpro 3/65 666 2Meg/MArg 9Meg 39.66.89 39.66.89 Deskpro 5 666 7Meg/MArg 9Meg 39.66.89 39.66.89	America B. P. B. 180 Aller To Aller M.
Matamani Forustan A APPLE 30805 60015 500167-32, 49:00 184mps1 500167-32, 49:00 184mps1 500167-32, 49:00 184mps1 500167-32, 49:00	Desagen 458 4148 525 598 5148 513 4Meg/Marg/15Meg/32Meg 34459119229 Desagen 525 5126 5133 5156 5148 (DDL.pers) 4Meg/Meg/14Meg/32Meg Desagen 2006 4009 6409 5errer (DDL.pers) 4Meg/Marg/14Meg/13Meg Desagen 2006 4009 6409 5errer (DDL.pers)	AST Accessing PDA PSA AST Accessing PDA PSA AST Accessing JPA, JPA, Start Starting Strateg Strateg Starting Start Ast Accessing JPA, JPA, Start Start Start Start Start Start Start Start Ast Accessing JPA, JPA Start S
Minjud - 19:00 18:00 17:00 - 80487-SX (Does All) 183:00 1Minud (20 Ph) - 12:00 11:00 10:00 - Intel SX (Does All) 49:00	Designs Subill, Stall XI Stall (punch) 2May 4May 1May 10May 1994 1 1 20 Designs B (sect) 10 4500 (punch) 2May 10May 10May 10May 10 4500 (punch)	ASI Ascenta (%) UBAg Y44Ang 599189 ASI Based & Badware All Datebase Prior Tec. 2055;10(25):253 All Datebase Prior Tec. 2055;10(25):254 All Prior Tec. 2055;
256 452utic Det - 9 35 Lowest price on Indel overdrive chips	Presario 510 520 524 660 720 724 800 Eldep/Blog/Moleg/22Meg 3459/100/219 Presario 520 524 954 974 928 992 Eldep/Blog/Moleg/Meg 32Meg 3459/100/219	A 1 Poser Exc. 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Zank Store 2 and 2 and CYRIX Fasmath	Pressine 833.016 868 866 40hrg Milley Yolkey 120hrg 2946119720 Pressine 5528, 7110, 7152 40hrg Willey Yolkey 22hrg 34:59109219 Pressine 7170, 7160, 9536, 9546 9561 9564 (gam), 40hrg Willey Yolkey 22hrg 34:59109219	Caren Innus Book 150, 175 (Man Hilling 16Mag) 69,169 Caren Innus Book 2011 (Man Hilling 16Mag) 69,169 Caren Innus Book 2011 (Man Hilling 16Mag) 69,199 (211) (20
	Prezum 9232 9234 9240 92111 9642 9664 (pars) ddarg 964Arg 924Arg 34/59105219 Prezum 1000 546 (2000 R. 4000 R. (pars)) ddarg 964Arg 922Arg 3964119229 Prezum 1000 546 (2000 R. 4000 R. (pars)) ddarg 964Arg 922Arg 3964119229	Canon amove Book 200CB 386. 475 Billing Halling Book 200CB 386. 475 Billing Halling 255215 C III 72 Book Sudd Frait, Servers ething Milling Halling Calif
Make Your 486 Run like a Pentium® Kepter Terbo Cap - 32 Faster, for 485 Bane Dr ² Dr. 5x ² Sx 008(Y \$135.00	Protate 1508, 15004 (parts). Assignment for the state of	Dill Holine, Universitive devenition have been been been been been been been be
Knigsten Turbo Chip – 3X Faster, for 485 Based Dx ² , Dx, Sx ² , Sx Out performs field overdrive Profilium 83	Protect Protect (M1 4Meg MArg 14Meg 12Meg 4560-129229 Protect S75 590, 5100, 5120, 5133 (pars) 4Meg 4Meg 14Meg 12Meg 22Meg 39695119230	Der Lathiede All L. C.X. diese 72999 Der Lathiede 1MP (siens). dieleg Mileg Billeg Billeg Billeg 10469 Der Lathiede 1.X. M. dieleg Billeg Billeg Billeg Der Lathiede 1.X. M. die Billeg Billeg Billeg
SIMM MODULES (Add \$5.00 for SIPP)	Profiles \$100 5120 5181 5150 5166 (EDD pars) 40keg10Meg10Meg12Meg 27.005129550 Profiles \$256 1001 1011 5754X (pars) 40keg10Meg12Meg12Meg 27.065 11910 Profiles \$2004X 51204X pars) 40keg10Meg12Meg122Meg 27.065119(2) 29.09119(2)	Epron Action both 650, 650c, 660c 660cs 640eg 640eg 660eg 669 103 109 Epron Action both 650, 650c, 660c 660cs 640eg 640eg 660eg 669 103 109 Exercise Action both 550, 700 / 200 c 660es 660es 660es 670 / 2010
Meters Sames Lenses Paters Paters </th <th>Protection 2015/01. 61/01. gold and an anti- Protection 2015/11. 51/05. 51/35. 91/35. 91/35. 10/2016 (Adve) 162/4/9. 22/Mag. 29/09/119/250 Protection 2015/110. 51/35. 91/35. (adve) 162/4/32/32/Mag. 29/09/119/250</th> <th>Epson ActionBate 4, (27), 41(1/3), 45(-02-50, 4000 - 6Meg - 79:00 - Evenes Teman 1.8, 1.800, Carrier - 25Maa - PCA 00053-0001 - 89:00</th>	Protection 2015/01. 61/01. gold and an anti- Protection 2015/11. 51/05. 51/35. 91/35. 91/35. 10/2016 (Adve) 162/4/9. 22/Mag. 29/09/119/250 Protection 2015/110. 51/35. 91/35. (adve) 162/4/32/32/Mag. 29/09/119/250	Epson ActionBate 4, (27), 41(1/3), 45(-02-50, 4000 - 6Meg - 79:00 - Evenes Teman 1.8, 1.800, Carrier - 25Maa - PCA 00053-0001 - 89:00
Ming = 9 (% chip) 22 00 19 00 14 00 Billing = 9 41 00 39 00 19 00 Milling + 9 (% chip)	COMPAQ NOTEBOOK &	Gatenary / Cotarbana 433 40keg 1634eg 6391/9 Gatenary 2000 format 425 034/583 40keg 1646eg 159/759 Gatenary 2000 format 425 04/583 40keg 1646eg 159/759
72 PIN SIMMS (FPM, EDO) DIMMS (168 pin)	LAPTOP MEMORY	Gateway 2000 Soto Series OMeg 03.0eg 14.0eg 03.0eg 279 100 199 Gateway 2100 Soto Series DMeg 04.0eg 12.0eg Cat Camical Mittadi C. Series OMeg 04.0eg 12.0eg 97 128.0eg
60WS 20WS 20WS APPLI	Armada 1120. [Miles 14Mes/22Mes/44Mes 1191195Cali Cal	Maschr M Serres Mag 16Meg 32Meg 120249516
512 + 35 2 mg 36 00 54 00 54 00 2 + 64 10Mng 111 00 1 mmg + 35 4 mg 44 00 30 00 39 00 4 + 64 32Mng 225 00	Armatis 4100 4110 Billeg 16Meg 25Meg 8:4 Cat Generate 427, 433 44key/8Meg 16Meg 7:599.860 75.999.860 Generate 426, 6, Cat 44key/8Meg 16Meg 7:599.860 75.999.860	10 Disvestions 200 CO Marg (Marg (174)) 49.00.116 10 Disvestions 4000 Marg (Marg (174)) 49.00.116 60.00.116 10 Disvestions 4000 Marg (174) 49.00.116 60.00.116 10 Disvestions 4000 Marg (174) 49.116.116 60.00.116 10 Disvestions 5000 Marg (174) 49.116.116 69.119 10 Lading (106), Marg (174) 69.119 69.119
4 + 35 16 mg 124 00 119 00 119 00 16+64 120Meg 1995 00 6 + 35 22 mg 249 00 244 00 244 00	Contrack 400C, 400C, 410C, 410CB Athley Othery 14Aleg 29/99/160 Contrack 400C, 420CL, 430C, 430CX Athley 0Marg 14Aleg 49/99/160 Centrack Anno 475, 433 44Aleg 0Marg 14Aleg 69/99/160	Learning (days Alexa 2000) Margin Vallag, 6411 (11) Learnin (d) Margin Vallag, 7511 (11) Margina Netal, Margin Vallag, 711 (11) Margina Netal, Margin Vallag, 711 (11) Margina Netal, Margin Vallag, 711 (11) Blance Transport Parlian, Margin Vallag, 711 (11) Blance Hora, in a Sandhar, at a Sandhar, at a Sandhar, at Alexa (11) (11) 711 (11) Blance Hora, in a Sandhar, at a Sandhar, at a Sandhar, at Alexa (11) (11) (11) 711 (11) (11)
16 + 36 64 mg 090 00 609 00 609 00 0011 (6979713, 6979713, 697970 200 1 + 32 6 mg 34 00 29 00 29 00 3.97 175, 100 Ming 19800 2 + 32 6 mg 54 00 09 00 09 00 3.97 155, 100 Ming 200 00	111 5005, 5100 5200 5200 EMeg/16Meg/26Meg/64 Meg/87 LTE (16: 4140C CX: 475C1 6Meg/88Meg/16Meg/24Meg 69/09/79249	5/9 July 1000 1001 000 000 000 000 000 000 000
4 x 32 16 mg 109 c0 104 c0 104 c0 3 30 fCC. E00 32Meg 329 c0 6 x 32 32 mg 199 c0 109 c0 109 c0 33 VTCC. E00 64Meg 709 c0 16 x 32 64 mg 590 c0 499 c0 499 c0	LASER PRINTER MEMORY UPGRADES	MIC Ustrate Vena, E. V. MP 4 Mog tildeg/14Aeg/25Mog 0P4104 64/99/199/299 NIC Vena 5 Vena 2000, 500 4Mog tildeg/16Mog 59/99/14/9 NIC Vena 4009, 4050 4050 400 400 400 500 500 500 500 5
1 + 32 4 mg TDO 36 00 29 00 29 00 DELL & GATEWAY 2 + 32 8 mg TDO 54 00 49 00 49 00 8 JJV SDRAM SMeg 109 89	AMOUNT OFGRADED Dist bit 2544 1 2 3 3.5 4 5 6 8 16 32 Distribution CED CED 401 645 DD DD<	Are very new series and the series of the se
8 + 32 32 mg EDO 199 60 180 60 199 60 2 JV SORAM 32 Meg 449 60	Carent 10° 010 1200 - 30 - 94 144 300 Carent 10° 010 1200 - 129 179	Parasient G1V21P G1500 Alleg 108192 05100 Parasient G1V21 Alleg Meg16Meg12Meg 20192219300
ECC SIMMS	Epsem Action Laser 11400, 1600 - 60 70 - 99 - 199 259 - Epsem Action Laser II - 74 173 - 272	Sumony Services Control Control Survey Control Surv
Pantaum Pite 72 Pm (matati in pairs) / SABAS 159 00 648eg 2349 00 XXMeg 319 00 129Meg 4526 00	Ippen 1001 1501 5005 5200 DP 173 197 2. 30 197 2. 30 09 09 197 2. 40, 497 379 34 - 497 497 197 4. 40, 497 4504 - 497 99 -	Sharp 2010, 2019 #Mog/Tolding/27Meg #P817/8:349 Sharp 5U11, Hills 6276, 6700, 6800, 6741 254ep/354ep 29.129 Sharp 5U11, Hills 6700, 700, 7100 444ep/354ep 69.119
AST MEMORY	107 4 40 50 51 51474 59 59 107 4 40 50 4055 405m 1000 14000M 59 107 4 40 55 405m 1000 14000M 59 10 40 59	Shurp Lime Lime DBA Other Lime CP 101 101 CP 101 101 <thcp 1<="" th=""></thcp>
Advantage 610 810 816 4000 91000 910000 910000 910000 910000 910000 910000 910000 910000 910000 910000 910000 910000 910000 910000 910000	10° 350 200 - 200 - 600 - 900	TI 6010 TE 6020E 11 608084 484eg/1645eg 149/19 Fi 5686 5566 5268 5368 66579
Advantage Assentance 0000 Athen (Barg Village	147 Decisips 344 000, 42/0, 200 - 20 - 45 - 09 110 220 147 Decisips 344 000, 42/0, 200 - 34	Weathy, 60,00 propy forming 32 minute 22 minute 22 minute 22 minute 22 minute 32 minut 32 minute 32 minut
Brave LC 5100 5133 5166 (EBD, parts) 400ep UMiter 160ep Umiter 160ep 394/97144 49 Brave LC 5100 5133 5166 (EBD, parts) 400ep 160ep Umiter 160ep 394/97144 49 Brave LC 5100 5133 5166 (EBD, parts) 400ep 160ep Umiter 160ep 394/97144 29	004 (Janer 4019) 40190 0017 00 00 00 00 00 00 00 00 00 00 00 00 00	Tanty III III III III Ange Cheg Cheg Cheg Cheg Control Cont
Drave MS \$100, 133. Md {100 pers). Mole Wady 104.0pc (More 27.000 pers). Provide 10.000 pers). Provi	Konica (P. 3110, 3115 - 119, 109, 239 Learnant Medine AC, An. 452 - Cat. Cat. Cat	Ulling 485 TB 44Aleg 60Aleg 10Aleg 79/9/189 Workman IP 10Aleg 10Aleg 20/21 8/0
Modulatis G, Y (pills) Thing bibling (2006) 0119 (200 Premiss 4340 (2013) (20	Lewark Valuerter 200.600 - 20 20 - 80	Jointh Master Sport S2, S11, 600, 620, 625ML 2Meg ZA-9-4 69.00 Zono Z-Rote 425ML 102, 102 65.00 Zono Z-Rote MA 69.995175 S11, 600, 620, 625ML 66.995175 S11, 600, 620, 620, 620, 620, 620, 620, 620
NEC MEMORY	05.400	Zouth 2 Star 433 2 Stop Blog 4939 Zouth 2 Star 2X Alloy Blog VeMag 59795199
Read- 5010 2010 2010 0012 (Auro) Alder Miller (1984) 2010 2012 2010	On 1961 (1, 6002 (1, 6462 (1, 29 29 79 - 119 179 - On 0.10 0.60 - 99 79 - 119 179 - 04 0.10 0.60 - 99 79 - 119 179 - 04 0.10 0.60 09 79 00 -	PCMCIA VERSION 2.0
Broady 4918, 1928, 1922, 1933, 1932, David Adving States 144-p	Packard Bet P9 5500 129 227 Packard Bet 9015 129 229 - Packard Bet 9015 99 100	MODPL PRACE MODPL PRACE 5 FRAM Cards 1ME G 5 119 63 CD Rum \$716 5 FRAM Cards 1ME G 199 53 CD Rum 449 728 F14 4 DataTax Medium 199 52 CD Rum 449
HEWELETT PACKERD MEMORY	Panasonii 4810 4810	20 8144 Distribution 109 6207 Jppr # 109 14 4001 4001 Main Gard 140 Main Gard 140 Production 59 Adding Gard 140 Main model 140 140 Production 59 Adding Gard 140 Main model 140
Briverver 4500 C-5/130 C marts) 4Mea/Miles/3/Mea 20/79/12/92/97	Parasises 4405 5460 89 99 189 Parasises 4405 5410 5500 79 99 159 Sturp 9603 9461 9160 55001 69 90 169 Sturp 9603 9461 9160 55001 69 90 129 Sturp 9603 9451 91535 69 259 1	
Instrument (Jr Pois 5133, 5 H6 (JDD, KC)) Mikhey 12/Meg 54/Meg 1, M/ng Cat Instrument 6 (SL) = 5103 (JDD, Miguers) 4Meg 5Meg Mikhey 1, M/ng 66/75 129:249 Instrument 5 (SL) = 5133 (S4 (juars)) 6Meg SMeg Mikhey 1, M/ng 65 (m 11 + 74)	Date State T State Discourse Anno 10 220 Discourse Anno 10 220 Discourse Anno 10 220 Discourse Anno 10 220	FLASH RAM (ATA) — Works with Digital Connersa Kodak OC-58 & More 4 May-139 — 8 May-199 Xilling-299 Xilling-379 NON ATA-CALL
Plantes Strice	CUSTOMER SERVICE & TECHNICAL: OPEN M-F, 9-4 PST	HARD DISK DRIVES
Weber VE25/T-5-EEB (ED pars) Alley Maley M	All products brand new & guaranteed • We buy excess inventory Trademarks are registered with their respective companies.	SEAGATE MAXTOR WESTERN DOUTIAL 1.2 GaG \$2707 1.0 GaG 7870 AV \$170 85000 AC2850 \$160 2.1 GaG 299 1.2 GaG 71500 AV \$197 1.2 GaG 21000 229
		11 665 229 11 665 229 11 665 401 229 2 8 666 229 21 665 3339 25 665 339
We also sell Memory for: Dell, Gateway, HP, DEC, Sun, Zenith, Acer, NEC and Epson	STAD A.	HARD DRIVES FOR LAPTOP & NOTEBOOK
NO SURCHARGE FOR MASSI REARD AND X, VEA OF EVER VIE PURCHAR DEEDERS ACCEPTED TIMED TORTAN SUD. GOVERNMENT & dc: TURIONS Catherina orders and 8 TH and the Refurned orders or ordered away parts are	TDADE	IBM NIC UNIVERSAL FOR ALL THRUCHO.255.30L.370 Viria E.V. M.P1.3GIG \$700 NUTEROSES AND LAPTORS 726.755-700mg 5409 2.1.6GG 000 Bitming 5419
disease under the business on Schlere to Schlere to the Schlere to the Schlere Charles and the Schlere to Schlere the Schlere		1 3 GiG 205 Vena 2000-800 - 810mg \$899 1 3 GiG 209 2 1 GIG 809 1 3 GiG 266 21 GIG 849
memberste se sublege ody - so vikede VR zazer VR. VSA Disavan Al, prese voke partner oders nere Vander CDD volkers forder visets, soft A cardio visets, Oders viset by USA Til a end te super tet + AL BMA AC en a neto ry AR FOR RE		C08PAQ 4700/8509-810mg 5499 LTE 5000 5100-410m \$519 1.3 685 785
"certain restrictions upply. All proces limat on date of sale	22825 Lockness Avenue • Torrance, CA 90501	1.0 6/6, 6/6, Texa 1700 - 010/mg \$749 2.1 6/6 910 1.3 6/6 829
310-539-0019 SECURITY WILL CALL	1-800-433-3726 ESTA	
FAX: 310-539-5844 NOW OPEN TOLL FREE	(US and Canada) 1985	Without Notice Sat. 10:00 a.m. to 12:00 noon
Sales/Orders: latradesIs@aol.com	Customer Service: latradecsd@aol.com	Price Inquiries: latradeing@aol.com
	icele 226 on loquiry Card (RESELLERS: 227)	

Circle 226 on Inquiry Card (RESELLERS: 227).



Feature

Active Termination and Signal Purification

Ultra Fast Performance for Added Capabilities

Diagnostic Capabilities • 30u" Gold Contacts

- Less Errors, Ultimate Performance Silver Wire Improves Signal Quality Featur Perfect 90 Ohm Impedance Match **Triple Pronged Connector With Gold contacts**
- **Custom Internal Cables in 1 DAY!**



From:

\$39



Gold External Ultra SCSI Cases

Custom Enclosures in 1 Day for Raid & Arrays

From

nefits: • Ultra SCSI Custom Teflon Cable Installed

3101 Whipple Rd. • Union City, Ca. 94587 • Ph: 510-471-6442 • Fax 510-471-6267

Circle 207 on Inquiry Card (RESELLERS: 208).

Lose 500 pounds in 10 minutes



Call today for free catalog

Print servers
Data switches
Keyboard/video control

800-333-9343

P.O. Box 742571 Houston, Texas 77274 TEL 713/933-7673 FAX 713/933-0044

Streamline your computer room by reducing excess equipment.
Access up to 256 CPU's from a single keyboard, monitor, and mouse
ServeView is our best-selling switch, has every feature you can imag-
ne, and installs in minutes. Compare price, features, performance
juality, and support and you'll find Rose can't be beat. Call us to
liscuss your application or to receive your free information kit.
jest nee montation fat.

with a Rose keyboard monitor switch

Starrivery



	MOVING?
To change your subscription mailing add please complete the form below and set	dress, and it to:
BYTE Magazine Subscriber Services, Po	O Box 555, Hightstown NJ 08520
Fax: 609-426-7087	Monday through Friday): 800-232-2983 (U.S.), or 609-426-7676
Account Number	
Name	Name
Company PLACE MAILING Address LABEL HERE	Company
	Address
City/Stute/Zip	City/State/Zip
Please allow up to 8 weeks for this change to become	ne effective. A Division of The McGraw-Hill Companies

Imagine if you could take all of your forms-based data Eliminating data entry means your staff will be free AUTOMATED and instantly send it to your database-no manual data for more productive activities. Having data entered entry, no delays. Stop imagining and do it today with in seconds means increased productivity-you'll DATA ENTRY. TELE form, the most accurate and affordable forms work smarter, capture more data, faster and processing software available. with less effort. TELE form has the power, speed and accuracy you Thousands of companies use TELE form to ACCURACY need to automatically collect data from scanned or faxedmake their businesses more efficient. Join them by FROM A TO Z. in forms. Using familiar communications-paper and calling 800-659-8755 today. pen, fax machines and modems-TELEform reads For more information, visit Cardiff Software's hand-printed, typed and filled-in data. Web site: http://www.cardiffsw.com. LIBERTY LINE CELLINA and a faith READS MACHINE REGISTRATION FORMS, PRINT TEXT (OCR) SALES ORDERS, CLAIMS, READS HAND PRINT TIME CARDS, SURVEYS TEXT (ICR) AND MORE. READS OPTICAL MARK RECOGNITION 12 ENTRIES (OMR) READS BARCODES 81. +878399 1088/280222 Cardiff Software tue (PHONE: 619-752-5200 FAX: 619-752-5222

AND NOW FOR SOMETHING COMPLETELY DIFFERENT...

THE ELEGANT, MODERN DESIGNED ESSENTIA.

An exciting new breed tailored specifically to those who demand a richer Windows NT[™] experience. Feature rich and packed with power to handle complex computing tasks, let the Essentia be your gateway.

With decades of engineering and technical experience, our products and services are consistent with your expectations. For cost effective business solutions, call

800-795-1972

http://www.censuscomputer.com



REAL STREET

Census Computer, Inc Setting a higher standard Tel: (818) 839-2838 Fax: (818) 839-2837 email ~ sales@censuscomputer.com Mon-Fri 9:00am-5:00pm P.S.T.

cEi

Eco-Logical.

EPA POLLUTION PREVENTER

This symbol identifies energy-efficient computers that save you money and reduce air pollution by "powering down" when not in use.

Over 2000 computers, monitors and printers have earned the right to bear the Environmental Protection Agency's Energy Star^{s™} logo. These computers are so smart, they•go to sleep when not in use and wake up with a simple touch of the keyboard or mouse. Energy Star^{s™} Computers don't cost any extra, will save money on your energy bill, and prevent pollution from electricity generation. Be part of the solution and look for this logo when you make your next computer purchase. To receive a list of available products call the Energy Starsm Hotline at 202 775-6650.



Buy It And Save.

ARDWARE SHOWC

Bar Coding • Communications



Circle 84 on Inquiry Card (RESELLERS: 85).

a/Mastercard/American Expre

Disk Drives • Industrial Computers



Embedded PC Fits your applications and budget!



ADVANTECH.

Biscuit PC 386/486 Single

Board Computer with SVGA/LCD and more ...

- Ultra small size (145mm x 102mm)
- Supports all 486DX and 5x86 CPUs
- Local-bus SVGA/LCD
 interface
- Multi-port RS-232
 and Ethernet
 communication
- Supports Solid State
 Disks
- PC/104 expansion

Call Today for a Free Catalogue !

U.S.A.

Tet: (408)522-4696 Fax: (408)245-8268 E-mail: into@Advantech-USA.com International Tet: 886-2-2184567 Fax: 886-2-2183875 Inttp://www.advantech.com.tw E-mail: EBC@acLadvantech.com.tw

Circle 112 on Inquiry Card.



168 BYTE JANUARY 1997

Industrial Computers



Circle 120 on Inquiry Card.

Industrial PC Solutions







Industrial PC Chassis Industrial Workstations Panel Display PCs Pentium/486/386 CPU Cards RS-232/422/485 Interface Analog and digital I/Os Data Acquisition Call 800-800-6889 to

Rackmount PCs

Call 800-800-6889 to receive a FREE 100page Solution Guide for your OEM or system integration needs.

ADVANTECH. 750 E. Arques Ave. Sunnyvale, CA 94086

408-245-6678, Fax 408-245-8268

Circle 113 on Inquiry Card.



Circle 119 on Inquiry Card.

Memory/Chips/Upgrades • Miscellaneous Hardware

Multimedia/CD-ROM • Programmable Hardware





Internet Services

SOFTWARE SHOWCASE

Recruitmen



SOMETHING MISSING?

Complete your BYTE collection by ordering Back Issues today!

	1991	1992	1993	1994	1995	1996	Check e	nclosed		Charge:	
January							VISA	MasterCa	rd	American Express	
February							Card #				
March							0 0 0 0 0 0				
April							Exp. Date				
May							Name				
June							Signature				
July											
August											
September							First Name				
October							Last Name				
November							Address				
December							Address				
opecial Issues	Outlook '92		Windows '93 Guide Summer '9 B Guide Fall '93				City				
ecial Issues U.S. Delivery \$3 mada & Mexico \$7.00 - All iss	acs prior to 1	990 U.S. Deliver	y \$3.00, Foreig	Delivery \$4 00). (Call for availa	bility) Inese	State		Zip		
ices include; postage (US), s case indicate which issue () () () () () () () () () () () () ()	rs you would	like by checki	ng (🖍) the ba	ixes. Send rea	juests with p.	U.S. bank. syment to:			A Division o	The McGraw-Hill Companies	

172 BYTE JANUARY 1997

ADVERTISER CONTACT INFORMATION

To order products or request free information, call advertisers directly or send in the Direct Link Card by mail or fax! Let them know you saw it in BYTE!

U.

TOUR	NO	PAGENO	PHONE NO.	INQUIRY	FNO. F	PAGENO	PHONE NO.	INQUIR	NU	PAGE NO.	PHONEN
	A				CYBEX COMPUTER PRODUCTS CORP	CVI	205-430-4000		M		
-92	ACISYSTEMS	167	888-618-6188		-				MCGRAW HILL ON LINE	4015 27	
	ADVANCEDINTERLINK	90	714-894-1675		D			210	MICRO 2000	150-151	818-547-039
	AE HOME CORPORATION	169	818-961-2499	•	DATA COMMUNICATIONS	24-25		204-205	MICRO SOLUTIONS	155	800-295-12
	ALADDIN SOFTWARE	84	212-564-5678	•	DATAPRO	154			COMPPROD		
	SECURITY INC			737-738	DIETRICH	40IS 14	+49-761-56881**	•	MICRO INTERNATIONAL INC	6 169	800-967-5
	ALADDIN SOFTWARE	143	212-564-5678	172-175	DISTINCT CORPORATION	142	408-366-8933	160	MICRON ELECTRONICS	12-13	800-486-20
	SECURITYINC				DISTRIBUTED PROCESSING	46	407-830-5522	161	MICRONELECTRONICS	72-73	800 723 2
		4015 24	+49 6196 9572 22**		TECH			162	MICRON ELECTRONICS	CII-1	800-362-7
-	AMERICA ONLINE TECHNOLOGIES	172	800-392-8200		DR. SOLOMON'S SOFTWARE		888 DRSOLOMON 800-289 2385	•	MICROWAY	131	508-746-7
,	AMERICAN ADVANTECH	166	800-800-6889		DIK COMPUTER INC	102		145	MINITABINC	35	814-238-3
12	AMERICAN ADVANTECH	168	800-800-6889	124	DUNN SYSTEMS	171	800-486-DUNN ext 405	712-713	MINOLTA GMBH	4015 11	+49-511-7404
13	AMERICAN ADVANTECH	168	800-800-6889		r			725-726	MITAC	95	886-2-501-42
1-85	AMERICAN MICROSYSTEMS	166	800-648-4452		E				N		
			ext 300	706-707	EUTRON	4015 12	+39 35 201003	109	NATIONAL INSTRUMENTS	167	800-433-3
	AMERICAN POWER	18	800-BUY-APCC ext 8022	731-732	EXABYTE EUROPE	4015 27	+31 20 254 0090	102	NEATO	170	800-984-9
	CONVERSION AMERICAN POWER	33	800-BUY-APCC		F			235	NSTL	140	610-941 9
	CONVERSION	33	ext 8022	720-721	F&H SIMULATIONS	15	+31 13 5427 516**	233	HUIL .	140	010.041.0
	AMERICAN POWER	32A-B	401-788-2797**	222	FAIRCOM CORPORATION	147	573-445-6833		0		
	CONVERSION				FAST SECURITY AG		+49 89 894221-20	•	ON TIME MARKETING	40IS 16	+49-40-227-9
	APEX PC SOLUTIONS	163	800-861-5858	170-171		62	+39-2-6698-7036	•	OSBORNE MCGRAW-HILL	182-183	800-822-8
17-118	APPRO INTERNATIONAL INC	168	800-927-5464		FIRST INTERNATIONAL	4015.2	+886 2.718 2782**		D		
36	ARTECON	121	800-872-2783		COMPUTER						
2-743	AXIS COMMUNICATIONS	81	+46 46 270 18 00	202-203	FIRST SOURCE INT'L	153	714-448-7750		PAAM '97		+44 0 1253 35 8
	B			211	FOREFRONT DIRECT INC	157	800-653-4933	715	PERSOFTINC	4015 19	800-368-5
0	BIX	181	800-695-4775	196	FORTRES GRAND	39	800-331-0372	185-186	PHILIPS BUSINESS ELECTRONICS	77	800-835-3
	BYTE	148	603-924-2663		CORPORATION			146-147	PINNACLE MICRO	7	714-789-3
	BYTE	190	603-924-2663		G				PKELECTRONICS	4015 10	+60 6 677-2
	BYTE BACK ISSUES	113	603-924-9281	108	GAGE APPLIED SCIENCES IN	IC 167	800-567-GAGE	148	PKWARE INC	79	414-354-8
	BYTE BACK ISSUES	172	603-924-9281				ext 3425	206	POLYWELL SYSTEMS	161	800-300-7
	BYTE CETRA CONFERENCE			184	GLOBETROTTER SOFTWARE	EINC 75	408-370-2800	182	POWERQUEST	2.3	800-379-2
	BYTE CUSTOMER SERVICE	22	+353 91 752 792	212-213	GRANITE DIGITAL	158	510-471-6442	223	POWERSOFT OPTIMA	29	800-395-3
	BYTE DECK	175	603-924-2596	710	GREY MATTER LTD	37 +	44-(0)1364-654200**	741	PRIME ELECTRONICE	4015 20	+49-40-484
	BYTE EURODECK	114	603-924-2533	729-730	GVC	CV	+886-2-704-0338**		TRADING GMBH		
		4015 22	+353.91.752.793		н				0		
	BYTE ON CD ROM	189	800.924.6621		HIWAY TECHNOLOGIES	172	800-339-HWAY		U		000 100 0
	BYTE SUB MESSAGE	22	000 924 0021	125-126	HIWAT TECHNOLOGIES	1/2	000-339-HWAT	105	QUALSTAR CORP	169	800-468-0
	BYTE SUB PROBLEMS	4015 26						82-83	QUATECHINC	166	800 553-1
	BYTE WEB SITE		http://www.byte.com/	93-94	ICP ACQUIRE	167	888-618-6188		R		
	BITE WED SITE	107	парэлиникорессони		IDT INTERNET	165	800-689-9438	120	RACKMASTER	168	800-480-4
	C			231	INTEGRIXINC	96	800-300-8288	180-181	RAIDTEC CORPORATION	146	770-664-6
8-99	CALIFORNIA PC	170	800-394-4122	141-142	INTERGRAPH COMPUTER	51	800-763-0242	716-717	RAIMA CORP	40IS 15	206-557-0
	PRODUCTSINC				SYSTEMS			228	RAINBOW TECHNOLOGIES	61	714-450-7
	CAMELEON TECHNOLOGY I		800-440-7466	165-166	IQ SOFTWARE	8-9	800-458-0386	88-89	RCI	167	800-RCI-8
	CARDIFF SOFTWARE	162	800-659-8755		1						er
	CENSUS COMPUTER	162	818-839-2838		JAMECO ELECTRONICS	159	800 831 4242	115-116	RECORTECINC	169	888-RECOR
10	CHRYSALIS	171	613-731-6788		JAVA RECRUITMENT	103		207-208	ROSE ELECTRONICS	160	800-333-9
	CMD TECHNOLOGY	40156	714-454-0800					150-151	ROSS TECHNOLOGY INC	93	800 ROSS
	COMPEX INC	55	714-630-7302		K				S		
	COMPUTER BOOK CLUB	129	614-759-3749**	143-144	KINGSTON TECHNOLOGY	31	714-437-3334	121	SCITECHINTERNATIONAL	171	800-898-9
	COMPUTER DISCOUNT WAREHOUSE	44-45	800-959-4CDW		L				SEH COMPUTERTECHNIK GMBH	4015 14	+49-521-942
	COMPUTER EXPO '97	4015 16		226-227	LATRADE	156	310-539-5844**	218-219	SHARK MULTIMEDIA	165	800 800 3
11	COMPUTERLANE UNLIMITED	D 152	800-526-3482	122-123	LAHEY COMPUTER SYSTEMS	S 171	800 548 4778		SILICON GRAPHICS	99	800-600-3
34	COREL	21	613-728-0826 ext 3080	95 711	LIBERTY SYSTEM INC	168 4015 26	408-983-1127 800-949-7567	234		168	800-636-6 drg
35-136	CYBEX COMPUTER PRODUCTS CORP	52	205-430-4000		ASSOCIATES			113	SILICONRAX	100	3007008

INDEX TO ADVERTISED PRODUCTS

For free product information from individual advertisers, circle the corresponding inquiry numbers on the response card!

To receive information for an entire product category, circle the category number on the response card!

CATEGO		PAGE NO	CATEGORY INQUIRY N		AGE NO.	CATEGORY INQUIRY N		GE NO
н	ARDWAR	F	7	DISK DRIVES		98-99	CALIFORNIA PC PRODUCTS INC	17
11	ANDWAN	L	236	ARTECON	121	737-738	DIETRICH	401S 1
2	ADD-IN BOARDS		733-734	CMD TECHNOLOGY	40156	100-101	SLIGER DESIGNS	17
2 96-97	CAMELEON TECHNOLOGY INC	170	231	INTEGRIXINC	96	17	MODEMS & MULTIPLEXO	RS
727-728	FIRST INTERNATIONAL COMPUTER	40152	143-144	KINGSTON TECHNOLOGY	31	163-164	ZYXELUSA	10
	JAMECOELECTRONICS	159	95	LIBERTY SYSTEMINC	168			
82.82	QUATECHINC	166	204-205	MICRO SOLUTIONS COMP PROD	155	18	MONITORS & TERMINALS	
82-83	COALECHINC	100	146-147	PINNACLE MICRO	7	729-730	GVC	C
3	BAR CODING			QUANTUM CORPORATION	16-17	603-604	LGELECTRONICS	11
84-85	AMERICAN MICROSYSTEMS	166	76	INDUSTRIAL COMPUTERS	5	725-726	MITAC	9
86	VIDEXINC	166	112	AMERICAN ADVANTECH	168	185-186	PHILIPS BUSINESS ELECTRONICS	7
	COMMUNICATIONS		113	AMERICAN ADVANTECH	168	611-612	SAMSUNG ELECTRONICS	11
4	COMMUNICATIONS AMERICAN ADVANTECH	166	117-118	APPRO INTERNATIONAL INC	168	155-156	VIEWSONIC	10
87		81	120	RACKMASTER	168	232-233	VIEWSONIC	56-5
742-743	AXIS COMMUNICATIONS		115-116	RECORTECINC	169	19	MULTIMEDIA/CD-ROM	
201	COMPUTERLANE UNLIMITED	152	119	SILICONRAX	168		MCGRAW HILL ON LINE	4015 2
88-89	RCI	167	114	TRI-MAPINTERNATIONALINC	169	102	NEATO	17
90	STARTECH COMPUTER PRODUCTS	166	1			741	PRIME ELECTRONICE TRADING GMBH	4015 2
60	COMPUTER TELEPHONY		13	LAPTOPS & NOTEBOOKS		607	RICOH CORPORATION	SONA
111	TALKING TECHNOLOGY INC	167	220-221	CENSUS COMPUTER	162	218-219	SHARK MULTIMEDIA	16
6	DATA ACQUISITION			COMPAQ	55	234	SILICON GRAPHICS	9
737-738	DIETRICH	40IS 14	201	COMPUTERLANE UNLIMITED	152			
108	GAGE APPLIED SCIENCES INC	167		DELL COMPUTER CORP	CV-CVIII	63	NETWORK HUBS/SWITCH	
109	NATIONAL INSTRUMENTS	167	727-728	FIRST INTERNATIONAL COMPUTER	4015 2	135-136	CYBEX COMPUTER PRODUCTS CORP	
82-83	QUATECHINC	166		MICRO-INTERNATIONAL INC	169	704-705	CYBEX COMPUTER PRODUCTS CORP	
	00.120.110		160	MICRONELECTRONICS	12-13	207-208	ROSEELECTRONICS	16
5	DESKTOPS		161	MICRON ELECTRONICS	72-73	722-723	SEH COMPUTERTECHNIK GMBH	40IS 1
91-92	ACISYSTEMS	167	162	MICRONELECTRONICS	CII-1	64	NETWORKING	
220-221	CENSUS COMPUTER	162	725-726	MITAC	95	194-195	ADVANCED INTERLINK	9
•	DELL COMPUTER CORP	37	154	TOSHIBA AMERICA INC	66-67		APEX PC SOLUTIONS	16
•	DELL COMPUTER CORP	24-25	601	WINBOOK COMPUTER CORPORATIO	N 11	135-136	CYBEX COMPUTER PRODUCTS CORP	5
•	DELL COMPUTER CORP	CV-CVIII	23	MASS STORAGE		704-705	CYBEX COMPUTER PRODUCTS CORF	, CI
138-139	DTK COMPUTERINC	102	106-107	AE HOME CORPORATION	169	231	INTEGRIXINC	9
727-728	FIRST INTERNATIONAL COMPUTER	401S 2	137	DISTRIBUTED PROCESSING TECH	46	207-208	ROSEELECTRONICS	16
93-94	ICPACQUIRE	167	731-732	EXABYTE EUROPE	40IS 27			
141-142	INTERGRAPH COMPUTER SYSTEMS	51	212-213	GRANITE DIGITAL	158	57	PCMCIA	
160	MICRON ELECTRONICS	12-13	231	INTEGRIXINC	96	202-203	FIRST SOURCE INT'L	15
161	MICRONELECTRONICS	72-73	204-205	MICRO SOLUTIONS COMP PROD	155	20	PRINTERS/PLOTTERS	
162	MICRON ELECTRONICS	CII-1	105	QUALSTAR CORP	169	201	COMPUTERLANE UNLIMITED	15
725-726	MITAC	95		QUANTUM CORPORATION	16-17	737-738	DIETRICH	4015 1
235	NSTL	140	180-181	RAIDTEC CORPORATION	146	712-713	MINOLTA GMBH	40IS 1
206	POLYWELL SYSTEMS	161				722-723	SEH COMPUTERTECHNIK GMBH	40IS 1
119	SILICONRAX	168	15	MEMORY/CHIPS/UPGRA		153	TEKTRONIX	2
176-177	TEXAS MICROSYSTEMS INC	65	96-97	CAMELEON TECHNOLOGY INC	170			HADE
114	TRI-MAPINTERNATIONALINC	169	202-203	FIRST SOURCE INT'L	153	21	PROGRAMMABLE HARD	
				JAMECO ELECTRONICS	159	127-128	ALADDIN SOFTWARE SECURITY INC	14
224-225	XI COMPUTER CORP	108	226-227	L A TRADE	156	708-709	FAST SECURITY AG	4015
53	DIAGNOSTIC EQUIPMEN	IT	741	PRIME ELECTRONICE TRADING GMB		104	TERNINC	17
211	FOREFRONT DIRECT INC	157	150-151	ROSS TECHNOLOGY INC	93	103	Z-WORLD ENGINEERING	17
212-213	GRANITE DIGITAL	158	16	MISCELLANEOUS HARD	VARE	22	SCANNERS/OCR/DIGITIZI	ERS
210	MICRO 2000	150-151	106-107	AE HOME CORPORATION	169		SPOT TECHNOLOGY	5

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on the response card. Each page number refers to the first page of the article or section in which the company name appears.

NQUI	RY NO P	AGENO	INQUI	Y NO.	PAGE NO.	INQUI	RY NO.	PAGENO	INQUI	RT NU.	PAGE NO.
	A			Fraunhofer Institut für	40IS3	1019	MicroHelp	184	1055	Sausage Software	116
		C17 107		Arbeitswirtschaft und		1026	Micronics Computers	184	1108	Seagate Technology	48
				Organisation		1044	Micronics Computers	141	992	Siemens Anlagentechnik	40IS23
	Adobe Systems	127	1011	FTP Software	184		/Orchid Technology		1062	Silicon Graphics 26, 4	1,68,127
1051	America Online	116	-	Fujitsu	40IS17	1053	Microsoft 14,	26, 53, 68,		Simware	184
	Apertus Technologies	97	1050	Functional Business Sy	stems 116		116, 12	3, 127, 137	1060	SkiSoft Publishing	116
	Apple Computer	68, 127	-	G		1015	Midisoft	184		SoftQuad	116
	Arbor Software	91	986	GeBE Peripherigeraete	401523		Miro	40IS3		SoftShell International	184
	Aris Applications	40IS3		Globalink	184		MIT Moderne	40IS13	1007	Software AG	91
	Arts Video Infographique	40IS13		Griggs Productions	184		Informations Technologi	ie	1000		184
1038	Astro Research	184	1000	GVC	401517		Mitac International	40IS 3,		Software Publishing	
	Asymetrix	127	4000		184			40IS17	1020	SPSS	184
1052	Attachmate	116	1030	GW Instruments	104		Moss Micro	192		Star Division	127
	AVM	40IS3		H		1033	Mutoh America	184		STB Systems	184
	B			HAHT software	26		N		1042	Strategic Simulations	141
		127	1059	Harlequin	116		NEC	40IS3		Stratus Computer	127
	Be			Harte-Hanks Communi	ications 97	1111	NEC Computer System			Sun Microsystems 1	4, 68, 127
	Bissantz, Kuppers	40153		Hewlett-Packard	127		NEC Technologies	127	999	Synopsys Scientific	40IS23
	& Company	127	1112	Hirschmann Network	40IS23		0			Systems	
	Borland International	127		Systems			NetConsult Communica			T	
	C			HQ Lern und	40IS13		NetManage	40IS3	997	TakeFive Software	40IS23
	C-Cubed Microsystems	59		Informations-systeme A	NG		NetObjects	116	1036	Tandberg Data	184
995	C3 Computer Telephony	40IS23		1		1009	NetPro Computing	184		Tecmar Technologies	184
1040	Canon Computer System			IBM 40IS3	68,91,127		Netscape Communicat			Tektronix	127, 184
		184		InfoMagic	49			127, 137		Telebyte Technology	184
	Carleton	97		InMagic	123		Next Software	127		, .,	
998	CAS	40IS23		Innovative Software	127	1063	Novell	68, 127, 137		Thomson Software Prod	
	Cellware	40IS3		Development	127		0		1058	Thunder & Lightning	116
985	Chase Advanced	40IS23		Innovative Systems	97	989	Oakley Data Services	40IS23		Tobit Software	40153
	Technologies			Inteco	40IS13	993	Octopus	40IS23		Toshiba 4	0IS17, 127
	Cheyenne Software	127	1027		184		OLVR	80NA1		Training Direct	40IS13
994	Com-EM-Tex	40IS23	1037	Integrix			Oracle	14		TS Technische Software	40153
1109	Compaq Computer 4	0153, 127,		Intel	14, 127		P			Twinhead International	40IS17
		133		Intergraph	127			10100		U	
	Computing McGraw-Hill	123		IntraNetWare	127		Packard Bell	40IS3	1027	U.S. Robotics	127, 184
	Connectix	127		Isys/Development	40IS3		Parallax Graphics	184	988	Ultima Electronics	401523
	Corel	26		Iterated Systems	80NA1	1043	PC Power & Cooling	141		Utimaco Saleware	40153
	Craftwork Solutions	49		IXOS Software	40IS3		PCI	127			40100
				J		976	Philips Business	40IS23		V	
	D	101000		Java	63		Electronics			Vality Technology	91
978	Data Cell	40IS23		K		1022	Pixera	184		VDOnet	80NA
	Debian/GNU	49	1004	Kalyn	184		Power Computing	127		Verilog	12
1008	Decisioneering	184	1004	Kaiyii	104		Powersoft	127		Verity	123
	Delix Computer	49		L			Prism Solutions	97		Vinca	12
1002	Design Intelligence	184	977	Leutron Vision	40IS23		Progressive Networks	80NA1		Visual Analysis	4015
1045	Diamond Multimedia Syst	lems 141	1110	LG Electronics	133	1035	Proxima	127, 184	001		40IS2
1000	Digital Equipment	26, 42, 123, 127		Lightstone Multiuser Systems	40IS3	982	PSP Pillokat Systeme	40IS23	991	Visual GIS VocalTec	80NA
	Digital Harbor	127		Lotus Development	127		Q			VR-Systems	40IS
	DTM Data Telemark	40IS3		M		1061	Quadralay	116		W	
1031	Dynamic Pictures	184		Macromedia	127		Quarterdeck	127	1040	Wall Data	127, 13
	E			Market Knowledge	97		R		1045		
		127		MarketScape	127		Red Brick Systems	91		Walnut Creek	4
	Emulex	127	1010	McAfee	184		Red Hat	49		Wildcat Canyon Softwa	
	F		990	Media Scout Multimed			Ross Technology	127		WorkGroup Solutions	4
	Featron Technologies	40IS17			184		S			Y	
	First International Compu			Mediatrix Peripherals	40IS23		S.u.S.E.	49		Yggdrasil Computing	4
1057	FLFSoft	116	996	Megasolt		1005	SalesLogix	184		. advenue countraind	
1032	Fluke	184		Metra Engineering	40IS3	1005	Sanderson CBT	40IS13		2	
	ForeFront	184	1 1001	Metrowerks	47, 127	1	Ganderson ODT	401010	1000	ZyXel Communications	18

IS pages appear only in the International edition. NA pages appear only in the North America edition.


PEAK PERFORMANCE IS THE NAME OF THE GAME

The name of the book to get you there is the BYTE Guide to Optimizing Windows 95

> Don't let Windows 95 run your life. With the BYTE Guide to Optimizing Windows 95, you're in control. Filled with fresh solutions and optimizing shortcuts, you'll find slick tips and expert advice on

- Installing Windows 95
- The Internet
- Multimedia
- Handling old Windows and DOS applications
- Networking with Windows
- Troubleshooting...and much more

You'll also get the real scoop on hardware issues and third-party products. An ideal guide and handy reference, you'll turn to the **BYTE Guide to Optimizing Windows 95** again and again as you power up Windows 95 to your standards.



BYTE Guide to Optimizing Windows 95 by Lenny Bailes with Bermant, Menefee, and Heilborn \$29.95 USA ISBN: 0-07-882120-7



BYTE Guide to CD-ROM, Second Edition by Michael Nadeau Includes One CD-ROM Disc \$39.95 USA ISBN: 0-07-882104-5

DSBORNE



BYTE Guide to OpenDoc by Joshua Susser & Andrew MacBride \$29.95 USA ISBN: 0-07-882118-5



Schildt's Windows 95 Programming in C and C++ by Herbert Schildt \$29.95 USA ISBN: 0-07-882081-2

Winning Gand Country Cand Country

Schildt's Advanced Windows 95 Programming in C and C++ by Herbert Schildt \$29.95 USA ISBN: 0-07-882174-6



Available now at your local book and computer stores or call 1-800-822-8158 and use your American Express, VISA, Discover, or MasterCard.



What's New



Circle 1002 on Inquiry Card. Design Intelligence, Inc. Seattle, WA (206) 343-7797 fax: (206) 343-7750 http://www.design-intelligence.com

Publish Dynamic Documents

Producing good-looking documents can be a struggle, which is why design templates and Wizards are a popular way to guide nondesigners through the process of turning ideas into compelling proposals and reports. A new program for Windows 95, called i-publish, seeks to improve on this process.

The i-publish program (which is slated to ship in the second quarter of this year) offers templates for all sorts of documents. But what sets it apart is its built-in intelligence. Rather than using the static approach that most programs offer, i-publish templates dynamically change as you assemble content. For example, as you drop photos, text, or other content into template "frames," i-publish automatically fits information such as captions and headlines, doing the resizing and reformatting as you go.

In addition, the expertise built into the program ensures that all the elements relate to each other as you add or delete information. And the program is smart enough to reformat a document for different applications. For example, if you create a newsletter for print and tell i-publish you want to post it on the Web, it will automatically put in Web-appropriate bullets and create necessary links.

You can engage in all sorts of what-if scenarios (e.g., changing fonts and colors), and i-publish will adjust everything else in the document so the overall look remains professional and balanced.

-Jon Pepper

Business

Text and Numbers Become High-Impact Visuals

A COMPANION TO MICROSOFT OFFICE, ActiveOffice (about \$50) lets you highlight specific numbers or sections of text in a document, click



once in the ActiveOffice Gallery, and transform those numbers and/ or words into visual elements for presentations.

Contact: Software Publishing Corp., San Jose, CA, (800) 336-8360 or (408) 537-3000; http://www.spco.com. Circle 1003 on Inquiry Card.

Customize Project Status


With Schedule INSIGHT (\$189), YOU CAN view personalized status information from Microsoft Project schedules across Windows-compliant networks. The program automatically rolls up and partitions multiple projects into five separate subject categories: task, department,

4 (w, tons									
Fast Roose	Con 2, COM								
Solkews Development									
#1 Research									
8.8.9 Dates Repromotes	THE Andrew								
5.5.2 then Spectly stee	Billio Michael								
F. S. S. Specification Completes	+ 507.07								
1.2 Development									
# 2 1 Salard South	I Antere								
1113 down inde	And the owner of the owner	Milesel							
123 Fast Code		1000 C							
12#Code Complete									
1.3 Front Lovel									
1.4 Predentes									
E41 Pathage Damps		- 625							

project, individual, and company. You can view all items of a subject at once in spreadsheet format or just focus on a particular item. Contact: Kalyn Corp., Los Altos, CA, (800) 595-2596 or (415) 948-5124; http://www.kalyn.com. Circle 1004 on Inquiry Card.

Sales Automation

THE SALESLOGIX SALES INFORMATION SYStem offers contact, account, and opportunity management; group scheduling; territory management; word processing; printing to paper-based organizers; forecasting; custom and built-in reporting; a client/server database; and an online Sales Encyclopedia. The Client component, for remote, network, or stand-alone use, costs \$395; the



Workgroup Client component, designed for network use only, is \$295. Also available are Mobile Connection (\$295), Information Server (\$995), and Synchronization Server (\$995) components. *Contact: SalesLogix Corp.*, *Scottsdale*, AZ, (888) 643-6400 or (602) 368-3700; http://www.saleslogix.com. Circle 1005 on Inquiry Card.

Thrive in a Diverse Workplace

DESIGNED FOR ORGANIZATIONS ADJUSTING to an increasingly diverse work force and the globalization of business, No Potential Lost consists of three CD-ROMs (set, \$4500; individual CD-ROMs, \$1595 each). This

What's New

Software

es, a visual GUI builder, Win32 bindings, Winsock TCP/IP bindings, a Visual Ada source browser, Win-Dbg/Codeview Multilingual Debug, and DLL import and export. ObjectAda for Unix (\$8000) features an Ada 95 compiler for Hewlett-Packard and Sun workstations, a debugger, a syntactic editor, and a browser.

Contact: Thomson Software Products, San Diego, CA, (800) 833-0085 or (619) 457-2700; http://www.thomsoft.com. Circle 1013 on Inquiry Card.

Intranet Development Framework

THE TOOLS INCLUDED WITH SALVO VISTA (10 concurrent users, from US\$7250) help developers build Web applications. The four tools specify rules; provide access-control management, object-level security, and impact analysis; control the presentation of information to users; and provide identification of active rules, information on current states, invocation history, and timestamped data.

Contact: Simuvare, Inc.,

Ottawa, Ontario, Canada, (800) 267-9991 or (613) 727-1779; http://www.simware .com/salvo. Circle 1014 on Inquiry Card.

The Web

Audio E-Mail

A WINDOWS 95–STYLE TASK BAR, MIDIsoft Sound Bar (\$29.95) contains icons for point-and-click access to PC sound capabilities, such as volume, bass, treble, and balance, from the monitor desktop. You can record voice e-mail messages, to which you can add music and sound from Sound Bar's 14 MB of sound and music files. The package includes AT&CT's WorldNet Service Internet-access software, two user licenses, and a Labtec AM-32 microphone, which plugs into your PC's sound card.

Contact: Midisoft Corp., Bellevue, WA, (800) 776-6434 or (206) 391-3610; http://www.midisoft.com. Circle 1015 on Inquiry Card.

Software Updates

A browser add-on that lets you translate Spanish, French, or German Internet sites into English and vice versa, **Globalink Web Translator 1.1** supports Microsoft's Internet Explorer 3.0 and includes a Dictionary Editor, which lets you add new terms. \$49.95. *Contact: Globalink, Inc., Fairfax, VA, (800) 255-5660 or* (703) 273-5600; http://www.globalink.com. **Circle 1018 on Inquiry Card.**

With **UnInstaller 4**, you can tell the program you need a certain amount of memory and it will find it; you can remove an application from one PC and copy it to another PC; and you can delete all applications in one folder with one action. \$39.95.

Contact: MicroHelp, Inc., Marietta, GA, (800) 777-3322 or (770) 516-0899; http://www.microhelp.com. Circle 1019 on Inguiry Card.

SPSS 7.5 for Windows, a statistical package for Windows 95 and NT 4.0, includes an ODBC query wizard; a Statistical Advisor; the ability to save results in JPEG or HTML formats; and an internal scripting language. Base system, \$695.

Contact: SPSS, Inc., Chicago, IL, (800) 543-2185 or (312) 329-2400; http://www.spss.com. Circle 1020 on Inquiry Card.

HARDWARE

Accessories

Digital Camera

WITH THE PIXERA VISUAL COMMUNICAtion System, you can capture, manipulate, enhance, and manage 24-bit-color images in resolutions up to 1 million pixels. The Pixera Personal (\$795) includes a digitalcamera system with fixed-focus and macro lenses; a PCI eard or PC



Card; cable; and software. The Pixera Professional's (\$1195) digitalcamera system features a variablefocus C-mount lens, ranging from 1 inch to infinity.

Contact: Pixera Corp., Los Gatos, CA, (888) 474-9372 or (408) 341-1800; http://www.pixera.com. Circle 1022 on Inquiry Card.

Network Audio Communications

MEDIATRIX'S AUDIOTRIX PHONE PACKAGE (US\$495) includes a plug-and-play audio adapter and Texas Instruments' TMS320C50 DSP; a handset with on/off volume control, a headset connector, hands-free speaker operation, a built-in microphone, and a built-in amplified speaker; and customized CTI software for Unix and Windows 3.1x, 95, and NT. The Audiotrix device employs 16-to-1 ACELP hardware voice-compression technology; offers 16-bit full-duplex stereo digital audio; and supports Microsoft DirectX 3.

Contact: Mediatrix Peripherals, Inc., Sherbrooke, Quebec, Canada, (800) 820-8749 or (819) 829-8749; http://www.mediatrix.com. Circle 1023 on Inquiry Card.

Add-Ins

3-D Video Accelerator

WITH VELOCITY 3D WINDOWS (WITH 4 MB of memory, \$199; with 8 MB, \$299), you get a 64-bit 2-D acceleration engine, a 3-D rendering accelerator, and a Digital Video Engine delivered by the S3 ViRGE VX graphics-controller ASIC. The card delivers up to 16.7 million colors and resolutions up to 1600 by 1200 pixels with refresh rates up to 160 Hz. *Contact: STB Systems, Inc., Richardson, TX, (888) 234-*8750 or (214) 234-8750; http://www.stb.com. **Circle 1024 on Inquiry Card.**

Video for Sun Workstations

IF YOU USE A SUN ULTRASPARC OR SPARC-Station 5, 10, or 20 workstation, the XVideo Xtra (\$7995) may be for you. The video-overlay card supports resolutions up to 1280 by 1024 pixels and lets you use your favorite frame buffer. NTSC video displays at 60 fields per second and at a resolution of 640 by 480; PAL and SE-CAM display at 50 fps and at a resolution of 768 by 576. Contact: Parallax Graphics, Inc., Santa Clara, CA, (408) 727-2220; http://www .parallax.com. Circle 1025 on Inquiry Card.

Pentium Pro System Board

TARGETED TO DELIVER RISC-LEVEL PERformance with Intel's 440FX chip set, the W6-LI (with sound, \$746; without sound, \$702) features 150to 200-MHz Pentium Pro CPUs; Enhanced IDE, PCI, and ISA expansion slots; UItra Wide SCSI (up to 40 MBps); and optional 16-bit Sound Blaster-compatible sound. *Contact: Micronics Computers, Inc., Fremont, CA,* (800) 577-0977 or (510) 651-2300; http://www .micronics.com. **Circle 1026 on Inguiry Card.** What's New

Hardware

Connectivity

ISDN Terminal Adapter

THE OMNITA 128 ISDN MODEM (\$399) features two serial DTE interfaces,

so you can connect it as if it were two modems using a single ISDN line. The modem provides ISDN connection at 128 Kbps and gives you the option of using STAC compression over PPP, or V.42bis compression over V.120. Both options enable the Omni TA128 to reach



Tektronix Phaser 350 (supports Macs and PCs) \$3495 Circle 1021 on Inquiry Card.

Tektronix, Inc. Wilsonville, OR (800) 835-6100 (503) 682-7377 fax: (503) 682-2980 http://www.tek.com/color_printers/

Phaser 350 Beats Laser Printers

Today's low-cost color ink-jet printers deliver high-quality output, but their speed is another matter. That's why we were so impressed with the Tektronix Phaser 350. This solid-ink color printer provides equivalent or better speed and output quality compared to today's fast color laser printers, but with great convenience and reliability at a lower cost.

The Phaser 350's new high-speed Fast Color print mode produces full-color pages at 6 pages per minute. No color laser printer costing anywhere near the 350's \$3495 base price can do that. Tektronix managed this speed upgrade by finding clever ways to drop out dots (the base resolution is 600 by 300 dpi) without severely affecting the print quality. True, you can notice a difference depending on the type of document you print, but the color quality is still very good. If you need the best color, you can opt for the 4-ppm speed.

The Phaser 350 uses four (CYMK) color ink sticks that resemble wax crayons and drop into shape-coded slots. Maintenance is almost nonexistent, and setting up the 350 is easier than dealing with color laser printers, which can be cumbersome and sometimes temperamental. The Phaser 350 also prints on just about any type of paper. –Jon Pepper optimal throughput speeds up to 460.8 Kbps. Contact: ZyXel Communications, Anabeim, CA, (800) 255-4101 or (714) 693-0808; http://www .zyxel.com. Circle 1028 on Inquiry Card.

Industrial Surge Protection

DESIGNED TO PROTECT DATA-COMMUNIcation lines in industrial environments, Telebyte's Model 8022 (\$145)



suppresses damaging transient overvoltage pulses caused by nearby lightning strikes, power-line disturbances, electrostatic discharge, and industrial load switching. The Model 8022 accommodates fourwire networks using RS-232-based signals or other signals whose amplitude falls within +/-15 V. *Contact: Telebyte Technology, lnc., Greenlawn, NY,* (800) 835-3298 or (516) 423-3232; *http://www.telebyteusa.com.* **Circle 1029 on Inquiry Card.**

ISDN Parallel-Port Terminal Adapter

THE DATABURST ISDN 128K PROVIDES uncompressed throughput of 128 Kbps and compressed data transfer rates up to 512 Kbps. The integrated NT-1 version (\$279) provides direct connection to an ISDN wall jack; the S/T version (\$239) is designed for use with stand-alone NT-1s or PBXes.



Contact: U.S. Robotics, Skokie, IL, (800) 877-2677 or (847) 982-5001; http://www .usr.com. Circle 1027 on Inquiry Card.

Data Acquisition

Network-Based Data Acquisition

AVAILABLE FOR NUBUS MACS RUNNING System 7.0 and PCI- and ISA-bus PCs running Windows 95, instru-Net places the analog electronics in boxes outside the computer and the noisy digital electronics inside the computer. A base instruNet system (call company for prices) consists of a controller board with a 32bit microprocessor, 256 KB of RAM, and 10 counter/timer channels; one



external data acquisition box; and a cable.

Contact: GW Instruments, Inc., Somerville, MA, (617) 625-4096; http://www .gwinst.com. Circle 1030 on Inguiry Card.

Graphics

3-D Graphics Accelerator

BASED ON THE OXYGEN CHIP, A SCALABLE, pipelined 3–D graphics-rendering and texture-mapping processor, the Oxygen 402 card (\$4995) provides four Oxygen chips operating in parallel; 32 MB of synchronous DRAM; resolutions from 640 by 480 pixels to 1600 by 1200; color depths of 8, 16, or 32 bits per pixel; Gouraud shading and hardware dithering; and hardware z-buffer depths of 16 or 24 bits. *Contact: Dynamic Pictures*,



QUANTUM PHYSICS. TERM OR LIFE. THE INFIELD FLY RULE. CONVERGENCE.

Ah, we knew that last one would confuse you.

But then, which of life's complexities is tougher to decipher than the Convergence market?Where the need for expert Information Technology solutions turns every decision into a Pass/Fail test.

It can all seem overwhelming. Until you discover something nearly one million computing experts already know. It's called BYTE, and within its pages are the answers and insights IT decision-makers trust to make Convergence a reality instead of a nightmare.

Now, we're not saying BYTE can unravel all of life's mysteries. But if your company is in the Convergence market, or advertising to it, you'll find no one is more of an authority on the subject.

> The Infield Fly Rule? Hey, your guess is as good as ours.



Why do nearly one million computing experts worldwide read BYTE magazine every month? Because only BYTE delivers the global coverage and technical insights that illuminate Information Technology from problem through solution. That makes us something of an authority on the subject. And you something of a genius when you advertise in BYTE. For more information, call John Griffin, VP/Publisher at 603.924.2663. Or contact us at http://www.byte.com

THE GLOBAL AUTHORITY FOR COMPUTING TECHNOLOGY.

codetak

You Can Start Developing Now

Moss Micro's Start Developing tool guides you down the Visual Basic path. By Rick Grehan

ne of the original goals of Visual Basic (VB) was to simplify programming. (Remember, the acronym *BASIC* stands for Beginner's All-purpose Symbolic Instruction Code.) Those of us who were unable to tolerate the rigors of C and C+ + could find refuge not only in VB's visual integrated development environment (IDE) but in the language's less complex syntax as well.

On the one hand, then, a tool like Moss Micro's Start Developing for Visual Basic (which is compatible with VB 3.0 and both 16- and 32-bit versions of VB 4.0) is a surprise. Why would I need something to simplify a thing that was supposed to be simple in the first place? On the other hand, Start Developing is no surprise. Some activities are complicated no matter how hard you try to simplify them. Programming is one of them.

Start Developing for Visual Basic comprises four main components. The first is its application wizard, which guides you through those first unsteady steps of constructing an application. A series of dialog boxes prompt you for the characteristics of your application: Will it use a single- or multiple-document interface? What kind of database support (if any) will it require? Open Database Connectivity (ODBC)? Jet? Would you like it to have a toolbar? The result is a functioning skeleton of a program to which you can begin attaching the flesh and muscle of application code.

The second component is a collection of "assistants," which are VB add-ins that eliminate much of the drudge work involved with producing quality code. For example, the error-handling assistant automatically inserts error-exit code into selected (or all, if you wish) procedures and functions in your application.

Another assistant collects project sta-

tistics. For example, it identifies procedures and functions lacking in error-handling code. (Shame on you. You should have used the other assistant to put it there.) It also reports the average number of lines in a module, the average number of lines in a routine, and so on.

OFX modules are the third, and perhaps most important, component of Start Developing. These modules include a large collection of library routines that cover areas as fundamental as string manipulation (e.g., scanning a string of tokens separated by a delimiter; indenting, left-justifying, right-justifying, or centering lines; and more) to areas as specific as reading and writing the INI files or the registry.

Start Developing even provides a set of routines that offers a unified interface for dealing with INI files and/or registry entries. There are also numerous routines for conquering ODBC either directly or through remote data objects (RDOs), as well as VB/SQL and Jet.

Given that the OFX modules represent a treasure trove of routines to draw from, it would be nice if you could simply dip into that trove at will. It's not that simple, but the documentation describes a roundabout way of "stealing" the routines. You just create a dummy application using Start Developing's application

WHERE TO FIND

Moss Micro (714) 260-0300 fax: (714) 260-0325 http://www.mossmicro.com

wizard. The dummy application includes all the routines you want, so you can copy out whatever ones that you need. You have to be careful, however, because many of the routines are interdependent. Fortunately, the manual gathers related modules together, so you don't ever have



to worry about interdependencies.

Finally, there's Office Book, a kind of miniapplication that you can, in turn, embed in your application. It's an ODBCbased contact manager implemented as an OLE server. In truth, this seems a little out of place with the rest of the product, but if you need a contact manager anywhere in your product, here it is.

The benefits from this package come not only from its software. Although it covers only six pages, the manual's "Ten Laws for Visual Basic Development" is a must-read for all VB programmers. (A note to Moss Micro: Do the VB programming community a favor and put these laws up on your Web page.)

I noticed that you can also find some of the features provided by Start Developing's assistants—automatic error-code writing, function-header templates, and source code statistics—in MicroHelp's Code Complete Code Analyst and Auto-Coder (see the July 1996 Codetalk). But this overlap detracts from neither product. VB programmers can probably use more of this stuff, not less.

Rick Grehan is a senior technical editor for BYTE reviews. You can reach him by sending e-mail to rick_g@bix.com.

Up to 4 Users can Access Multiple PC, Macintosh and Sun Computers from a Central Location!

Multiuser

Up to 4 users have simultaneous access to any attached computer!

Multiplatform

Supports any combination of PC, Macintosh and Sun computers; use any platform's peripherals to access any type of computer in the system.

Multimedia

Every user has full multimedia capabilities; supports keyboard, mouse, video, speakers, microphone and serial port.

COMMANDER 4

Cybex Computer Products Corporation 4912 Research Drive • Huntsville, AL 35805 USA Tel. (205) 430-4000 • FAX (205) 430-4030 http://www.cybex.com In Europe, Contact: Paul Naish Tel. +441 264-850499 • FAX +441 264-850584

